1. Identification

Product identifier

DINITROL 550

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesion promoter

Uses advised against

No further relevant information available.

Details of the supplier of the safety data sheet

Manufacturer

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
E-mail:	msds@dinol.com	
Contact person:	Labor	
Responsible Department:	msds@dinol.com	

Supplier

Company name:	DINOL U.S. Inc.	
Street:	8500 Cotter Street, Lewis Center	
Place:	USA-43035 Ohio	
Telephone:	740-548-1656	Telefax: 740-548-1657
E-mail:	info@dinolus.com	
Internet:	www.dinol.com	

Emergency telephone number: 3E Company Emergency +1-866-404-4230

2. Hazard identification

Classification of the substance or mixture

WHMIS 2015

Flammable liquid: Flam. Liq. 2
Serious eye damage/eye irritation: Eye Irrit. 2
Respiratory or skin sensitization: Resp. Sens. 1
Respiratory or skin sensitization: Skin Sens. 1
Carcinogenicity: Carc. 2
Reproductive toxicity: Repr. 1B
Specific target organ toxicity - single exposure: STOT SE 3 (narcotic effects)

Label elements

WHMIS 2015

Signal word: Danger

Pictograms:

Hazard statements

Highly flammable liquid and vapour.
May cause an allergic skin reaction.
Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause drowsiness or dizziness.
Suspected of causing cancer.
May damage fertility or the unborn child.

Precautionary statements

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container tightly closed.
Ground and bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting equipment.
Use non-sparking tools.
Take action to prevent static discharges.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash water thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
Wear respiratory protection.
IF ON SKIN: Wash with plenty of water.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
Take off contaminated clothing and wash it before reuse.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
IF exposed or concerned: Get medical advice/attention.
In case of fire: Use water to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.

Other hazards

No information available.

3. Composition/information on ingredients

Mixtures

Hazardous components

CAS No	Chemical name	Quantity
78-93-3	butanone; ethyl methyl ketone	65 - < 85% (*)
28182-81-2	Hexamethylene diisocyanate, oligomers	5 - < 10% (*)
9016-87-9	Isocyanic acid, polymethylenepolyphenylene ester	0.1 - < 1% (*)
77-58-7	Dibutyltin dilaurate	0.1 - < 1% (*)

(*) The actual concentration is withheld as a trade secret.

Further Information

Full text of H- and EUH-statements: see section 16.

4. First-aid measures

Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.
If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.
After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).
Do NOT induce vomiting.
Call a physician immediately.
Put victim at rest, cover with a blanket and keep warm.

Most important symptoms and effects, whether acute or delayed

No further relevant information available.

Indication of immediate medical attention and special treatment needed

No further relevant information available.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder. Water fog.

Unsuitable extinguishing media

High power water jet.

Specific hazards arising from the hazardous product

No further relevant information available.

Special protective equipment and precautions for fire-fighters

No special measures are necessary.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation.
Wear personal protection equipment.
Avoid contact with skin, eyes and clothes.
Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation.
Clear contaminated areas thoroughly.
Do not rinse down with water.

Other information

No information available.

Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.
If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.
Take precautionary measures against static discharges.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Hints on joint storage

Not required.

Further information on storage conditions

Keep container tightly closed. Keep container tightly closed and dry.
maximum storage temperature : < 40°C
minimum storage temperature : > 4 °C
storage temperature: : 4 - 40 °C

8. Exposure controls/Personal protection

Control parameters

Exposure limits (ACGIH)

CAS No	Chemical name	ppm	mg/m³	F/ml	Category	Origin
78-93-3	Methyl ethyl ketone	200			TWA (8 h)	ACGIH-2023
		300			STEL (15 min)	ACGIH-2023
101-68-8	Methylene bisphenyl isocyanate	0.005			TWA (8 h)	ACGIH-2023

Biological limit values

CAS No	Chemical name	Parameter	Value	Test material	Sampling time
78-93-3	METHYL ETHYL KETONE (ACGIH 2023)	Methyl ethyl ketone	2 mg/L	urine	End of shift

Exposure controls



Appropriate engineering controls

Provide adequate ventilation.
If handled uncovered, arrangements with local exhaust ventilation should be used if possible.
If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (DIN EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374):
FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.
NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
Protective gloves have to be replaced at the first sign of deterioration.
Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.
gas filtering equipment (EN 141). Filter material/medium : A

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	black
Odour:	characteristic
Odour threshold:	not determined
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	79 - 80,5 °C
Flammability:	Highly flammable liquid and vapour.
Lower explosive limits:	not determined
Upper explosive limits:	not determined
Flash point:	- 4 °C
Auto-ignition temperature:	> 300 °C
Decomposition temperature:	not applicable
pH-Value:	not determined
Viscosity / kinematic:	not determined
Water solubility:	Immiscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	0,94 - 0,95 g/cm³
Relative vapour density:	not determined
Particle characteristics:	not applicable

Other information

Information with regard to physical hazard classes

Explosive properties

The product is: not explosive.. In use may form flammable/explosive vapour-air mixture.

Sustaining combustion:	No data available

Oxidizing properties

not determined

Other safety characteristics

Solvent content:	65,6 %
Softening point:	not determined
Viscosity / dynamic:	not determined

Further Information

No information available.

10. Stability and reactivity

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

No further relevant information available.

Incompatible materials

No further relevant information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix tested

	Dose	Species	Source
LC50, inhalation (dust/mist) (4 h)	113 mg/l		

ATEmix calculated

ATE (oral) 3307 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 134,5 mg/l

CAS No	Chemical name					
	Route of exposure	Dose		Species	Source	Method
78-93-3	butanone; ethyl methyl ketone					
	oral	LD50 mg/kg	2740	Rat		
	dermal	LD50 mg/kg	6480	Rabbit		
28182-81-2	Hexamethylene diisocyanate, oligomers					
	oral	LD50 mg/kg	>5000	Rat		
	inhalation (4 h) vapour	LC50	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			
9016-87-9	Isocyanic acid, polymethylenepolyphenylene ester					
	oral	LD50 mg/kg	> 10000	Rat		
	dermal	LD50 mg/kg	> 9400	Rabbit		
	inhalation (4 h) vapour	LC50	310 mg/l	Rat		
	inhalation dust/mist	ATE	1,5 mg/l			
77-58-7	Dibutyltin dilaurate					
	oral	LD50 mg/kg	2071	Rat		
	dermal	LD50 mg/kg	>2000	Rat		

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (Isocyanic acid, polymethylenepolyphenylene ester)

May cause an allergic skin reaction. (Hexamethylene diisocyanate, oligomers; Isocyanic acid, polymethylenepolyphenylene ester; Dibutyltin dilaurate)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (Isocyanic acid, polymethylenepolyphenylene ester)

May damage fertility or the unborn child. (Dibutyltin dilaurate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (butanone; ethyl methyl ketone)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

Information on other hazards

Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

12. Ecological information

Persistence and degradability

There are no data available on the mixture itself.

Bioaccumulative potential

There are no data available on the mixture itself.

Mobility in soil

There are no data available on the mixture itself.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

There are no data available on the mixture itself.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.
Do not mix with other wastes.

Contaminated packaging

Dispose according to legislation.

14. Transport information

Canadian TDG

UN number:	UN 1866
Proper shipping name:	Resin solution
Hazard classes:	3
Packing group:	II
Hazard label:	3
Limited quantity:	5 L

Marine transport (IMDG)

UN number or ID number:	UN 1866
United Nations proper shipping name:	RESIN SOLUTION
Transport hazard class(es):	3
Packing group:	II

Hazard label:	3

Special Provisions:	-
Limited quantity:	5 L
Excepted quantity:	E2
EmS:	F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number:	UN 1866
United Nations proper shipping name:	RESIN SOLUTION
Transport hazard class(es):	3
Packing group:	II
Hazard label:	3

Special Provisions:	A3
Limited quantity Passenger:	1 L
Passenger LQ:	Y341
Excepted quantity:	E2
IATA-packing instructions - Passenger:	353
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	364
IATA-max. quantity - Cargo:	60 L

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

15. Regulatory information

Canadian regulations

DSL/NDSL inventory status

Substance/product listed in the following inventories: DSL/NDSL

Directive 2004/42/EC on VOC in paints and varnishes:	65,61 % 616,8 - 623,3 g/l

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

16. Other information

Changes

This data sheet contains changes from the previous version in section(s): 4,7,9.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)