

DINITROL 77B

Revision date: 17.04.2024

Product code: 21608

Page 1 of 9

1. Identification

Product identifier

DINITROL 77B

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Anti-corrosive coating

Details of the supplier of the safety data sheet

Manufacturer

	Manufacturer			
	Company name:	DINOL GmbH		
	Street:	Pyrmonter Strasse 76		
	Place:	D-32676 Luegde		
	Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860	
	E-mail:	msds@dinol.com		
	Contact person:	Labor		
	Responsible Department:	msds@dinol.com		
	Supplier			
	Company name:	DINOL U.S. Inc.		
	Street:	8500 Cotter Street, Lewis Center		
	Place:	USA-43035 Ohio		
	Telephone:	740-548-1656	Telefax:740-548-1657	
	E-mail:	info@dinolus.com		
	Internet:	www.dinol.com		
E	mergency telephone number:	3E Company Emergency +1-866-404-4230		

2. Hazard identification

Classification of the substance or mixture

WHMIS 2015

Flammable liquids: Flam. Liq. 3 Specific target organ toxicity - single exposure: STOT SE 3 (narcotic effects)

Label elements

WHMIS 2015 Signal word:

Pictograms:

Warning



Hazard statements

Flammable liquid and vapour. May cause drowsiness or dizziness.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing dust/fume/gas/mist/vapours/spray.



according to WHMIS

DINITROL 77B

Revision date: 17.04.2024

Product code: 21608

Page 2 of 9

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

Store in a well-ventilated place. Keep cool. Store locked up.

Other hazards

No information available.

3. Composition/information on ingredients

<u>Mixtures</u>

Relevant ingredients

CAS No	Chemical name	
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	30 - < 60% (*)

(*) The actual concentration is withheld as a trade secret.

Further Information

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

4. First-aid measures

Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

Most important symptoms and effects, whether acute or delayed

No information available.

Indication of immediate medical attention and special treatment needed

No information available.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.



according to WHMIS

DINITROL 77B

Revision date: 17.04.2024

Product code: 21608

Page 3 of 9

Unsuitable extinguishing media High power water jet.

nigii powei watei jet.

Specific hazards arising from the hazardous product

No further relevant information available.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

For emergency responders

For further specification, refer to section 8 of the SDS.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation. Clear contaminated areas thoroughly. Do not rinse down with water.

Other information

No information available.

Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

Do not allow uncontrolled discharge of product into the environment.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or



DINITROL 77B

Revision date: 17.04.2024

Product code: 21608

Page 4 of 9

drink.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Not required.

Further information on storage conditions

Keep container tightly closed.

8. Exposure controls/Personal protection

Control parameters

Exposure controls



worn.





Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (DIN EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374): FKM (fluoro rubber) penetration time (maximum wearing period): 480 min. NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Protective gloves have to be replaced at the first sign of deterioration. Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection. gas filtering equipment (EN 141)., Filter material/medium: A

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	light brown
Odour:	characteristic
Odour threshold:	not determined

Melting point/freezing point: Boiling point or initial boiling point and boiling range: Test method not determined

154-193 °C

according to WHMIS

DINITROL 77B					
Revision date: 17.04.2024	Product code: 21608	Page 5 of 9			
Flammability:	not determined				
Lower explosive limits:	0,6 vol. %				
Upper explosive limits:	7,0 vol. %				
Flash point:	41 °C				
Auto-ignition temperature:	> 270 °C				
Decomposition temperature:	not determined				
pH-Value:	The study does not need to be conducted because the substance is known to be insoluble in water.				
Viscosity / kinematic:	not determined				
Water solubility:	The study does not need to be conducted because the substance is known to be				
Calubility in other achievets	insoluble in water.				
Solubility in other solvents not determined					
Partition coefficient n-octanol/water:	not determined				
Vapour pressure:	3 hPa				
(at 20 °C)					
Vapour pressure: (at 50 °C)	13 hPa				
Density (at 20 °C):	0,875 g/cm³	DIN 51757			
Relative vapour density:	not determined				
Particle characteristics:	not applicable				
Other information					
Information with regard to physical haza	rd classes				
Explosive properties					
	nay form flammable/explosive vapour-air mixture.				
Sustaining combustion:	No data available				
Oxidizing properties					
Not oxidising.					
Other safety characteristics	nat data una lu a d				
Evaporation rate:	not determined				
Solvent separation test: Solvent content:	not determined 40,9 %				
Solid content:	58,2 %				
Softening point:	not determined				
Viscosity / dynamic:	not determined				
Flow time:	65	4 DIN 53211			
(at 20 °C)					
Further Information					
No information available					

No information available.

10. Stability and reactivity

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.



DINITROL 77B

Revision date: 17.04.2024

Product code: 21608

Page 6 of 9

Conditions to avoid

No further relevant information available.

Incompatible materials

No information available.

Hazardous decomposition products

Carbon monoxide

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix tested

	Dose	Species	Source
LC50, inhalation (vapour) (4 h)	> 375 mg/l		

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name	hemical name				
	Route of exposure	Dose	Species	Source	Method	
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics					
	oral	LD50 > 500 mg/kg	00 Rat			
	dermal	LD50 > 500 mg/kg	00 Rabbit			
	inhalation (4 h) vapour	LC50 5000	mg/I Rat			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.



DINITROL 77B Product code: 21608

Revision date: 17.04.2024

Information on other hazards

Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

12. Ecological information

Persistence and degradability

There are no data available on the mixture itself.

Bioaccumulative potential

There are no data available on the mixture itself.

Mobility in soil

There are no data available on the mixture itself.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

There are no data available on the preparation/mixture itself. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes. List of proposed waste codes/waste designations in accordance with EWC:

Contaminated packaging

Remove according to the regulations.

14. Transport information

Canadian TDG <u>UN number:</u> <u>Proper shipping name:</u> <u>Hazard classes:</u> <u>Packing group:</u> Hazard label: Limited quantity:	UN 1139 Coating solution 3 III 3 5L
Marine transport (IMDG)	
UN number or ID number:	UN 1139
United Nations proper shipping	COATING SOLUTION
<u>name:</u>	_
<u>Transport hazard class(es):</u>	3
Packing group:	III
Hazard label:	3

Page 7 of 9



DINITROL 77B Product code: 21608 Revision date: 17.04.2024 Page 8 of 9 Marine pollutant: no Special Provisions: 955 Limited quantity: 5 L Excepted quantity: E1 F-E, S-E EmS: Air transport (ICAO-TI/IATA-DGR) UN 1139 UN number or ID number: United Nations proper shipping COATING SOLUTION name: 3 Transport hazard class(es): Packing group: Ш Hazard label: 3 **Special Provisions:** A3 Limited quantity Passenger: 10 L Passenger LQ: Y344 Excepted quantity: E1 IATA-packing instructions - Passenger: 355 IATA-max. quantity - Passenger: 60 L IATA-packing instructions - Cargo: 366 IATA-max. quantity - Cargo: 220 L **Environmental hazards** ENVIRONMENTALLY HAZARDOUS: No Other applicable information Tansport classification ADR/IMGD is based on packaging >30ltr(IMDG), <450ltr(ADR). For other packaging untis different classification can apply.

15. Regulatory information

Canadian regulations

DSL/NDSL inventory status

Substance/product listed in the following inventories: DSL/NDSL

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

16. Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,11.



according to WHMIS

DINITROL 77B

Revision date: 17.04.2024

Abbreviations and acronyms

Product code: 21608

Page 9 of 9

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)