

according to 29 CFR 1910.1200(g)

DINITROL 3650

Revision date: 05/06/2024

Product code: 21633

Page 1 of 9

1. Identification

Product identifier

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Anti-corrosive coating

DINITROL 3650

Uses advised against

No further relevant information available.

Details of the supplier of the safety data sheet

Manufacturer

	Manufacturer		
	Company name:	DINOL GmbH	
	Street:	Pyrmonter Strasse 76	
	Place:	D-32676 Luegde	
	Telephone:	+ 49 (0) 5281 982980	Telefax:+ 49 (0) 5281 9829860
	E-mail:	msds@dinol.com	
	Contact person:	Labor	
	Responsible Department:	msds@dinol.com	
	Supplier		
	Company name:	DINOL U.S. Inc.	
	Street:	8500 Cotter Street, Lewis Center	
	Place:	USA-43035 Ohio	
	Telephone:	740-548-1656	Telefax: 740-548-1657
	E-mail:	info@dinolus.com	
	Internet:	www.dinol.com	
E	mergency phone number:	3E Company Emergency +1-866-404-4230	

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Flammable liquids: Flam. Liq. 3 Aspiration hazard: Asp. Tox. 1 Specific target organ toxicity single exposure: STOT SE 3 (narcotic effects)

Label elements

29 CFR Part 1910.1200

Signal word: Pictograms: Danger



Hazard statements

Flammable liquid and vapor May be fatal if swallowed and enters airways May cause drowsiness or dizziness

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.



according to 29 CFR 1910.1200(g)

DINITROL 3650

Revision date: 05/06/2024

Product code: 21633

Page 2 of 9

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Store in a well-ventilated place. Keep cool.

Store locked up.

Special labelling of certain mixtures

Restricted to professional users.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

<u>Mixtures</u>

Hazardous components

CAS No	Components	Quantity
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	59.9 %
61789-86-4	calcium sulfonate	4.9 %

Further Information

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

4. First-aid measures

Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do NOT induce vomiting.

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

Most important symptoms and effects, both acute and delayed

No further relevant information available.



according to 29 CFR 1910.1200(g)

DINITROL 3650

Revision date: 05/06/2024

Product code: 21633

Page 3 of 9

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Extinguishing powder. Water spray jet alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

No further relevant information available.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Supress gases/vapors/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Wear personal protection equipment. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapors/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation. Clear contaminated areas thoroughly. Do not rinse down with water.

Other information

No information available.

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling



according to 29 CFR 1910.1200(g)

DINITROL 3650

Revision date: 05/06/2024

Product code: 21633

Page 4 of 9

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

Hints on joint storage

Not required.

Further information on storage conditions

Keep container tightly closed.

8. Exposure controls/personal protection

Control parameters

Exposure controls





Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be

worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (EN 166)

Hand protection

Recommended glove articles :

NBR (Nitrile rubber) - (> = 0,12 mm), Breakthrough time:: 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves

mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection. gas filtering equipment (EN 141)., Filter material/medium: A



Revision date: 05/06/2024

according to 29 CFR 1910.1200(g)

DINITROL 3650

Product code: 21633

Page 5 of 9

9. Physical and chemical properties

Information on basic physical and chemical properties

	Physical state:	Liquid	
	Color:	beige	
	Odor:	characteristic	
	Odour threshold:	not determined	
			Test method
	Melting point/freezing point:	not determined	
	Boiling point or initial boiling point and	154 - 193 °C	
	boiling range:		
	Flammability:	not determined	
	Lower explosion limits:	0,6 vol. %	
	Upper explosion limits:	7 vol. %	
	Flash point:	41 °C	DIN 53213
	Auto-ignition temperature:	> 200 °C	
	Decomposition temperature:	not determined	
	pH-Value:	The study does not need to be	
	F	conducted because the substance is	
		known to be insoluble in water.	
	Viscosity / kinematic:	not determined	
	Water solubility:	not applicable	
	Solubility in other solvents		
	not determined		
	Partition coefficient n-octanol/water:	not determined	
	Vapor pressure:	3 hPa	
	(at 20 °C)		
	Vapor pressure:	13 hPa	
	(at 50 °C)		
	Density (at 20 °C):	0,83 g/cm³	DIN 51757
	Relative vapour density:	not determined	
	Particle characteristics:	not applicable	
<u>O</u> 1	ther information		
	Information with regard to physical haza	ard classes	
	Explosive properties		
	not determined		
	Sustaining combustion:	No data available	
	Oxidizing properties		
	not determined		
	Other safety characteristics		
	Solvent content:	54,9 %	
	Solid content:	45,9 %	
	Softening point:	not determined	
	Viscosity / dynamic:	18 mPa·s	
	(at 20 °C)		
	Further Information		
	No information available.		

10. Stability and reactivity

Reactivity

No further relevant information available.



according to 29 CFR 1910.1200(g)

DINITROL 3650

Revision date: 05/06/2024

Product code: 21633

Page 6 of 9

Chemical stability

Stability:

Stable

No hazardous reaction when handled and stored according to provisions.

Possibility of hazardous reactions

Hazardous reactions:

Will not occur

No hazardous reaction when handled and stored according to provisions.

Conditions to avoid

No further relevant information available.

Incompatible materials

No further relevant information available.

Hazardous decomposition products

Carbon monoxide

11. Toxicological information

Route(s) of Entry

No information available.

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix tested

	Dose	Species	Source
LC50, inhalation (vapor) (4 h)	> 256 mg/l		

ATEmix calculated

ATE (oral) 102041 mg/kg; ATE (dermal) 51020 mg/kg; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Components					
	Exposure route	Dose		Species	Source	Method
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics					
	oral	LD50 mg/kg	> 5000	Rat		
	dermal	LD50 mg/kg	> 5000	Rabbit		
	inhalation (4 h) vapour	LC50	5000 mg/l	Rat		
61789-86-4	calcium sulfonate					
	oral	LD50 mg/kg	5000	Rat		
	dermal	LD50 mg/kg	> 2000	Rat		

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.



according to 29 CFR 1910.1200(g)

DINITROL 3650

Revision date: 05/06/2024

Product code: 21633

Page 7 of 9

Specific target organ toxicity (STOT) - single exposure

May cause drowsiness or dizziness (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics)

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA):	No ingredient of this mixture is listed.
Carcinogenicity (IARC):	No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

May be fatal if swallowed and enters airways

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

Information on other hazards

Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

12. Ecological information

Persistence and degradability

There are no data available on the mixture itself.

Bioaccumulative potential

There are no data available on the mixture itself.

Mobility in soil

There are no data available on the mixture itself.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No further relevant information available.

Further information

There are no data available on the mixture itself.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes.

RCRA Hazardous wastes (Resource Conservation and Recovery Act)

None

Contaminated packaging

Dispose of waste according to applicable legislation.

14. Transport information

U.S. DOT 49 CFR 172.101



according to 29 CFR 1910.1200(g)

	DINITROL 3650	
Revision date: 05/06/2024	Product code: 21633	Page 8 of 9
<u>UN number or ID number:</u> <u>Proper shipping name:</u> <u>Transport hazard class(es):</u> <u>Packing group:</u> Hazard label:	UN 1139 COATING SOLUTION 3 III 3	
Marine transport (IMDG) <u>UN number or ID number:</u> <u>UN proper shipping name:</u> <u>Transport hazard class(es):</u> <u>Packing group:</u> Hazard label:	UN 1139 COATING SOLUTION 3 III 3	
Marine pollutant: Special Provisions: Limited quantity: Excepted quantity: EmS:	no 955 5 L E1 F-E, S-E	
Air transport (ICAO-TI/IATA-DGR) <u>UN number or ID number:</u> <u>UN proper shipping name:</u> <u>Transport hazard class(es):</u> <u>Packing group:</u> Hazard label:	UN 1139 COATING SOLUTION 3 III 3	
Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo: Environmental hazards	A3 10 L Y344 E1 355 60 L 366 220 L	
ENVIRONMENTALLY HAZARDOUS:	No	
Special precautions for user Warning Flammable liquids Transport in bulk according to Annex II of M not applicable 15. Regulatory information		

U.S. Regulations



according to 29 CFR 1910.1200(g)

Revision date: 05/06/2024

Product code: 21633

Page 9 of 9

National Inventory TSCA

Substance/product listed in the following inventories: TSCA

National regulatory information

SARA Section 311/312 Hazards:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (-): Fire hazard, Immediate (acute) health hazard

calcium sulfonate (61789-86-4): Immediate (acute) health hazard

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Directive 2004/42/EC on VOC in	54,90 %
paints and varnishes:	455,7 g/l

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

16. Other information

Hazardous Materials Identification System (HMIS)				
Health:	0			
Flammability:	3			
Physical Hazard:	0			
NFPA Hazard Ratings				
Health:	0			
Flammability:	3			
Reactivity:	0			
Unique Hazard:	none			
Changes				
Revision date:	05/06/2024			
Revision No:	1,4			
T I: I I I I I I I I	f (1) · · · ·			

This data sheet contains changes from the previous version in section(s): 2,9,11.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)