

# **DINITROL 7660**

Revision date: 06.05.2024

Product code: 87660

Page 1 of 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

**DINITROL 7660** 

UFI:

G0ST-27XK-U00T-WMDG

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

detergent

### Uses advised against

No information available.

# 1.3. Details of the supplier of the safety data sheet

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
E-mail:	msds@dinol.com	
Contact person:	Labor	
Responsible Department:	msds@dinol.com	
1.4. Emergency telephone	Giftnotruf Berlin: +49 30 30686 700	) (Beratung in Deutsch und Englisch)
number		

#### number:

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Flam. Lig. 2; H225 Asp. Tox. 1; H304 STOT SE 3; H336 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

#### **GB CLP Regulation**

#### Hazard components for labelling

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Danger

Signal word:

**Pictograms:** 

#### **Hazard statements**

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P243	Take action to prevent static discharges.



DINITROL 7660					
Revision date: 06.05.2024	Product code: 87660	Page 2 of 12			
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.				
P271	Use only outdoors or in a well-ventilated area.				
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.				
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.				
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.				
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.				
P405	Store locked up.				
Special labelling of certa	ain mixtures				
	Restricted to professional users.				
Labelling of packages w	here the contents do not exceed 125 ml				
Signal word:	Danger				
Pictograms:					
Hazard statements H304					
Precautionary statemen P301+P310-P405	ts				
2.3. Other hazards No information available.					
<b>SECTION 3: Composition</b>	n/information on ingredients				
<u>3.2. Mixtures</u>	3.2. Mixtures				

# **Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulatio			
	Hydrocarbons, C7-C9, n-alkanes	, isoalkanes, cyclics		50-100%
	920-750-0	01-2119473851-33		
	Flam. Liq. 2, STOT SE 3, Asp. To	H304 H411		
108-65-6	2-methoxy-1-methylethyl acetate			2,5 - < 10 %
	203-603-9	607-195-00-7		
	Flam. Liq. 3; H226			
64-17-5	17-5 ethanol, ethyl alcohol			
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319			

Full text of H and EUH statements: see section 16.



# **DINITROL 7660**

Revision date: 06.05.2024

Product code: 87660

Page 3 of 12

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Specific Conc. Limits, M-factors and ATE			
	920-750-0	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	50-100%		
	inhalation: LC50 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg				
108-65-6	203-603-9	2-methoxy-1-methylethyl acetate	2,5 - < 10 %		
	dermal: LD50 = 7500 mg/kg; oral: LD50 = 8532 mg/kg				
64-17-5	200-578-6	ethanol, ethyl alcohol	< 2,5 %		
	inhalation: LC 100	50 = 20000 mg/l (vapours); oral: LD50 = 7060 mg/kg Eye Irrit. 2; H319: >= 50 -			

#### **Further Information**

Full text of H- and EUH-statements: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

### After inhalation

Provide fresh air. If unconscious but breathing normally, place in recovery position and seek medical advice.

# After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

#### After ingestion

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking. May be fatal if swallowed and enters airways.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2), Extinguishing powder. Water spray jet In case of fire: Use foam to extinguish.

#### Unsuitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

No information available.

# 5.3. Advice for firefighters

Self-contained respirator (breathing apparatus)

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



# **DINITROL 7660**

Revision date: 06.05.2024

Product code: 87660

Page 4 of 12

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Wear personal protection equipment. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray.

#### For emergency responders

For further specification, refer to section 8 of the SDS.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Provide adequate ventilation. Clear contaminated areas thoroughly. Do not rinse down with water.

#### Other information

No information available.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Keep container tightly closed in a cool, well-ventilated place.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Avoid: aerosol or mist formation

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work. Do not breathe gas/vapour/aerosol. Avoid contact with skin and eyes.

# 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

# Hints on joint storage

Not required.



# **DINITROL 7660**

Revision date: 06.05.2024

Product code: 87660

Page 5 of 12

# Further information on storage conditions

Keep container tightly closed.

Store in a cool dry place.

# 7.3. Specific end use(s)

detergent

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

## Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
108-65-6	1-Methoxypropyl acetate	50	274		TWA (8 h)	WEL
		100	548		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

### **DNEL/DMEL** values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics				
Worker DNEL,	long-term	dermal	systemic	773 mg/kg bw/day	
Worker DNEL,	long-term	inhalation	systemic	2035 mg/m <sup>3</sup>	
Consumer DN	EL, long-term	dermal	systemic	699 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	699 mg/kg bw/day	
Consumer DN	EL, long-term	inhalation	systemic	608 mg/m³	
64-17-5	ethanol, ethyl alcohol				
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³	
Worker DNEL,	acute	inhalation	local	1900 mg/m³	
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	114 mg/m <sup>3</sup>	
Consumer DNEL, acute		inhalation	local	950 mg/m³	
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	87 mg/kg bw/day	

**PNEC** values

CAS No	Substance				
Environmenta	Environmental compartment Value				
64-17-5	ethanol, ethyl alcohol				
Freshwater		0,96 mg/l			
Marine water 0,79 mg/l					
Freshwater sediment 3,6 mg					
Marine sedim	2,9 mg/kg				
Secondary p	0,72 mg/kg				
Micro-organis	580 mg/l				
Soil 0,6					

# 8.2. Exposure controls



Revision date: 06.05.2024

# according to UK REACH Regulation

# **DINITROL 7660**

Product code: 87660

Page 6 of 12

DINOL GmbH





### Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

### Individual protection measures, such as personal protective equipment

## Eye/face protection

Eye glasses with side protection (EN 166)

## Hand protection

Tested protective gloves must be worn (EN ISO 374): FKM (fluoro rubber) penetration time (maximum wearing period): 480 min. NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Protective gloves have to be replaced at the first sign of deterioration. Protect skin by using skin protective cream.

### Skin protection

Wear anti-static footwear and clothing

#### Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Liquid colourless characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		100 °C
boiling range:		
Flammability:		not applicable
Lower explosion limits:		0,8 vol. %
Upper explosion limits:		6,5 vol. %
Flash point:		-1 °C
Auto-ignition temperature:		250 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		Immiscible
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure: (at 20 °C)		45 hPa
Density (at 20 °C):		0,724 g/cm³
Relative vapour density:		not determined
Particle characteristics:		not applicable

	DINITROL 7660	
Revision date: 06.05.2024	Product code: 87660	Page 7 of 12
9.2. Other information		
Information with regard to physical hazard classe	S	
Explosive properties		
In use, may form flammable/explosive vapour-air	r mixture.	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
not determined		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent content:	100,00 %	
Solid content:	0,0%	
Softening point:	not determined	
Further Information		
No information available.		

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

# 10.2. Chemical stability

No information available.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

No information available.

# 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No information available.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

# **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# **DINITROL 7660**

Revision date: 06.05.2024

Product code: 87660

Page 8 of 12

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics					
	oral	LD50 mg/kg	>5000	Rat		
	dermal	LD50 mg/kg	>2000	Rabbit		
	inhalation (4 h) vapour	LC50	>20 mg/l	Rat		
108-65-6	2-methoxy-1-methylethyl	acetate				
	oral	LD50 mg/kg	8532	Rat	RTECS	
	dermal	LD50 mg/kg	7500	Rabbit		
64-17-5	ethanol, ethyl alcohol					
	oral	LD50 mg/kg	7060	Rat		
	inhalation (4 h) vapour	LC50 mg/l	20000	Rat		

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics)

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

# Information on likely routes of exposure

No information available.

# Specific effects in experiment on an animal

No information available.

# Additional information on tests

No information available.

# **Practical experience**

No information available.

# 11.2. Information on other hazards

#### Endocrine disrupting properties

Endocrine disrupting potential No information available.

#### **Further information**

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**



# **DINITROL 7660**

Revision date: 06.05.2024

Product code: 87660

Page 9 of 12

# 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics						
	Acute fish toxicity	LC50 mg/l	1-10	96 h	fish		
	Acute crustacea toxicity	EC50 mg/l	1-10		Daphnia magna (Big water flea)		
108-65-6	2-methoxy-1-methylethyl acetate						
	Acute fish toxicity	LC50	161 mg/l	96 h	Pimephales promelas		
	Acute crustacea toxicity	EC50	408 mg/l	48 h	Daphnia magna		

#### 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

No information available.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
108-65-6	2-methoxy-1-methylethyl acetate	

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

## **Further information**

There are no data available on the mixture itself.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

Dispose of waste according to applicable legislation.

## Contaminated packaging

Consult the appropriate authorities about waste disposal.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3295
14.2. UN proper shipping name:	HYDROCARBONS, LIQUID, N.O.S. (Naphtha (petroleum), hydrotreated
	light), MARINE POLLUTANT
14.3. Transport hazard class(es):	3
14.4. Packing group:	II



	according to on NEACH Regulation	
	DINITROL 7660	
Revision date: 06.05.2024	Product code: 87660	Page 10 of 12
Hazard label:	3	
Classification code:	E2	
Limited quantity:	1 L	
Transport category:	2	
Hazard No:	33	
Tunnel restriction code:	D/E	
Other applicable information (land tran E2	sport)	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 3295	
14.2. UN proper shipping name:	HYDROCARBONS, LIQUID, N.O.S. (Naphtha (petroleum), h light), MARINE POLLUTANT	lydrotreated
Marine transport (IMDG)	1010005	
<u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name:	UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Naphtha (petroleum), h light), MARINE POLLUTANT	lydrotreated
<u>14.3. Transport hazard class(es):</u>	3	
14.4. Packing group:	II	
Hazard label:	3	
Marine pollutant: Special Provisions: Limited quantity: <b>Other applicable information (marine tr</b> E2	yes - 1 L ransport)	
Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number:	UN 3295	
14.2. UN proper shipping name:	HYDROCARBONS, LIQUID, N.O.S. (Naphtha (petroleum), h light), MARINE POLLUTANT	lydrotreated
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Limited quantity Passenger: Other applicable information (air transp	1 L port)	
E2		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Yes	
LINNIKONNILINTALLI HAZAKBOOG.		>
Danger releasing substance:	Naphtha (petroleum), hydrotreated light	
14.6. Special precautions for user		

# **DINITROL 7660**

Revision date: 06.05.2024

Product code: 87660

Page 11 of 12

#### Warning!

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2004/42/EC on VOC in 100 % (750 g/l)

#### paints and varnishes:

#### Additional information

Observe in addition any national regulations! Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

#### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. 1 - slightly hazardous to water

Water hazard class (D):

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has been carried out.

# **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 2,6,8,14.

# Abbreviations and acronyms

Flam. Liq: Flammable liquids Asp. Tox: Aspiration hazard Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%



## **DINITROL 7660**

Revision date: 06.05.2024

Product code: 87660

Page 12 of 12

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Asp. Tox. 1; H304	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 2; H411	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)