

Safety Data Sheet

according to UK REACH Regulation

DINITROL 975

Revision date: 20.11.2024

Product code: 6416

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

DINITROL 975

UFI: 7URJ-J09K-W00H-XPCX

1.2. Relevant identified uses of the substance or mixture and uses advised against
1.3. Details of the supplier of the safety data sheet
Manufacturer

| | | |
|-------------------------|----------------------|--------------------------------|
| Company name: | DINOL GmbH | |
| Street: | Pyrmonter Strasse 76 | |
| Place: | D-32676 Luegde | |
| Telephone: | + 49 (0) 5281 982980 | Telefax: + 49 (0) 5281 9829860 |
| E-mail: | msds@dinol.com | |
| Contact person: | Labor | |
| Responsible Department: | msds@dinol.com | |

Supplier

| | |
|---------------|----------------------------------|
| Company name: | Leading Solvent Supplies Limited |
| Street: | Marston Business Park, Rudgate |
| Place: | GB Tockwith, York YO26 7QF |
| E-mail: | enquiries@leading-solvents.co.uk |
| Internet: | www.leading-solvents.co.uk |

Giftnotruf Berlin: +49 30 30686 700 (Beratung in Deutsch und Englisch)

1.4. Emergency telephone number:
SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
GB CLP Regulation

Asp. Tox. 1; H304
 Skin Irrit. 2; H315
 Eye Dam. 1; H318
 Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements
GB CLP Regulation
Hazard components for labelling

Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic
 2-diethylaminoethanol; N,N-diethylethanolamine
 2-methylisothiazol-3(2H)-one

Signal word: Danger

Pictograms:

Hazard statements

| | |
|------|---|
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |

Safety Data Sheet

according to UK REACH Regulation

DINITROL 975

Revision date: 20.11.2024

Product code: 6416

Page 2 of 11

Precautionary statements

| | |
|----------------|--|
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P405 | Store locked up. |

Special labelling of certain mixtures

Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml
Signal word: Danger

Pictograms:

Hazard statements

H304-H317-H318

Precautionary statements

P261-P280-P302+P352-P333+P313-P305+P351+P338-P405

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Relevant ingredients

| CAS No | Chemical name | Quantity |
|------------|--|------------------|
| | EC No | Index No |
| | REACH No | |
| | Classification (GB CLP Regulation) | |
| 64742-54-7 | Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic | 10 - < 15 % |
| | 265-157-1 | 649-467-00-8 |
| | 01-2119484627-25 | |
| | Asp. Tox. 1; H304 | |
| 100-37-8 | 2-diethylaminoethanol; N,N-diethylethanolamine | 1 - < 5 % |
| | 202-845-2 | 01-2119488937-14 |
| | Flam. Liq. 3, Acute Tox. 3, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B; H226 H331 H311 H302 H314 | |
| 2682-20-4 | 2-methylisothiazol-3(2H)-one | < 0.01 % |
| | 220-239-6 | 613-326-00-9 |
| | Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071 | |

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

DINITROL 975

Revision date: 20.11.2024

Product code: 6416

Page 3 of 11

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|-----------|--|-----------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 100-37-8 | 202-845-2 | 2-diethylaminoethanol; N,N-diethylethanolamine | 1 - < 5 % |
| | | inhalation: LC50 = 4,6 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = 885 mg/kg; oral: LD50 = 1300 mg/kg | |
| 2682-20-4 | 220-239-6 | 2-methylisothiazol-3(2H)-one | < 0.01 % |
| | | inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1 | |

Further Information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After contact with skin

Change contaminated clothing.

Wash with plenty of water/Soap.

Do not wash with: Solvent/Thinner.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do NOT induce vomiting.

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures
5.1. Extinguishing media
Suitable extinguishing media

 alcohol resistant foam, Carbon dioxide (CO₂), Extinguishing powder, Water fog.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

No further relevant information available.

5.3. Advice for firefighters

No further relevant information available.

Safety Data Sheet

according to UK REACH Regulation

DINITROL 975

Revision date: 20.11.2024

Product code: 6416

Page 4 of 11

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Special danger of slipping by leaking/spilling product.
Ventilate affected area.

For emergency responders

For further specification, refer to section 8 of the SDS.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation.
Clear contaminated areas thoroughly.
Do not rinse down with water.

Other information

No information available.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.
If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

Hints on joint storage

Not required.

Safety Data Sheet

according to UK REACH Regulation

DINITROL 975

Revision date: 20.11.2024

Product code: 6416

Page 5 of 11

Further information on storage conditions

storage temperature: >0° - < 30°C

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|------------------------|---|----------------|----------|------------------------|
| 64742-54-7 | Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic | | | |
| Worker DNEL, long-term | | inhalation | local | 5,58 mg/m ³ |
| Worker DNEL, long-term | | inhalation | systemic | 2,73 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 0,97 mg/kg bw/day |
| 100-37-8 | 2-diethylaminoethanol; N,N-diethylethanolamine | | | |
| Consumer DNEL, acute | | inhalation | local | 24 mg/m ³ |

PNEL values

| CAS No | Substance | Value |
|--|--|--------------|
| 100-37-8 | 2-diethylaminoethanol; N,N-diethylethanolamine | |
| Environmental compartment | | |
| Freshwater | | 0,044 mg/l |
| Marine water | | 0,0044 mg/l |
| Freshwater sediment | | 0,475 mg/kg |
| Marine sediment | | 0,0475 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 0,069 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment
Eye/face protection

Eye glasses with side protection (EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374):

FKM (fluoro rubber), Breakthrough time:: 480 min.

NBR (Nitrile rubber), Breakthrough time:: 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Safety Data Sheet

according to UK REACH Regulation

DINITROL 975

Revision date: 20.11.2024

Product code: 6416

Page 6 of 11

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Not required.

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

| | |
|------------------|----------------|
| Physical state: | Liquid |
| Colour: | light beige |
| Odour: | Amines |
| Odour threshold: | not determined |

Test method

| | |
|---|-------------------------------|
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | 100 °C |
| Flammability: | not applicable |
| Lower explosion limits: | not applicable |
| Upper explosion limits: | not applicable |
| Flash point: | > 100 °C |
| Auto-ignition temperature: | not applicable |
| Decomposition temperature: | not determined |
| pH-Value (at 20 °C): | 10,6 - 11,6 |
| Viscosity / kinematic: | not determined |
| Water solubility: | completely miscible |
| Solubility in other solvents | not determined |
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: | 27,4 hPa |
| (at 20 °C) | |
| Density (at 20 °C): | 1,02 - 1,04 g/cm ³ |
| Relative vapour density: | not determined |

9.2. Other information
Information with regard to physical hazard classes

| | |
|---------------------------|----------------|
| Explosive properties | not determined |
| Self-ignition temperature | |
| Solid: | not applicable |
| Gas: | not applicable |
| Oxidizing properties | |
| not determined | |

Other safety characteristics

| | |
|--------------------------|-------------------|
| Evaporation rate: | not determined |
| Solvent separation test: | not determined |
| Solvent content: | water: 58,1 % |
| Solid content: | 30 - 38 % |
| Sublimation point: | not applicable |
| Softening point: | not applicable |
| Pour point: | not applicable |
| Viscosity / dynamic: | not determined |
| Flow time: | 15 - 25 |
| (at 20 °C) | 4 DIN EN ISO 2431 |

Safety Data Sheet

according to UK REACH Regulation

DINITROL 975

Revision date: 20.11.2024

Product code: 6416

Page 7 of 11

Further Information

No information available.

SECTION 10: Stability and reactivity
10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No known hazardous reactions.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon monoxide

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in GB CLP Regulation
Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|-----------|--|---------------|-----------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 100-37-8 | 2-diethylaminoethanol; N,N-diethylethanolamine | | | | |
| | oral | LD50 mg/kg | 1300 | Rat | |
| | dermal | LD50 mg/kg | 885 | Rabbit | |
| | inhalation (4 h) vapour | LC50 | 4,6 mg/l | Rat | |
| | inhalation dust/mist | ATE | 0,5 mg/l | | |
| 2682-20-4 | 2-methylisothiazol-3(2H)-one | | | | |
| | oral | ATE mg/kg | 100 | | |
| | dermal | ATE mg/kg | 300 | | |
| | inhalation vapour | ATE | 0,5 mg/l | | |
| | inhalation dust/mist | ATE | 0,05 mg/l | | |

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

Sensitising effects

May cause an allergic skin reaction. (2-methylisothiazol-3(2H)-one)

Carcinogenic/mutagenic/toxic effects for reproduction

Safety Data Sheet

according to UK REACH Regulation

DINITROL 975

Revision date: 20.11.2024

Product code: 6416

Page 8 of 11

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

11.2. Information on other hazards
Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information
12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|----------|--|--------------|-----------|---------|-----------------|--------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 100-37-8 | 2-diethylaminoethanol; N,N-diethylethanolamine | | | | | |
| | Acute fish toxicity | LC50 | 147 mg/l | 96 h | Leuciscus idus | |
| | Acute algae toxicity | ErC50 | 44 mg/l | 72 h | Scenedesmus sp. | |
| | Acute crustacea toxicity | EC50 mg/l | 83,6 | 48 h | Daphnia magna | |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|--|---------|
| 100-37-8 | 2-diethylaminoethanol; N,N-diethylethanolamine | 0,21 |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Safety Data Sheet

according to UK REACH Regulation

DINITROL 975

Revision date: 20.11.2024

Product code: 6416

Page 9 of 11

12.7. Other adverse effects

No information available.

Further information

There are no data available on the preparation/mixture itself.
Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation.
Do not mix with other wastes.

Contaminated packaging

Completely emptied packages can be recycled.
Remove according to the regulations.

SECTION 14: Transport information**Land transport (ADR/RID)**

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Marine pollutant: no

Air transport (ICAO-TI/IATA-DGR)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Safety Data Sheet

according to UK REACH Regulation

DINITROL 975

Revision date: 20.11.2024

Product code: 6416

Page 10 of 11

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 40, Entry 75

Directive 2004/42/EC on VOC in paints and varnishes: 4,26 %
44,0 g/l

Additional information

Observe in addition any national regulations!

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

160365

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 16.

Abbreviations and acronyms

Flam. Liq: Flammable liquids

Acute Tox: Acute toxicity

Asp. Tox: Aspiration hazard

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Skin Sens: Skin sensitisation

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Safety Data Sheet

according to UK REACH Regulation

DINITROL 975

Revision date: 20.11.2024

Product code: 6416

Page 11 of 11

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|---------------------|--------------------------|
| Asp. Tox. 1; H304 | Calculation method |
| Skin Irrit. 2; H315 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|--------|---|
| H226 | Flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H331 | Toxic if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)