

Safety Data Sheet

according to WHMIS

DINITROL PVC PA 283 O2

Revision date: 14.01.2025

Product code: 92832

Page 1 of 9

1. Identification

Product identifier

DINITROL PVC PA 283 O2

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Barrier (Sealant)

Uses advised against

No further relevant information available.

Details of the supplier of the safety data sheet

Manufacturer

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
E-mail:	msds@dinol.com	
Contact person:	Labor	
Responsible Department:	msds@dinol.com	

Supplier

Company name:	DINOL U.S. Inc.	
Street:	8500 Cotter Street, Lewis Center	
Place:	USA-43035 Ohio	
Telephone:	740-548-1656	Telefax: 740-548-1657
E-mail:	info@dinolus.com	
Internet:	www.dinol.com	

Emergency telephone number: 3E Company Emergency +1-866-404-4230

2. Hazard identification

Classification of the substance or mixture

WHMIS 2015

Acute toxicity: Acute Tox. 4 (inhalation)
Skin corrosion/irritation: Skin Irrit. 2
Serious eye damage/eye irritation: Eye Dam. 1
Respiratory or skin sensitization: Skin Sens. 1

Label elements

WHMIS 2015

Signal word: Danger

Pictograms:



Hazard statements

Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
Harmful if inhaled.

Precautionary statements

Obtain special instructions before use.

Safety Data Sheet

according to WHMIS

DINITROL PVC PA 283 O2

Revision date: 14.01.2025

Product code: 92832

Page 2 of 9

Do not handle until all safety precautions have been read and understood.
 Avoid breathing dust/fume/gas/mist/vapours/spray.
 Use only outdoors or in a well-ventilated area.
 Contaminated work clothing should not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Take off contaminated clothing and wash it before reuse.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 Call a POISON CENTER/doctor if you feel unwell.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 Immediately call a POISON CENTER/doctor.
 IF exposed or concerned: Get medical advice/attention.

Other hazards

No information available.

3. Composition/information on ingredients

Mixtures

Hazardous components

CAS No	Chemical name	Quantity
1305-78-8	Calcium oxide	10 - < 30% (*)
461-58-5	Dicyandiamide	5 - < 10% (*)
1675-54-3	4,4'-Methylen-diphenyldiglycidylether	1 - < 5% (*)
13463-67-7	titanium dioxide	1 - < 5% (*)

(*) The actual concentration is withheld as a trade secret.

Further Information

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

The homogeneous mixing of this product is controlled by continuous physical tests. Formerly dusty raw materials are completely integrated into the liquid/pasty mass. Possible AGW-values for solid substances are therefore not given, as there is no longer any risk of inhalation of these substances (when handling this mixture).

4. First-aid measures

Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.
 Never give anything by mouth to an unconscious person or a person with cramps.
 If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.
 After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).
 Do NOT induce vomiting.

DINITROL PVC PA 283 O2

Revision date: 14.01.2025

Product code: 92832

Page 3 of 9

Call a physician immediately.
Put victim at rest, cover with a blanket and keep warm.

Most important symptoms and effects, whether acute or delayed

No further relevant information available.

Indication of immediate medical attention and special treatment needed

No information available.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO₂), Extinguishing powder, Water fog.
Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

High power water jet.

Specific hazards arising from the hazardous product

No further relevant information available.

Special protective equipment and precautions for fire-fighters

No further relevant information available.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation.
Wear personal protection equipment.
Avoid contact with skin, eyes and clothes.
Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation.
Clear contaminated areas thoroughly.
Do not rinse down with water.

Other information

No information available.

Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

DINITROL PVC PA 283 O2

Revision date: 14.01.2025

Product code: 92832

Page 4 of 9

7. Handling and storage

Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

Hints on joint storage

Not required.

Further information on storage conditions

Keep container tightly closed in a cool, well-ventilated place.

8. Exposure controls/Personal protection

Control parameters

Exposure limits (ACGIH)

CAS No	Chemical name	ppm	mg/m ³	F/ml	Category	Origin
1305-78-8	Calcium oxide		2		TWA (8 h)	ACGIH-2024
9002-86-2	Polyvinyl chloride (respirable fraction)		1		TWA (8 h)	ACGIH-2024
13463-67-7	Titanium dioxide: Finescale particles (Respirable particulate matter)		0.2		TWA (8 h)	ACGIH-2024
1314-13-2	Zinc oxide (respirable fraction)		2		TWA (8 h)	ACGIH-2024
			10		STEL (15 min)	ACGIH-2024

Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (DIN EN 166)

DINITROL PVC PA 283 O2

Revision date: 14.01.2025

Product code: 92832

Page 5 of 9

Hand protection

Tested protective gloves must be worn (EN ISO 374):

FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.

NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

9. Physical and chemical properties
Information on basic physical and chemical properties

Physical state:	pasty	
Colour:	grey	
Odour:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability		
Solid/liquid:		not determined
Lower explosive limits:		not determined
Upper explosive limits:		not determined
Flash point:		> 180 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not applicable
Viscosity / kinematic:		not applicable
Water solubility:		immiscible
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not applicable
Density (at 20 °C):		1,52 g/cm ³
Relative vapour density:		not determined
Particle characteristics:		not applicable

Other information
Information with regard to physical hazard classes

Explosive properties

not determined

Sustaining combustion:

No data available

Oxidizing properties

not determined

Other safety characteristics

Softening point:

not determined

Viscosity / dynamic:
(at 20 °C)

21000 mPa·s

Further Information

DINITROL PVC PA 283 O2

Revision date: 14.01.2025

Product code: 92832

Page 6 of 9

No information available.

10. Stability and reactivity
Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

No further relevant information available.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information
Information on toxicological effects
Acute toxicity

Harmful if inhaled.

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
461-58-5	Dicyandiamide				
	oral	LD50 > 10000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			
1675-54-3	4,4'-Methylen-diphenyldiglycidylether				
	oral	LD50 > 15000 mg/kg	Rat		
	dermal	LD50 23000 mg/kg	Rabbit		
13463-67-7	titanium dioxide				
	oral	LD50 > 20000 mg/kg	Rat		
	dermal	LD50 > 10000 mg/kg	Rabbit		

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

Sensitizing effects

May cause an allergic skin reaction. (4,4'-Methylen-diphenyldiglycidylether)

Carcinogenic/mutagenic/toxic effects for reproduction

DINITROL PVC PA 283 O2

Revision date: 14.01.2025

Product code: 92832

Page 7 of 9

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

Information on other hazards
Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

12. Ecological information
Ecotoxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
461-58-5	Dicyandiamide					
	Acute fish toxicity	LC50 mg/l	7700	96 h		
	Acute crustacea toxicity	EC50 mg/l	3180	48 h	Daphnia magna (Big water flea)	

Persistence and degradability

There are no data available on the mixture itself.

Bioaccumulative potential

There are no data available on the mixture itself.

Mobility in soil

There are no data available on the mixture itself.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

There are no data available on the mixture itself.

13. Disposal considerations
Waste treatment methods

Safety Data Sheet

according to WHMIS

DINITROL PVC PA 283 O2

Revision date: 14.01.2025

Product code: 92832

Page 8 of 9

Disposal recommendations

Dispose of waste according to applicable legislation.
Do not mix with other wastes.


Contaminated packaging

Dispose according to legislation.

14. Transport information


Canadian TDG

UN number: UN 3082
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Hazard classes: 9
Packing group: III
 Hazard label: 9
 Limited quantity: 5 L



Marine transport (IMDG)


UN number or ID number: UN 3082
United Nations proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
name:
Transport hazard class(es): 9
Packing group: III
 Hazard label: 9



Special Provisions: 274 335 969
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: UN 3082
United Nations proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
name:
Transport hazard class(es): 9
Packing group: III
 Hazard label: 9



Special Provisions: A97 A158 A197 A215
 Limited quantity Passenger: 30 kg G
 Passenger LQ: Y964
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 964
 IATA-max. quantity - Passenger: 450 L
 IATA-packing instructions - Cargo: 964
 IATA-max. quantity - Cargo: 450 L

Safety Data Sheet

according to WHMIS

DINITROL PVC PA 283 O2

Revision date: 14.01.2025

Product code: 92832

Page 9 of 9

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



15. Regulatory information

Canadian regulations

DSL/NDSL inventory status

Substance/product listed in the following inventories: DSL/NDSL

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

16. Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,9,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)