



OUR SYSTEM FOR OPTIMAL CORROSION PROTECTION

We have been on the market for over 70 years and are the leading supplier of special systems for corrosion protection. With our products, which make your life easier, you protect what is dear to you and expensive. Why can we do that? We are characterized by experience, flexibility and the ambition to always do it a little better.

DINITROL corrosion protection products are suitable for temporary and permanent protection. They are used in the Protection of structures, parts and components during processing, transport and short and long-term storage. Which DINITROL product fits best for your requirements depends on the required duration of protection, the conditions of use and the material to be protected. Temporary anti-corrosion products can be removed after a certain, predetermined time by using solvents, cold cleaners and high-performance cleaners. Permanent corrosion protection films are robust and must be

removed mechanically. The various products are optimized for different applications and have different film properties. Some leave an oily film, while others are greasy, wax-like or resemble a paint after curing.

We are constantly developing our products. Tailored exactly to your requirements. With a strong focus on environmental sustainability. We always offer our high-quality products for all problems in the right size and the right package. Your problem solving is what drives us. There is only one solution to achieve this goal: Quality!

ON THE SAFE SIDE WE ARE AGAINST STANDSTILL

Downtime is the nightmare of every company. Expensive repairs, additional costs due to an interrupted production, and so on and so on.

We want you to sleep well at night. You should protect your values. We help you with an innovative range of products for high-quality corrosion protection. Because rust, wear and other damage can become real problems. But they don't have to, if you take preventive measures right from

the start and trust our products, which we have developed with all our experience and innovative strength.

We would be happy to advise you which protection is the best for your requirements. No matter whether temporary or permanent. No matter which machines, components or parts you want to protect: we have the solution.

Range of Use	DINITROL Product	Type of film				Filmthick- ness			Colour	Removable with			Protection time months			
													Indoors Outdoors under cover			
					like						S			ı		
		Oily	Greasy	Waxy	Lacquer like	Thin *25 pm	Medium 25-100 µm	Thick v 100 µm		Solvents	Alkalines	Water	6 12 18 24 30 36 42 48 54 60 66 72 6 12 18 24 30 36 42 48 54 6	50		
Protection between processes	25B								Trans. uncoloured							
	970								Trans. uncoloured							
Protection in storage indoors	25B								Trans. uncoloured							
	81								Trans. uncoloured							
	970								Trans. uncoloured							
	975								Trans. uncoloured					ı		
	Penetrant LT								Trans. beige							
Protection in storage outdoors	25B								Trans. uncoloured					ı		
	970								Trans. uncoloured							
	975								Trans. uncoloured							
	Penetrant LT								Trans. beige					ı		
	3850								Trans. brown					ı		
	4010								Trans. beige					ı		
	4941								Black							
	PASTA								Red							
	977								Trans. uncoloured							
Protection during transport	25B								Trans. uncoloured					ı		
	970								Trans. uncoloured					ı		
	975								Trans. uncoloured					ı		
	3650								Semitransparent					ı		
	Penetrant LT								Trans. beige					ı		
	3850								Trans. brown					ı		
	4941								Black							
	PASTA								Red							
	977								Trans. beige							
Lubricating rust protection	25B								Trans. uncoloured							
	40								Trans. uncoloured							
	PASTA								Red							
Water displacing rust protection	25B								Trans. uncoloured							
	3650								Semitransparent							
	Penetrant LT								Trans. beige							
Waterborne rust protection	965 HP								Trans. uncoloured							
	970								Trans. uncoloured							
	975								Trans. uncoloured							
	977								Trans. beige							
Decorative corrosion protection system	3650								Semitransparent							
	4010								Trans. beige							




















DINITROL PENETRANT LT

Universally applicable corrosion protection agent

- ✓ Petroleum-resin-reinforced film
- ✓ Tack-free, waxy film
- ✓ OEM truck approvals
- ✓ Strong corrosion protection sto un
- ✓ Long-lasting protection
- ✓ For cavities and open surfaces
- Protection in storage indoors and outdoors
- Protection during transport
- ✓ Water displacing
 rust protection



DINITROL 25B

Universally applicable corrosion protection agent

- Extremely penetrating
- ✓ Oily, easy removable film
- ✓ Short and medium term storage indoor or outdoor under cover
- ✓ Protection between processes
- Protection in storage indoors and outdoors
- Protection during transport
- ✓ Lubricating rust protection
- ✓ Water displacing rust protection



DINITROL 977

Environmentally friendly waterbased corrosion protection agent

- ✓ Waterbased,
- ✓ Very low VOC
- ✓ Good corrosion resistance
- ✓ Good penetration
- ✓ Low odour
- ✓ Film almost tack free
- ✓ Protection in storage outdoors
- Protection during transport





DINITROL 4010

Resistant corrosion inhibitor for engine protection and general surface protection

- ✓ Engine protection
- √ High temperature resistance
- ✓ High adhesion
- ✓ Longterm protection
- Protection in storage outdoors
- ✓ Decorative corrosion protection system



DINITROL 965 HIGH PERFORMANCE

Universally applicable engine protection product

- Tack-free
- Quick drying
- ✓ Easy to apply
- Temperature resistant
- Clean application
- ✓ Waterborne rust protectio

QUESTIONS ABOUT OPTIMAL CORROSION PROTECTION:

- When and how long is the corrosion protection needed?
- Does it have to be removed after a certain time? And if so, how?
- How do I use corrosion protection properly?
- Do the corrosion protection products attack other materials?
- On which surfaces can it be used?
- Is the manufacturing process affected?
- Are there any other special requirements to be observed?
- Is protective equipment required?
- How do I optimally store the product?

We have the solution. For every requirement. Contact us. info@dinol.com















THE QUALITY SOLUTION

dinitrol.com

DINOL GmbH

Pyrmonter Straße 76 D-32676 Lügde Tel. +49 (0) 5281-98298-0 Fax +49 (0) 5281-98298-60 info@dinol.com www.dinol.com







a brand of