

## DINITROL 3650 IQ

Revision date: 30.04.2025

Product code: 21633

Page 1 of 9

### 1. Identification

#### Product identifier

DINITROL 3650 IQ

#### Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Anti-corrosive coating

##### Uses advised against

No further relevant information available.

#### Details of the supplier of the safety data sheet

##### Manufacturer

Company name: DINOL GmbH  
Street: Pyrmonter Strasse 76  
Place: D-32676 Luegde  
Telephone: + 49 (0) 5281 982980  
E-mail: msds@dinol.com  
Contact person: Labor  
Responsible Department: msds@dinol.com

Telefax: + 49 (0) 5281 9829860

##### Supplier

Company name: DINOL U.S. Inc.  
Street: 8500 Cotter Street, Lewis Center  
Place: USA-43035 Ohio  
Telephone: 740-548-1656  
E-mail: info@dinolus.com  
Internet: www.dinol.com

Telefax: 740-548-1657

**Emergency telephone number:** 3E Company Emergency +1-866-404-4230

### 2. Hazard identification

#### Classification of the substance or mixture

##### WHMIS 2015

Flammable liquids: Flam. Liq. 3  
Specific target organ toxicity - single exposure: STOT SE 3 (narcotic effects)  
Aspiration hazard: Asp. Tox. 1

#### Label elements

##### WHMIS 2015

**Signal word:** Danger

**Pictograms:**



##### Hazard statements

Flammable liquid and vapour.  
May be fatal if swallowed and enters airways.  
May cause drowsiness or dizziness.

##### Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Keep container tightly closed.  
Ground and bond container and receiving equipment.

## DINITROL 3650 IQ

Revision date: 30.04.2025

Product code: 21633

Page 2 of 9

Use explosion-proof electrical/ventilating/lighting equipment.  
 Use non-sparking tools.  
 Take action to prevent static discharges.  
 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 Use only outdoors or in a well-ventilated area.  
 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
 Do NOT induce vomiting.  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 Call a POISON CENTER/doctor if you feel unwell.  
 Store in a well-ventilated place. Keep cool.  
 Store locked up.

### Special labelling of certain mixtures

Restricted to professional users.

### Other hazards

No information available.

## 3. Composition/information on ingredients

### Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	30 - < 60 % (*)
61789-86-4	calcium sulfonate	1 - < 5 % (*)

(\*) The actual concentration is withheld as a trade secret.

### Further Information

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w)  
 DMSO extract (IP 346)).

## 4. First-aid measures

### Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice.  
 Never give anything by mouth to an unconscious person or a person with cramps.  
 If unconscious but breathing normally, place in recovery position and seek medical advice.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest.

#### After contact with skin

Change contaminated clothing.  
 After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
 Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).  
 Do NOT induce vomiting.  
 Call a physician immediately.  
 Put victim at rest, cover with a blanket and keep warm.

## DINITROL 3650 IQ

Revision date: 30.04.2025

Product code: 21633

Page 3 of 9

### Most important symptoms and effects, whether acute or delayed

No further relevant information available.

### Indication of immediate medical attention and special treatment needed

No further relevant information available.

## 5. Fire-fighting measures

### Extinguishing media

#### **Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>) Extinguishing powder. Water spray jet alcohol resistant foam.

#### **Unsuitable extinguishing media**

Full water jet

### Specific hazards arising from the hazardous product

No further relevant information available.

### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### **General advice**

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

#### **For emergency responders**

For further specification, refer to section 8 of the SDS.

### Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### Methods and material for containment and cleaning up

#### **For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

#### **For cleaning up**

Provide adequate ventilation.

Clear contaminated areas thoroughly.

Do not rinse down with water.

#### **Other information**

No information available.

### Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## 7. Handling and storage

## DINITROL 3650 IQ

Revision date: 30.04.2025

Product code: 21633

Page 4 of 9

### Precautions for safe handling

#### **Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

#### **Advice on general occupational hygiene**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Conditions for safe storage, including any incompatibilities

#### **Requirements for storage rooms and vessels**

No special measures are necessary.

#### **Hints on joint storage**

Not required.

#### **Further information on storage conditions**

Keep container tightly closed.

## 8. Exposure controls/Personal protection

### Control parameters

### Exposure controls



#### **Appropriate engineering controls**

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### **Individual protection measures, such as personal protective equipment**

##### **Eye/face protection**

Eye glasses with side protection (EN 166)

##### **Hand protection**

Tested protective gloves must be worn (EN ISO 374):

FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.

NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.

Thickness of the glove material : > 0,12 mm

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

##### **Skin protection**

Wear anti-static footwear and clothing

##### **Respiratory protection**

Work in well-ventilated zones or use proper respiratory protection.

## DINITROL 3650 IQ

Revision date: 30.04.2025

Product code: 21633

Page 5 of 9

gas filtering equipment (EN 141), Filter material/medium: A

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	beige
Odour:	characteristic
Odour threshold:	not determined

#### Test method

Melting point/freezing point:	not determined	
Boiling point or initial boiling point and boiling range:	154 - 193 °C	
Flammability:	not determined	
Lower explosive limits:	0,6 vol. %	
Upper explosive limits:	7 vol. %	
Flash point:	41 °C	DIN 53213
Auto-ignition temperature:	> 200 °C	
Decomposition temperature:	not determined	
pH-Value:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Viscosity / kinematic:	not determined	
Water solubility:	not applicable	
Solubility in other solvents	not determined	
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	3 hPa	
(at 20 °C)		
Vapour pressure:	13 hPa	
(at 50 °C)		
Density (at 20 °C):	0,83 g/cm³	DIN 51757
Relative vapour density:	not determined	
Particle characteristics:	not applicable	

#### Other information

##### Information with regard to physical hazard classes

Explosive properties	not determined
Sustained combustibility:	No data available
Oxidizing properties	not determined

##### Other safety characteristics

Solvent content:	54,9 %
Solid content:	45,9 %
Softening point:	not determined
Viscosity / dynamic:	18 mPa·s
(at 20 °C)	

##### Further Information

No information available.

### 10. Stability and reactivity

## DINITROL 3650 IQ

Revision date: 30.04.2025

Product code: 21633

Page 6 of 9

### Reactivity

No further relevant information available.

### Chemical stability

No hazardous reaction when handled and stored according to provisions.

### Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### Conditions to avoid

No further relevant information available.

### Incompatible materials

No further relevant information available.

### Hazardous decomposition products

Carbon monoxide

## 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix tested

	Dose	Species	Source
LC50, inhalation (vapour) (4 h)	> 256 mg/l		

#### ATEmix calculated

ATE (oral) &gt; 5000 mg/kg; ATE (dermal) &gt; 5000 mg/kg; ATE (inhalation dust/mist) &gt; 5 mg/l

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 > 5000 mg/l	Rat		
61789-86-4	calcium sulfonate				
	oral	LD50 5000 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rat		

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitizing effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics)

## DINITROL 3650 IQ

Revision date: 30.04.2025

Product code: 21633

Page 7 of 9

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

May be fatal if swallowed and enters airways.

### Information on likely routes of exposure

No information available.

### Specific effects in experiment on an animal

No information available.

### Additional information on tests

No information available.

### Practical experience

No information available.

### Information on other hazards

#### Endocrine disrupting properties

Endocrine disrupting potential No information available.

### Further information

There are no data available on the preparation/mixture itself.

## 12. Ecological information

### Persistence and degradability

There are no data available on the mixture itself.

### Bioaccumulative potential

There are no data available on the mixture itself.

### Mobility in soil

There are no data available on the mixture itself.

### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### Other adverse effects

No further relevant information available.

### Further information

There are no data available on the mixture itself.

## 13. Disposal considerations

### Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes.

#### Contaminated packaging

Dispose of waste according to applicable legislation.

## 14. Transport information

### Canadian TDG

<u>UN number:</u>	UN 1139
<u>Proper shipping name:</u>	Coating solution
<u>Hazard classes:</u>	3
<u>Packing group:</u>	III
Hazard label:	3

# Safety Data Sheet

according to WHMIS

## DINITROL 3650 IQ

Revision date: 30.04.2025

Product code: 21633

Page 8 of 9

Limited quantity: 5L



### Marine transport (IMDG)

**UN number or ID number:** UN 1139  
**United Nations proper shipping name:** COATING SOLUTION  
**Transport hazard class(es):** 3  
**Packing group:** III  
**Hazard label:** 3



**Marine pollutant:** no  
**Special Provisions:** 955  
**Limited quantity:** 5 L  
**Excepted quantity:** E1  
**EmS:** F-E, S-E

### Air transport (ICAO-TI/IATA-DGR)

**UN number or ID number:** UN 1139  
**United Nations proper shipping name:** COATING SOLUTION  
**Transport hazard class(es):** 3  
**Packing group:** III  
**Hazard label:** 3



**Special Provisions:** A3  
**Limited quantity Passenger:** 10 L  
**Passenger LQ:** Y344  
**Excepted quantity:** E1  
**IATA-packing instructions - Passenger:** 355  
**IATA-max. quantity - Passenger:** 60 L  
**IATA-packing instructions - Cargo:** 366  
**IATA-max. quantity - Cargo:** 220 L

### Environmental hazards

**ENVIRONMENTALLY HAZARDOUS:** No

## 15. Regulatory information

### Canadian regulations

#### DSL/NDL inventory status

Substance/product listed in the following inventories: DSL/NDL

**Directive 2004/42/EC on VOC in** 54,90 %  
**paints and varnishes:** 455,7 g/l

#### Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none



**Safety Data Sheet**

according to WHMIS

**DINITROL 3650 IQ**

Revision date: 30.04.2025

Product code: 21633

Page 9 of 9

**16. Other information****Changes**

This data sheet contains changes from the previous version in section(s): 2,8.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*