Telefax: + 49 (0) 5281 9829860



## **Safety Data Sheet**

according to 29 CFR 1910.1200(g)

### **DINITROL 3650 IQ**

Revision date: 04/30/2025 Product code: 21633 Page 1 of 9

#### 1. Identification

### **Product identifier**

DINITROL 3650 IQ

## Recommended use of the chemical and restrictions on use

### Use of the substance/mixture

Anti-corrosive coating

### Uses advised against

No further relevant information available.

## Details of the supplier of the safety data sheet

Manufacturer

Company name: DINOL GmbH
Street: Pyrmonter Strasse 76
Place: D-32676 Luegde
Telephone: + 49 (0) 5281 982980

E-mail: msds@dinol.com

Contact person: Labor

Responsible Department: msds@dinol.com

**Supplier** 

Company name: DINOL U.S. Inc.

Street: 8500 Cotter Street, Lewis Center

Place: USA-43035 Ohio

Telephone: 740-548-1656 Telefax: 740-548-1657

E-mail: info@dinolus.com Internet: www.dinol.com

**Emergency phone number:** 3E Company Emergency +1-866-404-4230

## 2. Hazard(s) identification

# Classification of the chemical

## 29 CFR Part 1910.1200

Flammable liquids: Flam. Liq. 3

Specific target organ toxicity single exposure: STOT SE 3 (narcotic effects)

Aspiration hazard: Asp. Tox. 1

### **Label elements**

# 29 CFR Part 1910.1200

Signal word: Danger

Pictograms:







## **Hazard statements**

Flammable liquid and vapor

May be fatal if swallowed and enters airways

May cause drowsiness or dizziness

# **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.



according to 29 CFR 1910.1200(g)

#### **DINITROL 3650 IQ**

Revision date: 04/30/2025 Product code: 21633 Page 2 of 9

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Store in a well-ventilated place. Keep cool.

Store locked up.

## Special labelling of certain mixtures

Restricted to professional users.

### Hazards not otherwise classified

No information available.

## 3. Composition/information on ingredients

#### **Mixtures**

### **Hazardous components**

CAS No	Components	Quantity
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	59.9 %
61789-86-4	calcium sulfonate	4.9 %

#### **Further Information**

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

## 4. First-aid measures

### **Description of first aid measures**

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest.

### After contact with skin

Change contaminated clothing.

After contact with skin, wash immediately with plenty of water and soap.

### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After inaestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do NOT induce vomiting.

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

## Most important symptoms and effects, both acute and delayed

No further relevant information available.

Print date: 04/30/2025



## **Safety Data Sheet**

according to 29 CFR 1910.1200(g)

#### **DINITROL 3650 IQ**

Revision date: 04/30/2025 Product code: 21633 Page 3 of 9

### Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5. Fire-fighting measures

## **Extinguishing media**

### Suitable extinguishing media

Carbon dioxide (CO2) Extinguishing powder. Water spray jet alcohol resistant foam.

### Unsuitable extinguishing media

Full water jet

#### Specific hazards arising from the chemical

No further relevant information available.

### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

#### Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Supress gases/vapors/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapors/spray.

## For emergency responders

For further specification, refer to section 8 of the SDS.

#### **Environmental precautions**

Do not allow uncontrolled discharge of product into the environment.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## Methods and material for containment and cleaning up

#### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Provide adequate ventilation.

Clear contaminated areas thoroughly.

Do not rinse down with water.

#### Other information

No information available.

# Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

# 7. Handling and storage

## Precautions for safe handling



according to 29 CFR 1910.1200(g)

#### **DINITROL 3650 IQ**

Revision date: 04/30/2025 Product code: 21633 Page 4 of 9

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

### Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

No special measures are necessary.

### Hints on joint storage

Not required.

## Further information on storage conditions

Keep container tightly closed.

### 8. Exposure controls/personal protection

### **Control parameters**

### **Exposure controls**





## Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## Individual protection measures, such as personal protective equipment

#### Eye/face protection

Eye glasses with side protection (EN 166)

#### Hand protection

Tested protective gloves must be worn (EN ISO 374):

FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.

NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.

Thickness of the glove material: > 0,12 mm

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

### Skin protection

Wear anti-static footwear and clothing

## Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

gas filtering equipment (EN 141)., Filter material/medium: A



according to 29 CFR 1910.1200(g)

### **DINITROL 3650 IQ**

Revision date: 04/30/2025 Product code: 21633 Page 5 of 9

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state: Liquid
Color: beige
Odor: characteristic
Odour threshold: not determined

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

154 - 193 °C

boiling range:

Flammability: not determined Lower explosion limits: 0,6 vol. % Upper explosion limits: 7 vol. %

Flash point: 41 °C DIN 53213

Auto-ignition temperature: > 200 °C

Decomposition temperature: not determined

pH-Value: The study does not need to be conducted because the substance is

known to be insoluble in water.

Viscosity / kinematic: not determined
Water solubility: not applicable

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapor pressure: 3 hPa

(at 20 °C)

Vapor pressure: 13 hPa

(at 50 °C)

Density (at 20 °C): 0,83 g/cm<sup>3</sup> DIN 51757

Relative vapour density: not determined Particle characteristics: not applicable

### **Other information**

# Information with regard to physical hazard classes

Explosive properties

not determined

Sustained combustibility:

No data available

Oxidizing properties not determined

Other safety characteristics

Solvent content: 54,9 %
Solid content: 45,9 %
Softening point: not determined
Viscosity / dynamic: 18 mPa·s

(at 20 °C)

#### **Further Information**

No information available.

## 10. Stability and reactivity

# Reactivity

No further relevant information available.



according to 29 CFR 1910.1200(g)

### **DINITROL 3650 IQ**

Revision date: 04/30/2025 Product code: 21633 Page 6 of 9

### **Chemical stability**

Stability: Stable

No hazardous reaction when handled and stored according to provisions.

## Possibility of hazardous reactions

Hazardous reactions: Will not occur

No hazardous reaction when handled and stored according to provisions.

#### Conditions to avoid

No further relevant information available.

#### Incompatible materials

No further relevant information available.

## **Hazardous decomposition products**

Carbon monoxide

# 11. Toxicological information

### Route(s) of Entry

No information available.

### Information on toxicological effects

## **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix tested**

Dose

Species

Source

LC50, inhalation (vapor) (4 h)

> 256 mg/l

## **ATEmix calculated**

ATE (oral) > 5000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Components							
	Exposure route	Dose		Species	Source	Method		
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics							
	oral	LD50 mg/kg	> 5000	Rat				
	dermal	LD50 mg/kg	> 5000	Rabbit				
	inhalation (4 h) vapour	LC50 mg/l	> 5000	Rat				
61789-86-4	calcium sulfonate							
	oral	LD50 mg/kg	5000	Rat				
	dermal	LD50 mg/kg	> 2000	Rat				

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

## Sensitizing effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.



according to 29 CFR 1910.1200(g)

#### **DINITROL 3650 IQ**

Revision date: 04/30/2025 Product code: 21633 Page 7 of 9

### Specific target organ toxicity (STOT) - single exposure

May cause drowsiness or dizziness (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics)

## Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

### **Aspiration hazard**

May be fatal if swallowed and enters airways

### Specific effects in experiment on an animal

No information available.

#### Additional information on tests

No information available.

## **Practical experience**

No information available.

### Information on other hazards

### **Endocrine disrupting properties**

Endocrine disrupting potential No information available.

#### **Further information**

There are no data available on the preparation/mixture itself.

# 12. Ecological information

### Persistence and degradability

There are no data available on the mixture itself.

## **Bioaccumulative potential**

There are no data available on the mixture itself.

### Mobility in soil

There are no data available on the mixture itself.

#### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## Other adverse effects

No further relevant information available.

## **Further information**

There are no data available on the mixture itself.

# 13. Disposal considerations

# Waste treatment methods

### **Disposal recommendations**

Dispose of waste according to applicable legislation. Do not mix with other wastes.

## RCRA Hazardous wastes (Resource Conservation and Recovery Act)

None

# Contaminated packaging

Dispose of waste according to applicable legislation.

# 14. Transport information

#### U.S. DOT 49 CFR 172.101



according to 29 CFR 1910.1200(g)

**DINITROL 3650 IQ** 

Revision date: 04/30/2025 Product code: 21633 Page 8 of 9

UN number or ID number: UN 1139

Proper shipping name: COATING SOLUTION

Transport hazard class(es):

Packing group:

Hazard label:

3



Marine transport (IMDG)

UN number or ID number: UN 1139

UN proper shipping name: COATING SOLUTION

Transport hazard class(es):

Packing group:

Hazard label:

3



Marine pollutant:

Special Provisions:

Limited quantity:

Excepted quantity:

EmS:

no

955

L

5 L

E1

EnS:

F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: UN 1139

<u>UN proper shipping name:</u> COATING SOLUTION

Transport hazard class(es):

Packing group:
Hazard label:

3



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Y344

Excepted quantity:

E1

IATA-packing instructions - Passenger:355IATA-max. quantity - Passenger:60 LIATA-packing instructions - Cargo:366IATA-max. quantity - Cargo:220 L

**Environmental hazards** 

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

Warning Flammable liquids

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

# 15. Regulatory information

#### **U.S. Regulations**



according to 29 CFR 1910.1200(g)

#### **DINITROL 3650 IQ**

Revision date: 04/30/2025 Product code: 21633 Page 9 of 9

## **National Inventory TSCA**

Substance/product listed in the following inventories: TSCA

#### National regulatory information

SARA Section 311/312 Hazards:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (-): Fire hazard, Immediate (acute)

health hazard

calcium sulfonate (61789-86-4): Immediate (acute) health hazard

### State Regulations

# Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Directive 2004/42/EC on VOC in 54,90 % paints and varnishes: 455,7 g/l

This mixture contains the following substances of very high concern (SVHC) which are included in the

Candidate List according to Article 59 of REACH: none

## 16. Other information

### Hazardous Materials Identification System (HMIS)

Health: 0
Flammability: 3
Physical Hazard: 0

## **NFPA Hazard Ratings**

Health: 0
Flammability: 3
Reactivity: 0
Unique Hazard: none



### Changes

Revision date: 04/30/2025

Revision No: 1,5

This data sheet contains changes from the previous version in section(s): 2,8.

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)