

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## DINITROL 4010

Revision date: 03/18/2025

Product code: 21614

Page 1 of 10

### 1. Identification

#### Product identifier

DINITROL 4010

#### Recommended use of the chemical and restrictions on use

##### Use of the substance/mixture

Anti-corrosive coating

#### Details of the supplier of the safety data sheet

##### Manufacturer

Company name: DINOL GmbH  
Street: Pyrmonter Strasse 76  
Place: D-32676 Luegde  
Telephone: + 49 (0) 5281 982980  
E-mail: msds@dinol.com  
Contact person: Labor  
Responsible Department: msds@dinol.com

Telefax: + 49 (0) 5281 9829860

##### Supplier

Company name: DINOL U.S. Inc.  
Street: 8500 Cotter Street, Lewis Center  
Place: USA-43035 Ohio  
Telephone: 740-548-1656  
E-mail: info@dinolus.com  
Internet: www.dinol.com

Telefax: 740-548-1657

Emergency phone number: 3E Company Emergency +1-866-404-4230

### 2. Hazard(s) identification

#### Classification of the chemical

##### 29 CFR Part 1910.1200

Flammable liquids: Flam. Liq. 3  
Aspiration hazard: Asp. Tox. 1  
Specific target organ toxicity single exposure: STOT SE 3 (narcotic effects)  
Specific target organ toxicity repeated or prolonged exposure: STOT RE 1

#### Label elements

##### 29 CFR Part 1910.1200

**Signal word:** Danger

**Pictograms:**



##### Hazard statements

Flammable liquid and vapor  
May be fatal if swallowed and enters airways  
May cause drowsiness or dizziness  
Causes damage to organs through prolonged or repeated exposure

##### Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Keep container tightly closed.  
Ground/bond container and receiving equipment.

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL 4010

Revision date: 03/18/2025

Product code: 21614

Page 2 of 10

Use explosion-proof electrical/ventilating/lighting equipment.  
 Use only non-sparking tools.  
 Take precautionary measures against static discharge.  
 Do not breathe dust/fume/gas/mist/vapors/spray.  
 Do not eat, drink or smoke when using this product.  
 Use only outdoors or in a well-ventilated area.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 If swallowed: Immediately call a poison center/doctor.  
 Do NOT induce vomiting.  
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
 Call a poison center/doctor if you feel unwell.  
 Get medical advice/attention if you feel unwell.  
 In case of fire: Use water to extinguish.  
 Keep container tightly closed.  
 Store in a well-ventilated place. Keep cool.  
 Store locked up.

#### **Hazards not otherwise classified**

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w)  
 DMSO extract (IP 346)).

### 3. Composition/information on ingredients

#### **Mixtures**

##### **Hazardous components**

CAS No	Components	Quantity
	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	24.9 %
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	24.9 %
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	24.9 %
61789-86-4	calcium sulfonate	9.9 %
1474044-79-5	Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts	2.9 %

#### **Further Information**

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w)  
 DMSO extract (IP 346)).

### 4. First-aid measures

#### **Description of first aid measures**

##### **General information**

Remove contaminated, saturated clothing immediately.

##### **After inhalation**

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. If unconscious but breathing normally, place in recovery position and seek medical advice.

##### **After contact with skin**

Wash with plenty of water/Soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

##### **After contact with eyes**

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

##### **After ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Call a physician immediately.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL 4010**

Revision date: 03/18/2025

Product code: 21614

Page 3 of 10

**Most important symptoms and effects, both acute and delayed**

Nausea, Dizziness, Headache.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**5. Fire-fighting measures****Extinguishing media****Suitable extinguishing media**Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.**Unsuitable extinguishing media**

High power water jet.

**Specific hazards arising from the chemical**

Flammable. Vapors may form explosive mixtures with air.

**Special protective equipment and precautions for fire-fighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Use water spray/stream to protect personnel and to cool endangered containers. Suppress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition.  
Do not breathe gas/fume/vapor/spray.  
Avoid contact with skin, eyes and clothes.  
Use personal protection equipment.

**For emergency responders**

For further specification, refer to section 8 of the SDS.

**Environmental precautions**

Do not allow uncontrolled discharge of product into the environment.

**Methods and material for containment and cleaning up****For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.

**For cleaning up**

Provide adequate ventilation.  
Clear contaminated areas thoroughly.  
Do not rinse down with water.

**Other information**

No information available.

**Reference to other sections**

Safe handling: see section 7  
Personal protection equipment (PPE): see section 8  
Disposal: see section 13

**7. Handling and storage****Precautions for safe handling**

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL 4010

Revision date: 03/18/2025

Product code: 21614

Page 4 of 10

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.  
Take precautionary measures against static discharges.  
Vapors may form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### Hints on joint storage

Not required.

##### Further information on storage conditions

No information available.

### 8. Exposure controls/personal protection

#### Control parameters

#### Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation.  
If handled uncovered, arrangements with local exhaust ventilation should be used if possible.  
If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Eye glasses with side protection (DIN EN 166)

##### Hand protection

Tested protective gloves must be worn (EN ISO 374):  
FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.  
NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.  
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.  
Protective gloves have to be replaced at the first sign of deterioration.  
Protect skin by using skin protective cream.

##### Skin protection

Wear anti-static footwear and clothing

##### Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.  
gas filtering equipment (EN 141), Filter material/medium: A

## DINITROL 4010

Revision date: 03/18/2025

Product code: 21614

Page 5 of 10

### Thermal hazards

No information available.

### Environmental exposure controls

No information available.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state:	Liquid
Color:	light brown
Odor:	characteristic
Odour threshold:	not determined

### Test method

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	136 - 164 °C
Flammability:	not applicable
Lower explosion limits:	0,6 vol. %
Upper explosion limits:	7,0 vol. %
Flash point:	36 °C
Auto-ignition temperature:	> 200 °C
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic: (at 40 °C)	< 20,5 mm²/s
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapor pressure: (at 20 °C)	5 hPa
Vapor pressure: (at 50 °C)	30 hPa
Density (at 20 °C):	0,87 - 0,91 g/cm³
Relative vapour density:	not determined
Particle characteristics:	not applicable

### Other information

#### Information with regard to physical hazard classes

Explosive properties not determined	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Oxidizing properties not determined	

#### Other safety characteristics

Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	51,9 %
Solid content:	47 - 51 %

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL 4010**

Revision date: 03/18/2025

Product code: 21614

Page 6 of 10

Softening point:

not determined

Viscosity / dynamic:

not determined

Flow time:

18 - 26 4 DIN EN ISO 2431

(at 20 °C)

**Further Information**

No information available.

**10. Stability and reactivity****Reactivity**

No further relevant information available.

**Chemical stability**

Stability:

Stable

The product is stable under storage at normal ambient temperatures.

**Possibility of hazardous reactions**

Hazardous reactions:

Will not occur

No known hazardous reactions.

**Conditions to avoid**

No further relevant information available.

**Incompatible materials**

No further relevant information available.

**Hazardous decomposition products**

Carbon monoxide

**11. Toxicological information****Route(s) of Entry**

No information available.

**Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) &gt; 5000 mg/kg; ATE (dermal) &gt; 5000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## DINITROL 4010

Revision date: 03/18/2025

Product code: 21614

Page 7 of 10

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)				
	oral	LD50 >15000 mg/kg	Rat		
	dermal	LD50 >3400 mg/kg	Rat		
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 5000 mg/l	Rat		
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rabbit		
	inhalation vapour	LC50 >5000 mg/l	Rat		
61789-86-4	calcium sulfonate				
	oral	LD50 5000 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rat		

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitizing effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### Specific target organ toxicity (STOT) - single exposure

May cause drowsiness or dizziness (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%); Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics; Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics)

### Specific target organ toxicity (STOT) - repeated exposure

Causes damage to organs through prolonged or repeated exposure (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%))

### Aspiration hazard

May be fatal if swallowed and enters airways

### Specific effects in experiment on an animal

No information available.

### Additional information on tests

No information available.

### Practical experience

No information available.

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## DINITROL 4010

Revision date: 03/18/2025

Product code: 21614

Page 8 of 10

### Information on other hazards

#### **Endocrine disrupting properties**

Endocrine disrupting potential No information available.

#### **Further information**

There are no data available on the preparation/mixture itself.

## 12. Ecological information

### Persistence and degradability

There are no data available on the mixture itself.

### Bioaccumulative potential

There are no data available on the mixture itself.

### Mobility in soil

There are no data available on the mixture itself.

### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### Other adverse effects

No information available.

#### **Further information**

There are no data available on the preparation/mixture itself.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 13. Disposal considerations

### Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation. Do not mix with other wastes.

List of proposed waste codes/waste designations in accordance with EWC:

#### **RCRA Hazardous wastes (Resource Conservation and Recovery Act)**

None

#### **Contaminated packaging**

Remove according to the regulations.

## 14. Transport information

### **U.S. DOT 49 CFR 172.101**

#### UN number or ID number:

UN 1139

#### Proper shipping name:

Coating solution

#### Transport hazard class(es):

3

#### Packing group:

III

Hazard label:

3



### **Marine transport (IMDG)**

#### UN number or ID number:

UN 1139

#### UN proper shipping name:

COATING SOLUTION

#### Transport hazard class(es):

3

#### Packing group:

III

Hazard label:

3

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## DINITROL 4010

Revision date: 03/18/2025

Product code: 21614

Page 9 of 10



Marine pollutant: no  
Special Provisions: 955  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-E, S-E

### Air transport (ICAO-TI/IATA-DGR)

**UN number or ID number:** UN 1139  
**UN proper shipping name:** COATING SOLUTION  
**Transport hazard class(es):** 3  
**Packing group:** III  
Hazard label: 3



Special Provisions: A3  
Limited quantity Passenger: 10 L  
Passenger LQ: Y344  
Excepted quantity: E1  
IATA-packing instructions - Passenger: 355  
IATA-max. quantity - Passenger: 60 L  
IATA-packing instructions - Cargo: 366  
IATA-max. quantity - Cargo: 220 L

### Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### Special precautions for user

Warning : Flammable liquids

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## 15. Regulatory information

### U.S. Regulations

#### National Inventory TSCA

Substance/product listed in the following inventories: TSCA

#### National regulatory information

SARA Section 311/312 Hazards:

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) (-): Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard  
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (-): Fire hazard, Immediate (acute) health hazard  
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics (-): Fire hazard, Immediate (acute) health hazard  
calcium sulfonate (61789-86-4): Immediate (acute) health hazard  
Naphthalenesulfonic acid, di-C9-rich C8-10-branched alkyl derivs., calcium salts (1474044-79-5): Immediate (acute) health hazard

### State Regulations

#### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL 4010

Revision date: 03/18/2025

Product code: 21614

Page 10 of 10

other reproductive harm.

Directive 2004/42/EC on VOC in 51,88 %  
paints and varnishes: 461,7 g/l

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

667136

## 16. Other information

### Hazardous Materials Identification System (HMIS)

Health: 0  
Flammability: 3  
Physical Hazard: 0

### NFPA Hazard Ratings

Health: 0  
Flammability: 3  
Reactivity: 0  
Unique Hazard: none



### Changes

Revision date: 03/18/2025  
Revision No: 1,8

This data sheet contains changes from the previous version in section(s): 9,16.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

### Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*