DINITROL 448 black

Revision date: 20.11.2024

Product code: 5113

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DINITROL 448 black

UFI:

H05F-10XA-T00P-1V2V

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer		
Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
E-mail:	msds@dinol.com	
Contact person:	Labor	
Responsible Department:	msds@dinol.com	
Supplier		
Company name:	Leading Solvent Supplies Limited	
Street:	Marston Business Park, Rudgate	
Place:	GB Tockwith, York YO26 7QF	
E-mail:	enquiries@leading-solvents.co.uk	
Internet:	www.leading-solvents.co.uk	
1.4. Emergency telephone	Giftnotruf Berlin: +49 30 30686 700 (B	eratung in Deutsch und Englisch)
number:		

n

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements P273

Avoid release to the environment.

Special labelling of certain mixtures

EUH208

Contains Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 -methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml

Hazard statements

H412

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



DINITROL 448 black

Revision date: 20.11.2024

Product code: 5113

Page 2 of 13

Relevant ingredients

CAS No	Chemical name						
	EC No	Index No	REACH No				
	Classification (GB CLP Regulation)						
64-17-5	Ethanol			1 - < 5 %			
	200-578-6		01-2119457610-43				
	Flam. Liq. 2, Eye Irrit. 2	; H225 H319					
7779-90-0	trizinc bis(orthophosph	ate)		< 1 %			
	231-944-3	030-011-00-6	01-2119485044-40				
	Aquatic Acute 1, Aquat	ic Chronic 1; H400 H410	•				
1314-13-2	zinc oxide	< 1 %					
	215-222-5	030-013-00-7	01-2119463881-32				
	Aquatic Acute 1, Aquat						
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)			< 0.0015 %			
	611-341-5	613-167-00-5	01-2120764691-48				
	Acute Tox. 2, Acute To Acute 1, Aquatic Chron						

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64-17-5	200-578-6	Ethanol	1 - < 5 %
		50 = > 50 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 10470 t. 2; H319: >= 50 - 100	
7779-90-0	231-944-3	trizinc bis(orthophosphate)	< 1 %
	inhalation: LC5 H400: M=1 Aquatic Chronic	50 = > 5,7 mg/l (dusts or mists); oral: LD50 = > 5000 mg/kg Aquatic Acute 1; c 1; H410: M=1	
1314-13-2	215-222-5	zinc oxide	< 1 %
	inhalation: LC5 H400: M=1 Aquatic Chronic	50 = > 2500 mg/l (dusts or mists); oral: LD50 = > 7950 mg/kg Aquatic Acute 1; c 1; H410: M=1	
55965-84-9	611-341-5	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	< 0.0015 %
	= 50 mg/kg; ora 0,06 - < 0,6 E 1A; H317: >= 0 Aquatic Acute 1		

Further Information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

DINITROL 448 black

Revision date: 20.11.2024

Product code: 5113

Page 3 of 13

After inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

After contact with skin

Change contaminated clothing. Wash with plenty of water/Soap. Do not wash with: Solvent/Thinner.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately. Put victim at rest, cover with a blanket and keep warm.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water fog.

Unsuitable extinguishing media High power water jet.

5.2. Special hazards arising from the substance or mixture

No further relevant information available.

5.3. Advice for firefighters

No further relevant information available.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Special danger of slipping by leaking/spilling product.

Ventilate affected area.

For emergency responders

For further specification, refer to section 8 of the SDS.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).



according to UK REACH Regulation

DINITROL 448 black

Revision date: 20.11.2024

Product code: 5113

Page 4 of 13

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation. Clear contaminated areas thoroughly. Do not rinse down with water.

Other information

No information available.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

Hints on joint storage

Not required.

Further information on storage conditions

storage temperature: >0° - < 30°C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7727-43-7	Barium sulphate, respirable dust	-	4		TWA (8 h)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
14807-96-6	Talc respirable dust	-	1		TWA (8 h)	WEL



DINITROL 448 black

Revision date: 20.11.2024

Product code: 5113

Page 5 of 13

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7727-43-7	Barium sulfate			
Worker DNEL	, long-term	inhalation	systemic	10 mg/m³
Worker DNEL	, long-term	inhalation	local	10 mg/m ³
Consumer DN	IEL, long-term	inhalation	systemic	10 mg/m ³
Consumer DN	IEL, long-term	oral	systemic	13000 mg/kg bw/day
64-17-5	Ethanol			
Consumer DN	IEL, long-term	dermal	systemic	206 mg/kg bw/day
Worker DNEL	, long-term	dermal	systemic	343 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	114 mg/m³
Worker DNEL	, long-term	inhalation	systemic	950 mg/m³
Worker DNEL	, acute	inhalation	local	1900 mg/m³
Consumer DN	EL, acute	inhalation	local	950 mg/m³
7779-90-0	trizinc bis(orthophosphate)			
Worker DNEL	, long-term	inhalation	systemic	5 mg/m³
Worker DNEL	, long-term	dermal	systemic	83 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	2,5 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	83 mg/kg bw/day
Consumer DN	IEL, acute	oral	systemic	0,83 mg/kg bw/day
1314-13-2	zinc oxide			
Worker DNEL	, long-term	inhalation	systemic	5 mg/m³
Worker DNEL	, long-term	inhalation	local	0,5 mg/m³
Worker DNEL, long-term		dermal	systemic	83 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	2,5 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	83 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	0,83 mg/kg bw/day
3				



DINITROL 448 black

Revision date: 20.11.2024

Product code: 5113

Page 6 of 13

PNEC values

CAS No	Substance	
Environment	al compartment	Value
7727-43-7	Barium sulfate	
Freshwater		0,115 mg/l
Freshwater s	sediment	600,4 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	62,2 mg/l
Soil		207,7 mg/kg
64-17-5	Ethanol	
Freshwater		0,96 mg/l
Marine water	r	0,79 mg/l
Freshwater s	sediment	3,6 mg/kg
Marine sedin	nent	2,9 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	580 mg/l
Soil		0,63 mg/kg
7779-90-0	trizinc bis(orthophosphate)	
Freshwater		0,0206 mg/l
Marine water	r	0,0061 mg/l
Freshwater s	sediment	117,8 mg/kg
Marine sedin	nent	56,5 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	0,100 mg/l
Soil		35,6 mg/kg
1314-13-2	zinc oxide	
Freshwater		0,0206 mg/l
Marine water	r	0,0061 mg/l
Freshwater s	sediment	117,8 mg/kg
Marine sediment 56,5 mg		
Micro-organi	sms in sewage treatment plants (STP)	0,100 mg/l
Soil		35,6 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374): FKM (fluoro rubber), Breakthrough time:: 480 min.



according to UK REACH Regulation

DINITROL 448 black

Revision date: 20.11.2024

Product code: 5113

Page 7 of 13

NBR (Nitrile rubber), Breakthrough time:: 480 min.
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
Protective gloves have to be replaced at the first sign of deterioration.
Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and		
Physical state:	Liquid	
Colour:	black	
Odour:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point an	d	100 °C
boiling range:		
Flammability:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not applicable
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		8
Water solubility:		completely miscible
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		23 hPa
(at 20 °C)		
Density (at 20 °C):		1,44 - 1,48 g/cm³
Relative vapour density:		not determined
9.2. Other information		
Information with regard to physical	hazard classes	
Explosive properties		
not determined		
Self-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Oxidizing properties		
not determined		
Other safety characteristics		
Evaporation rate:		not determined
Solvent content:		2,5 %, water: 22,8 %
Solid content:		66 - 70%
Sublimation point:		not determined
Softening point:		not determined
Pour point:		not determined
Viscosity / dynamic:		4500 - 5200 mPa·s

DINITROL 448 black

Revision date: 20.11.2024

Product code: 5113

Page 8 of 13

DINOL GmbH

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No known hazardous reactions.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to UK REACH Regulation

DINITROL 448 black

Revision date: 20.11.2024

Product code: 5113

Page 9 of 13

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64-17-5	Ethanol						
	oral	LD50 mg/kg	10470	Rat			
	dermal	LD50 mg/kg	> 2000	Rabbit			
	inhalation (4 h) vapour	LC50	> 50 mg/l	Rat			
7779-90-0	trizinc bis(orthophosphat	ie)					
	oral	LD50 mg/kg	> 5000	Rat			
	inhalation (4 h) dust/mist	LC50 mg/l	> 5,7	Rat			
1314-13-2	zinc oxide						
	oral	LD50 mg/kg	> 7950	Rat			
	inhalation (4 h) dust/mist	LC50 mg/l	> 2500	Rat			
55965-84-9	4-9 Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)					-one [EC no.	
	oral	ATE mg/kg	100				
	dermal	ATE	50 mg/kg				
	inhalation vapour	ATE	0,5 mg/l				
	inhalation dust/mist	ATE	0,05 mg/l				

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met. Contains Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

DINITROL 448 black

Revision date: 20.11.2024

Product code: 5113

Page 10 of 13

Practical experience

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64-17-5	Ethanol			-	_	-	
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris		
	Acute crustacea toxicity	EC50 mg/l	> 10000		Daphnia magna (Big water flea)		
1314-13-2	zinc oxide						
	Acute fish toxicity	LC50 mg/l	1120	96 h	fish	GESTIS	
	Acute crustacea toxicity	EC50 mg/l	12,3	48 h		GESTIS	
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)						
	Acute bacteria toxicity EC50 0,97 3 h Activated sludge mg/l ()						

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	0,71-0,75

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

There are no data available on the preparation/mixture itself. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations



according to UK REACH Regulation

DINITROL 448 black

Revision date: 20.11.2024

Product code: 5113

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. Page 11 of 13

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes.

Contaminated packaging

Completely emptied packages can be recycled. Remove according to the regulations.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Inland waterways transport (ADN) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Marine transport (IMDG) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Marine pollutant: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number:

14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

no

No

EU regulatory information	
Restrictions on use (REACH, annex XVII):	
Entry 3, Entry 40, Entry 75	
Directive 2004/42/EC on VOC in paints and varnishes:	2,46 % (36 g/l)
Additional information	

Observe in addition any national regulations! Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work



Revision

	DINITROL 448 black	
n date: 20.11.2024	Product code: 5113	

Page 12 of 13

.. National regulatory inf

National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or pursing methods.
	nursing mothers.
Water hazard class (D):	2 - obviously hazardous to water

Water hazard class (D): Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 16.

Abbreviations and acronyms

~	broviatione and derenyme
	Flam. Liq: Flammable liquids
	Acute Tox: Acute toxicity
	Skin Corr: Skin corrosion
	Eye Dam: Eye damage
	Eye Irrit: Eye irritation
	Skin Sens: Skin sensitisation
	Aquatic Acute: Acute aquatic hazard
	Aquatic Chronic: Chronic aquatic hazard
	ADR: Accord européen sur le transport des marchandises dangereuses par Route
	(European Agreement concerning the International Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service
	LC50: Lethal concentration, 50%
	LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and FLIH statements (number and full text)

Relevant n and Lon statements (number and fun text)		
H225	Highly flammable liquid and vapour.	
H301	Toxic if swallowed.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH071	Corrosive to the respiratory tract.	
EUH208	Contains Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 -methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.	



according to UK REACH Regulation

DINITROL 448 black

Product code: 5113

Page 13 of 13

Revision date: 20.11.2024

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)