

according to UK REACH Regulation

DINITROL 449	
--------------	--

Revision date: 26.11.2024

Product code: 20617

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier **DINITROL 449** UFI: K23U-6162-G00C-RKP4 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Anti-corrosive coating Uses advised against No further relevant information available. 1.3. Details of the supplier of the safety data sheet Manufacturer Company name: DINOL GmbH Street[.] Pyrmonter Strasse 76 Place: D-32676 Luegde Telephone: + 49 (0) 5281 982980 Telefax: + 49 (0) 5281 9829860 E-mail: msds@dinol.com Contact person: Labor Responsible Department: msds@dinol.com Supplier Company name: Leading Solvent Supplies Limited Street: Marston Business Park, Rudgate Place: GB Tockwith. York YO26 7QF E-mail: enquiries@leading-solvents.co.uk Internet: www.leading-solvents.co.uk 1.4. Emergency telephone Giftnotruf Berlin: +49 30 30686 700 (Beratung in Deutsch und Englisch) number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-
2H-isothiazol-3-one (3:1). May produce an allergic reaction.
Safety data sheet available on request.
Restricted to professional users.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to UK REACH Regulation

DINITROL 449

Revision date: 26.11.2024

Product code: 20617

Page 2 of 9

DINOL GmbH

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.0015 %
	-	613-167-00-5		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.0015 %
	= 50 mg/kg; ora 0,06 - < 0,6 E 1A; H317: >= 0 Aquatic Acute 7	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE al: ATE = 100 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. ,0015 - 100 I; H400: M=100 c 1; H410: M=100	

Further Information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious but breathing normally, place in recovery position and seek medical advice.

I unconscious but breatining normality, place in recovery position

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do NOT induce vomiting.

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

<u>4.3. Indication of any immediate medical attention and special treatment needed</u> No further relevant information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media



according to UK REACH Regulation

DINITROL 449

Revision date: 26.11.2024

Product code: 20617

Page 3 of 9

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media High power water jet.

5.2. Special hazards arising from the substance or mixture

No further relevant information available.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Wear personal protection equipment. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation. Clear contaminated areas thoroughly. Do not rinse down with water.

Other information

No information available.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary. Use only in well-ventilated areas.

Advice on protection against fire and explosion No special measures are necessary.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.



according to UK REACH Regulation

DINITROL 449

Revision date: 26.11.2024

Product code: 20617

Page 4 of 9

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels No special measures are necessary.

Hints on joint storage

Not required.

Further information on storage conditions none

7.3. Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Recommended eye protection articles : Eye glasses with side protection (EN 166)

Hand protection

Recommended glove articles :

FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.

NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.

- For special purposes, it is recommended to check the resistance to chemicals of the protective gloves
- mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

Not required.

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection. gas filtering equipment (EN 141). Filter material/medium : A

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold:	Liquid blue characteristic not determined		
			Test method
Melting point/freezing point:		not determined	
Boiling point or initial boiling point and		100 °C	
boiling range:			
Flammability:		not applicable	
Lower explosion limits:		0,0 vol. %	
Upper explosion limits:		0,0 vol. %	
Flash point:		not determined	

according to UK REACH Regulation

	DINITROL 449	
Revision date: 26.11.2024	Product code: 20617	Page 5 of 9
Auto-ignition temperature:	0° 0	
Decomposition temperature:	not applicable	
pH-Value (at 20 °C):	8,68	
Viscosity / kinematic:	not determined	
Water solubility:	Immiscible	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure: (at 20 °C)	23 hPa	
(at 20°C) Vapour pressure:	123 hPa	
(at 50 °C)	120111 4	
Density (at 20 °C):	1,20 - 1,24 g/cm³	DIN 51757
Relative vapour density:	not determined	
Particle characteristics:	not applicable	
9.2. Other information		
Information with regard to physical hazard classes	5	
Explosive properties		
not explosive.		
Sustained combustibility:	No data available	
Oxidizing properties not determined		
Other safety characteristics Solvent content:	Lässmittel 0.0.9/	
Solvent content.	Lösemittel 0,0 % Wasser 28,5 %	
Solid content:	68 - 71 %	
Softening point:	not determined	
Viscosity / dynamic:	130000 mPa·s	
(at 20 °C)		
Further Information		
No information available.		
SECTION 10: Stability and reactivity		

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

This material is considered to be non-reactive under normal use conditions.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation



according to UK REACH Regulation

DINITROL 449

Revision date: 26.11.2024

Product code: 20617

Page 6 of 9

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
55965-84-9	reaction mass of 5-chloro	-2-methyl-2H	-isothiazol-3	-one and 2-methyl-2H-iso	thiazol-3-one (3:1)	
	oral	ATE mg/kg	100			
	dermal	ATE	50 mg/kg			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation dust/mist	ATE	0,05 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

CINOL

Safety Data Sheet

according to UK REACH Regulation

DINITROL 449

Revision date: 26.11.2024

Product code: 20617

Page 7 of 9

No further relevant information available.

12.3. Bioaccumulative potential

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No further relevant information available.

Further information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes.

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
nsport)
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
aterways transport)
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
no
transport)
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.



according to UK REACH Regulation

	DINITROL 449	
Revision date: 26.11.2024	Product code: 20617	Page 8 of 9
 <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Other applicable information (air transpo Protect against:Freeze 	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. rt)	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user not applicable 14.7. Maritime transport in bulk according to	IMO instruments	
not applicable		
SECTION 15: Regulatory information		
	ations/legislation specific for the substance or mixture	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 75		
Directive 2004/42/EC on VOC in paints and varnishes:	0,03 % 0,30 g/l	
Additional information		
Observe in addition any national regula Directive 98/24/EC of 7 April 1998 on th chemical agents at work	tions! ne protection of the health and safety of workers from the risks related to	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juveni work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	le
Water hazard class (D):	1 - slightly hazardous to water	
Additional information		
This mixture contains the following sub Candidate List according to Article 59 c	stances of very high concern (SVHC) which are included in the f REACH: none	
15.2. Chemical safety assessment		
For this substance a chemical safety as	ssessment has not been carried out.	
SECTION 16: Other information		

Changes

This data sheet contains changes from the previous version in section(s): 16.

DINOL

Safety Data Sheet

according to UK REACH Regulation

DINITROL 449

Revision date: 26.11.2024

Product code: 20617

Page 9 of 9

Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Skin Sens: Skin sensitisation Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-
	2H-isothiazol-3-one (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)