

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL 4941/CAR Spray

Revision date: 02/24/2025

Product code: 21707

Page 1 of 12

## 1. Identification

### Product identifier

DINITROL 4941/CAR Spray

### Recommended use of the chemical and restrictions on use

#### Use of the substance/mixture

Anti-corrosive coating

#### Uses advised against

No further relevant information available.

### Details of the supplier of the safety data sheet

#### Manufacturer

Company name: DINOL GmbH  
Street: Pyrmonter Strasse 76  
Place: D-32676 Luegde  
Telephone: + 49 (0) 5281 982980  
E-mail: msds@dinol.com  
Contact person: Labor  
Responsible Department: msds@dinol.com

Telefax: + 49 (0) 5281 9829860

#### Supplier

Company name: DINOL U.S. Inc.  
Street: 8500 Cotter Street, Lewis Center  
Place: USA-43035 Ohio  
Telephone: 740-548-1656  
E-mail: info@dinolus.com  
Internet: www.dinol.com

Telefax: 740-548-1657

**Emergency phone number:** 3E Company Emergency +1-866-404-4230

## 2. Hazard(s) identification

### Classification of the chemical

#### 29 CFR Part 1910.1200

Flammable aerosols: Flam. Aerosol 1  
Gases under pressure: Compressed gas  
Serious eye damage/eye irritation: Eye Irrit. 2A  
Germ cell mutagenicity: Muta. 1B  
Carcinogenicity: Carc. 1B  
Specific target organ toxicity single exposure: STOT SE 3 (narcotic effects)

### Label elements

#### 29 CFR Part 1910.1200

**Signal word:** Danger

**Pictograms:**



#### Hazard statements

Extremely flammable aerosol  
Contains gas under pressure; may explode if heated  
Causes serious eye irritation  
May cause drowsiness or dizziness

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL 4941/CAR Spray

Revision date: 02/24/2025

Product code: 21707

Page 2 of 12

May cause genetic defects

May cause cancer

#### Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

If exposed or concerned: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Hazards not otherwise classified

No information available.

### 3. Composition/information on ingredients

#### Mixtures

##### Hazardous components

CAS No	Components	Quantity
	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	17.5 %
78-93-3	butanone; ethyl methyl ketone	17.5 %
74-98-6	propane	11.5 %
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics	4 %
128601-23-0	Hydrocarbons, C9, aromatics	2 %
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane	2 %

#### Further Information

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w)

DMSO extract (IP 346)).

### 4. First-aid measures

#### Description of first aid measures

##### General information

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

##### After inhalation

Remove casualty to fresh air and keep warm and at rest.

##### After contact with skin

Change contaminated clothing.

Wash with plenty of water/Soap. If skin irritation occurs: Get medical advice/attention.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL 4941/CAR Spray**

Revision date: 02/24/2025

Product code: 21707

Page 3 of 12

**After contact with eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

**After ingestion**

If swallowed, rinse mouth with water (only if the person is conscious).  
Do NOT induce vomiting.  
Call a physician immediately.  
Put victim at rest, cover with a blanket and keep warm.

**Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No information available.

**5. Fire-fighting measures****Extinguishing media****Suitable extinguishing media**

alcohol resistant foam, Carbon dioxide (CO<sub>2</sub>), Extinguishing powder. Water fog.

**Unsuitable extinguishing media**

High power water jet.

**Specific hazards arising from the chemical**

No further relevant information available.

**Special protective equipment and precautions for fire-fighters**

Use appropriate respiratory protection.

**Additional information**

Use water spray/stream to protect personnel and to cool endangered containers. Suppress gases/vapors/mists with water spray jet.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation.  
Wear personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Avoid breathing dust/fume/gas/mist/vapors/spray.

**For emergency responders**

For further specification, refer to section 8 of the SDS.

**Environmental precautions**

Do not allow uncontrolled discharge of product into the environment.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**Methods and material for containment and cleaning up****For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.

**For cleaning up**

Provide adequate ventilation.  
Clear contaminated areas thoroughly.  
Do not rinse down with water.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL 4941/CAR Spray**

Revision date: 02/24/2025

Product code: 21707

Page 4 of 12

**Other information**

No information available.

**Reference to other sections**

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

**7. Handling and storage****Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

**Advice on protection against fire and explosion**

Do not spray on naked flames or any incandescent material. Keep away from sources of ignition - No smoking.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

**Advice on general occupational hygiene**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

No further relevant information available.

**Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Hints on joint storage**

Not required.

**Further information on storage conditions**

Keep container tightly closed.

**8. Exposure controls/personal protection****Control parameters**

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL 4941/CAR Spray

Revision date: 02/24/2025

Product code: 21707

Page 5 of 12

#### Exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	f/cc	Category	Origin
78-93-3	2-Butanone (Methyl ethyl ketone)	200	590		TWA (8 h)	PEL
78-93-3	2-Butanone	200	590		TWA (8 h)	REL
		300	885		STEL (15 min)	REL
75-28-5	Butane: isobutane	1000	2370		STEL (15 min)	ACGIH-2024
106-97-8	Butane: n-butane	1000	2370		STEL (15 min)	ACGIH-2024
75-28-5	Isobutane	800	1900		TWA (8 h)	REL
78-93-3	Methyl ethyl ketone	75			TWA (8 h)	ACGIH-2024
		150			STEL (15 min)	ACGIH-2024
106-97-8	n-Butane	800	1900		TWA (8 h)	REL
74-98-6	Propane	1000	1800		TWA (8 h)	PEL
		1000	1800		TWA (8 h)	REL
		-	-		Asphyxiant	ACGIH-2024

#### Biological Exposure Indices (BEI-ACGIH)

CAS No	Substance	Determinant	Value	Test material	Sampling time
78-93-3	METHYL ETHYL KETONE	Methyl ethyl ketone	2 mg/L	urine	End of shift

#### Exposure controls



##### Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Eye glasses with side protection (DIN EN 166)

##### Hand protection

Recommended glove articles

FKM (fluoro rubber), Breakthrough time:: 480 min.

NBR (Nitrile rubber), Breakthrough time:: 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

##### Skin protection

Wear anti-static footwear and clothing

##### Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

gas filtering equipment (EN 141), Filter material/medium: A

short-term Filter material/medium : A1/P1

long-term Filter material/medium : A1/P2

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## DINITROL 4941/CAR Spray

Revision date: 02/24/2025

Product code: 21707

Page 6 of 12

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state: Aerosol  
Color: black  
Odor: characteristic  
Odour threshold: not determined

#### Test method

Melting point/freezing point: not determined  
Boiling point or initial boiling point and boiling range: - 44,5 °C

#### Flammability

Solid/liquid: not determined

Lower explosion limits: 0,9 vol. %

Upper explosion limits: 11,5 vol. %

Flash point: < - 97 °C DIN 53213

Auto-ignition temperature: > 200 °C

Decomposition temperature: not determined

pH-Value: The study does not need to be conducted because the substance is known to be insoluble in water. not determined

Viscosity / kinematic: not determined

Water solubility: not applicable

Solubility in other solvents  
not determined

Partition coefficient n-octanol/water: not determined

Vapor pressure: 3500 hPa  
(at 20 °C)

Vapor pressure: 370 hPa  
(at 50 °C)

Density (at 20 °C): 0,8 g/cm³ DIN 51757

Relative vapour density: not determined

Particle characteristics: not applicable

#### Other information

##### Information with regard to physical hazard classes

Explosive properties  
not determined

Sustaining combustion: No data available

Self-ignition temperature

Solid: not determined

Gas: not determined

Oxidizing properties  
not determined

##### Other safety characteristics

Solvent content: 63,82 %

Solid content: 36,2 %

Softening point: not determined

Viscosity / dynamic: not determined

##### Further Information

No information available.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL 4941/CAR Spray**

Revision date: 02/24/2025

Product code: 21707

Page 7 of 12

**10. Stability and reactivity****Reactivity**

No hazardous reaction when handled and stored according to provisions.

**Chemical stability**

Stability: Stable

The product is stable under storage at normal ambient temperatures.

**Possibility of hazardous reactions**

Hazardous reactions: Will not occur

No known hazardous reactions.

**Conditions to avoid**

No further relevant information available.

**Incompatible materials**

No information available.

**Hazardous decomposition products**

Carbon monoxide

**11. Toxicological information****Route(s) of Entry**

No information available.

**Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation gas) > 20000 ppm

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## DINITROL 4941/CAR Spray

Revision date: 02/24/2025

Product code: 21707

Page 8 of 12

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 >20 mg/l	Rat		
78-93-3	butanone; ethyl methyl ketone				
	oral	LD50 2740 mg/kg	Rat		
	dermal	LD50 6480 mg/kg	Rabbit		
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics				
	oral	LD50 4951 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rat		
	inhalation (4 h) vapour	LC50 4951 mg/l	Rat		
128601-23-0	Hydrocarbons, C9, aromatics				
	oral	LD50 > 2000 mg/kg	Rat		
	dermal	LD50 > 3160 mg/kg	Rabbit		
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 >3920 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 > 25,2 mg/l	Rat		

### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitizing effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

May cause genetic defects (Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics)

May cause cancer (Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics)

Reproductive toxicity: Based on available data, the classification criteria are not met.

### Specific target organ toxicity (STOT) - single exposure

May cause drowsiness or dizziness (Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics; butanone; ethyl methyl ketone)

### Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.



## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL 4941/CAR Spray

Revision date: 02/24/2025

Product code: 21707

Page 9 of 12

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No information available.

#### Additional information on tests

No information available.

#### Practical experience

No information available.

#### Information on other hazards

##### Endocrine disrupting properties

Endocrine disrupting potential No information available.

#### Further information

There are no data available on the preparation/mixture itself.

### 12. Ecological information

#### Persistence and degradability

There are no data available on the mixture itself.

#### Bioaccumulative potential

There are no data available on the mixture itself.

#### Mobility in soil

There are no data available on the mixture itself.

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Other adverse effects

No information available.

#### Further information

There are no data available on the mixture itself.

### 13. Disposal considerations

#### Waste treatment methods

##### Disposal recommendations

Dispose of waste according to applicable legislation.

Do not mix with other wastes.

##### Contaminated packaging

Dispose according to legislation.

### 14. Transport information

#### U.S. DOT 49 CFR 172.101

##### UN number or ID number:

UN 1950

##### Proper shipping name:

AEROSOLS

##### Transport hazard class(es):

2.1

Hazard label:

2.1



#### Marine transport (IMDG)

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL 4941/CAR Spray

Revision date: 02/24/2025

Product code: 21707

Page 10 of 12

**UN number or ID number:** UN 1950  
**UN proper shipping name:** AEROSOLS  
**Transport hazard class(es):** 2.1  
**Packing group:** -  
**Hazard label:** 2.1



**Marine pollutant:** no  
**Special Provisions:** 63, 190, 277, 327, 344, 381, 959  
**Limited quantity:** 1000 mL  
**Excepted quantity:** E0  
**EmS:** F-D, S-U

#### Air transport (ICAO-TI/IATA-DGR)

**UN number or ID number:** UN 1950  
**UN proper shipping name:** AEROSOLS, FLAMMABLE  
**Transport hazard class(es):** 2.1  
**Packing group:** -  
**Hazard label:** 2.1



**Special Provisions:** A145 A167 A802  
**Limited quantity Passenger:** 30 kg G  
**Passenger LQ:** Y203  
**Excepted quantity:** E0  
**IATA-packing instructions - Passenger:** 203  
**IATA-max. quantity - Passenger:** 75 kg  
**IATA-packing instructions - Cargo:** 203  
**IATA-max. quantity - Cargo:** 150 kg

#### Environmental hazards

**ENVIRONMENTALLY HAZARDOUS:** No

#### Special precautions for user

Warning : gas

#### Other applicable information

SW1 Protected from sources of heat.  
 SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: SG69 For AEROSOLS with a maximum capacity of 1 litre:  
 Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.  
 For AEROSOLS with a capacity above 1 litre:  
 Segregation as for the appropriate subdivision of class 2.  
 For WASTE AEROSOLS:  
 Segregation as for the appropriate subdivision of class 2.  
 Category C, Clear of living quarters.

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL 4941/CAR Spray

Revision date: 02/24/2025

Product code: 21707

Page 11 of 12

## 15. Regulatory information

### U.S. Regulations

#### National Inventory TSCA

Substance/product listed in the following inventories: TSCA

#### National regulatory information

SARA Section 304 CERCLA:

Methyl ethyl ketone (78-93-3): Reportable quantity = 5,000 (2270) lbs. (kg)

SARA Section 311/312 Hazards:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics (-): Fire hazard, Immediate (acute) health hazard

Methyl ethyl ketone (78-93-3): Fire hazard, Immediate (acute) health hazard

Propane (74-98-6): Fire hazard, Sudden release of pressure

Butane (106-97-8): Fire hazard, Sudden release of pressure

Isobutane (75-28-5): Fire hazard, Sudden release of pressure

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics (-): Fire hazard, Delayed (chronic) health hazard, Immediate (acute) health hazard

Hydrocarbons, C9, aromatics (128601-23-0): Fire hazard, Immediate (acute) health hazard

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane (-): Fire hazard, Immediate (acute) health hazard

Clean Air Act Section 112(r):

Propane (74-98-6): Threshold quantities = 10,000 lbs.

Butane (106-97-8): Threshold quantities = 10,000 lbs.

Isobutane (75-28-5): Threshold quantities = 10,000 lbs.

Clean Air Act Section 112(b):

Methyl ethyl ketone (78-93-3)

### State Regulations

#### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

602306

## 16. Other information

### Hazardous Materials Identification System (HMIS)

Health: 2

Flammability: 4

Physical Hazard: 3

### NFPA Hazard Ratings

Health: 2

Flammability: 4

Reactivity: 3

Unique Hazard: none

### Changes

Revision date: 02/24/2025

Revision No: 1,6

This data sheet contains changes from the previous version in section(s): 9,11,15,16.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route



**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL 4941/CAR Spray**

Revision date: 02/24/2025

Product code: 21707

Page 12 of 12

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Other data**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*