

## DINITROL 4942

Revision date: 19.03.2025

Product code: 20225

Page 1 of 9

### 1. Identification

#### Product identifier

DINITROL 4942

#### Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Korrosionsschutzmittel

#### Details of the supplier of the safety data sheet

##### Manufacturer

Company name: DINOL GmbH  
 Street: Pyrmonter Strasse 76  
 Place: D-32676 Luegde  
 Telephone: + 49 (0) 5281 982980  
 E-mail: msds@dinol.com  
 Contact person: Labor  
 Responsible Department: msds@dinol.com

Telefax: + 49 (0) 5281 9829860

##### Supplier

Company name: DINOL U.S. Inc.  
 Street: 8500 Cotter Street, Lewis Center  
 Place: USA-43035 Ohio  
 Telephone: 740-548-1656  
 E-mail: info@dinolus.com  
 Internet: www.dinol.com

Telefax: 740-548-1657

**Emergency telephone number:** 3E Company Emergency +1-866-404-4230

### 2. Hazard identification

#### Classification of the substance or mixture

##### WHMIS 2015

Flammable liquids: Flam. Liq. 3

Specific target organ toxicity - single exposure: STOT SE 3 (narcotic effects)

#### Label elements

##### WHMIS 2015

**Signal word:** Warning

**Pictograms:**



##### Hazard statements

Flammable liquid and vapour.

May cause drowsiness or dizziness.

##### Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing dust/fume/gas/mist/vapours/spray.

## DINITROL 4942

Revision date: 19.03.2025

Product code: 20225

Page 2 of 9

Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER/doctor if you feel unwell.  
Keep container tightly closed.  
Store in a well-ventilated place. Keep cool.  
Store locked up.

### Other hazards

No information available.

## 3. Composition/information on ingredients

### Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	30 - < 60% (*)

(\*) The actual concentration is withheld as a trade secret.

#### Further Information

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w)  
DMSO extract (IP 346)).

## 4. First-aid measures

### Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice.  
Never give anything by mouth to an unconscious person or a person with cramps.  
If unconscious but breathing normally, place in recovery position and seek medical advice.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest.

#### After contact with skin

Change contaminated clothing.  
After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).  
Do NOT induce vomiting.  
Call a physician immediately.  
Put victim at rest, cover with a blanket and keep warm.

### Most important symptoms and effects, whether acute or delayed

No information available.

### Indication of immediate medical attention and special treatment needed

No information available.

## 5. Fire-fighting measures

### Extinguishing media

## DINITROL 4942

Revision date: 19.03.2025

Product code: 20225

Page 3 of 9

### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>); Extinguishing powder; Sand; alcohol resistant foam

### Unsuitable extinguishing media

Full water jet

### Specific hazards arising from the hazardous product

No information available.

### Special protective equipment and precautions for fire-fighters

Use appropriate respiratory protection.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

#### For emergency responders

For further specification, refer to section 8 of the SDS.

### Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### Methods and material for containment and cleaning up

#### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Provide adequate ventilation.

Clear contaminated areas thoroughly.

Do not rinse down with water.

#### Other information

No information available.

### Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

## DINITROL 4942

Revision date: 19.03.2025

Product code: 20225

Page 4 of 9

### Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from food, drink and animal feedingstuffs.  
Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

No special measures are necessary.

#### Hints on joint storage

Not required.

#### Further information on storage conditions

Keep container tightly closed.

## 8. Exposure controls/Personal protection

### Control parameters

#### Exposure limits (ACGIH)

CAS No	Chemical name	ppm	mg/m <sup>3</sup>	F/ml	Category	Origin
7429-90-5	Aluminum metal (respirable fraction)		1		TWA (8 h)	ACGIH-2024
64-17-5	Ethanol	1000	1880		STEL (15 min)	ACGIH-2024

### Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation.  
If handled uncovered, arrangements with local exhaust ventilation should be used if possible.  
If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Eye glasses with side protection (EN 166)

##### Hand protection

Recommended glove articles :  
NBR (Nitrile rubber) - (> = 0,12 mm), Breakthrough time:: 480 min.  
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.  
Protective gloves have to be replaced at the first sign of deterioration.  
Protect skin by using skin protective cream.

##### Skin protection

Wear anti-static footwear and clothing

##### Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.  
gas filtering equipment (EN 141),. Filter material/medium: A

## DINITROL 4942

Revision date: 19.03.2025

Product code: 20225

Page 5 of 9

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state:	viscous
Colour:	brown
Odour:	characteristic
Odour threshold:	not determined

#### Test method

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	154 - 193 °C
Flammability:	not applicable
Lower explosive limits:	0,7 vol. %
Upper explosive limits:	6 vol. %
Flash point:	36 °C
Auto-ignition temperature:	> 200 °C
Decomposition temperature:	not determined
pH-Value:	The study does not need to be conducted because the substance is known to be insoluble in water.

Viscosity / kinematic: (at 40 °C)	> 20,5 mm²/s
--------------------------------------	--------------

Water solubility:	practically insoluble
-------------------	-----------------------

Solubility in other solvents	not determined
------------------------------	----------------

Partition coefficient n-octanol/water:	not determined
----------------------------------------	----------------

Vapour pressure: (at 20 °C)	3 hPa
--------------------------------	-------

Vapour pressure: (at 50 °C)	13 hPa
--------------------------------	--------

Density (at 20 °C):	1,11 - 1,14 g/cm³	DIN 51757
---------------------	-------------------	-----------

Relative vapour density:	not determined
--------------------------	----------------

Particle characteristics:	not applicable
---------------------------	----------------

#### Other information

##### Information with regard to physical hazard classes

###### Explosive properties

The product is: not explosive.. In use, may form flammable/explosive vapour-air mixture.

Sustaining combustion:	No data available
------------------------	-------------------

###### Oxidizing properties

not determined

##### Other safety characteristics

Evaporation rate:	not determined
-------------------	----------------

Solvent content:	31,3 %
------------------	--------

Solid content:	66 - 70
----------------	---------

Softening point:	not determined
------------------	----------------

Viscosity / dynamic: (at 20 °C)	2000 - 4000 mPa·s
------------------------------------	-------------------

##### Further Information

No information available.

### 10. Stability and reactivity

## DINITROL 4942

Revision date: 19.03.2025

Product code: 20225

Page 6 of 9

### Reactivity

No further relevant information available.

### Chemical stability

No known hazardous decomposition products.

### Possibility of hazardous reactions

No known hazardous reactions.

### Conditions to avoid

No further relevant information available.

### Incompatible materials

No further relevant information available.

### Hazardous decomposition products

Carbon monoxide

## 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 5000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 12,5 mg/l

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 5000 mg/l	Rat		

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitizing effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

No information available.

#### Specific effects in experiment on an animal

No information available.

## DINITROL 4942

Revision date: 19.03.2025

Product code: 20225

Page 7 of 9

### Additional information on tests

No information available.

### Practical experience

No information available.

### Information on other hazards

#### Endocrine disrupting properties

Endocrine disrupting potential No information available.

### Further information

There are no data available on the preparation/mixture itself.

## 12. Ecological information

### Persistence and degradability

No further relevant information available.

### Bioaccumulative potential

No further relevant information available.

### Mobility in soil

No further relevant information available.

### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### Other adverse effects

No further relevant information available.

### Further information

There are no data available on the mixture itself.

## 13. Disposal considerations

### Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation.  
Do not mix with other wastes.

#### Contaminated packaging

Dispose of waste according to applicable legislation.

## 14. Transport information

### Canadian TDG

**UN number:** UN 1139

**Proper shipping name:** Coating solution

**Hazard classes:** 3

**Packing group:** III

### Marine transport (IMDG)

**UN number or ID number:** UN 1139

**United Nations proper shipping name:** COATING SOLUTION

**Transport hazard class(es):** 3

**Packing group:** III

**Hazard label:** 3

## DINITROL 4942

Revision date: 19.03.2025

Product code: 20225

Page 8 of 9



Marine pollutant: no  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-E, S-E

### Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: UN 1139  
United Nations proper shipping name: COATING SOLUTION  
Transport hazard class(es): 3  
Packing group: III  
 Hazard label: 3



Special Provisions: A3  
 Limited quantity Passenger: 10 L  
 Passenger LQ: Y344  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 355  
 IATA-max. quantity - Passenger: 60 L  
 IATA-packing instructions - Cargo: 366  
 IATA-max. quantity - Cargo: 220 L

### Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## 15. Regulatory information

### Canadian regulations

#### DSL/NDSL inventory status

Substance/product listed in the following inventories: DSL/NDSL

Directive 2004/42/EC on VOC in 31,27 %  
 paints and varnishes: 350,2 g/l

#### Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

86161

## 16. Other information

### Changes

This data sheet contains changes from the previous version in section(s): 2,5,9,15,16.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances

**Safety Data Sheet**

according to WHMIS

**DINITROL 4942**

Revision date: 19.03.2025

Product code: 20225

Page 9 of 9

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*