# **DINOL**

# Safety Data Sheet

according to UK REACH Regulation

# **DINITROL 505 FC -HM Plus**

Revision date: 13.01.2025

Product code: 10714

Page 1 of 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier **DINITROL 505 FC -HM Plus** UFI: 4VNX-W0VT-A00H-0WX7 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Adhesives, sealants Uses advised against No further relevant information available. 1.3. Details of the supplier of the safety data sheet Manufacturer Company name: DINOL GmbH Street<sup>.</sup> Pyrmonter Strasse 76 Place: D-32676 Luegde Telephone: + 49 (0) 5281 982980 Telefax: + 49 (0) 5281 9829860 msds@dinol.com E-mail: Contact person: Labor Responsible Department: msds@dinol.com Supplier Company name: Leading Solvent Supplies Limited Street: Marston Business Park, Rudgate Place: GB Tockwith. York YO26 7QF E-mail: enquiries@leading-solvents.co.uk Internet: www.leading-solvents.co.uk 1.4. Emergency telephone Giftnotruf Berlin: +49 30 30686 700 (Beratung in Deutsch und Englisch) number:

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

# GB CLP Regulation

Resp. Sens. 1; H334

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

## **GB CLP Regulation**

# Hazard components for labelling

Hexamethylene diisocyanate, oligomers 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate

Signal word:

Pictograms:



Danger

# Hazard statements

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.



# **DINITROL 505 FC -HM Plus**

Revision date: 13.01.2025

Product code: 10714

Page 2 of 10

#### **Precautionary statements**

| P261      | Avoid breathing dust/fume/gas/mist/vapours/spray.                          |
|-----------|--|
| P284      | Wear respiratory protection.   |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P342+P311 | If experiencing respiratory symptoms: Call a POISON CENTER/doctor.         |
|           |  |

# Special labelling of certain mixtures

EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. As from 24 August 2023 adequate training is required before industrial or professional use.

#### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### **Relevant ingredients**

| CAS No     | Chemical name  |                                    |                  | Quantity |  |
|------------|--|------------------------------------|------------------|----------|--|
|            | EC No  | Index No                           | REACH No         |          |  |
|            | Classification (GB CLP Regulation  | Classification (GB CLP Regulation) |                  |          |  |
| 28182-81-2 | Hexamethylene diisocyanate, oligomers  |                                    |                  | < 1 %    |  |
|            | 931-274-8  |                                    | 01-2119485796-17 |          |  |
|            | Acute Tox. 4, Skin Sens. 1, STOT   |                                    |                  |          |  |
| 101-68-8   | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate   |                                    |                  | < 1 %    |  |
|            | 202-966-0  | 615-005-00-9                       |                  |          |  |
|            | Carc. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, STOT RE 2; H351 H332 H315 H319 H334 H317 H335 H373 |                                    |                  |          |  |

Full text of H and EUH statements: see section 16.

| Specific Con | nc. Limits, M-fac             | tors and ATE  |          |
|--------------|-------------------------------|---|----------|
| CAS No       | EC No Chemical name           |   | Quantity |
|              | Specific Conc.                | Limits, M-factors and ATE   |          |
| 28182-81-2   | 931-274-8                     | Hexamethylene diisocyanate, oligomers   | < 1 %    |
|              | inhalation: LC5<br>5000 mg/kg | 50 = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = >   |          |
| 101-68-8     | 202-966-0                     | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate  | < 1 %    |
|              | 9200 mg/kg S                  | E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 =<br>kin Irrit. 2; H315: >= 5 - 100 Eye Irrit. 2; H319: >= 5 - 100 Resp. Sens. 1; H334:<br>STOT SE 3; H335: >= 5 - 100 |          |

#### **Further Information**

Full text of H- and EUH-statements: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

### After inhalation

Remove casualty to fresh air and keep warm and at rest.



# **DINITROL 505 FC -HM Plus**

Revision date: 13.01.2025

Product code: 10714

Page 3 of 10

# After contact with skin

Change contaminated clothing.

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do NOT induce vomiting.

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

# 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder. Water fog.

#### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

No further relevant information available.

#### 5.3. Advice for firefighters

No further relevant information available.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6:** Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

# For emergency responders

For further specification, refer to section 8 of the SDS.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

#### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Provide adequate ventilation.

# **DINITROL 505 FC -HM Plus**

Revision date: 13.01.2025

Product code: 10714

Page 4 of 10

**DINOL GmbH** 

Clear contaminated areas thoroughly. Do not rinse down with water.

#### Other information

No information available.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

# Advice on protection against fire and explosion

No further relevant information available.

# Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## Further information on handling

No further relevant information available.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

No further relevant information available.

## Hints on joint storage

Not required.

#### Further information on storage conditions

maximum storage temperature : < 35°C minimum storage temperature : > 0°C storage temperature: 0 - 35 °C

# 7.3. Specific end use(s)

No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### Exposure limits (EH40)

| CAS No     | Substance  | ppm | mg/m³ | fibres/ml | Category      | Origin |
|------------|--|-----|-------|-----------|---------------|--------|
| 1333-86-4  | Carbon black   | -   | 3.5   |           | TWA (8 h)     | WEL    |
|            |  | -   | 7     |           | STEL (15 min) | WEL    |
| 28553-12-0 | Diisononyl phthalate                                   | -   | 5     |           | TWA (8 h)     | WEL    |
| -          | Isocyanates, all (as -NCO) Except methyl<br>isocyanate | -   | 0.02  |           | TWA (8 h)     | WEL    |
|            |  | -   | 0.07  |           | STEL (15 min) | WEL    |



# **DINITROL 505 FC -HM Plus**

Revision date: 13.01.2025

Product code: 10714

Page 5 of 10

# **DNEL/DMEL** values

| CAS No                   | Substance            |                |          |                  |
|--------------------------|----------------------|----------------|----------|------------------|
| DNEL type                |                      | Exposure route | Effect   | Value            |
| 28553-12-0               | Diisononyl phthalate |                |          |                  |
| Worker DNEL,             | long-term            | inhalation     | systemic | 51,72 mg/m³      |
| Worker DNEL, long-term   |                      | dermal         | systemic | 366 mg/kg bw/day |
| Consumer DNEL, long-term |                      | inhalation     | systemic | 15,3 mg/m³       |
| Consumer DNEL, long-term |                      | dermal         | systemic | 220 mg/kg bw/day |
| Consumer DNEL, long-term |                      | oral           | systemic | 4,4 mg/kg bw/day |
| 1333-86-4                | Carbon Black         |                |          |                  |
| Worker DNEL, long-term   |                      | inhalation     | systemic | 2 mg/m³          |
| Worker DNEL, long-term   |                      | inhalation     | local    | 2 mg/m³          |

# **PNEC** values

| CAS No                          | Substance    |          |  |
|---------------------------------|--------------|----------|--|
| Environmental compartment       |              | Value    |  |
| 28553-12-0 Diisononyl phthalate |              |          |  |
| Soil                            |              | 30 mg/kg |  |
| 1333-86-4                       | Carbon Black |          |  |
| Freshwater                      |              | 5 mg/l   |  |
| Marine water 5 mg/l             |              | 5 mg/l   |  |

# 8.2. Exposure controls







#### Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Eye glasses with side protection (DIN EN 166)

# Hand protection

Tested protective gloves must be worn (EN ISO 374): FKM (fluoro rubber) penetration time (maximum wearing period): 480 min. NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

# Skin protection

Wear anti-static footwear and clothing

# **Respiratory protection**

Work in well-ventilated zones or use proper respiratory protection. In case of inadequate ventilation wear respiratory protection. gas filtering equipment (EN 141)., Filter

# **DINITROL 505 FC -HM Plus**

Revision date: 13.01.2025

Product code: 10714

Page 6 of 10

**DINOL GmbH** 

material/medium: A/P2

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

| nemical properties |                                     |
|--------------------|-------------------------------------|
| Liquid             |                                     |
| black              |                                     |
| characteristic     |                                     |
| not determined     |                                     |
|                    | not determined                      |
|                    | 270 °C                              |
|                    |                                     |
|                    | not applicable                      |
|                    | not determined                      |
|                    | not determined                      |
|                    | 164 °C                              |
|                    | > 300 °C                            |
|                    | not applicable                      |
|                    | not determined                      |
|                    | not determined                      |
|                    | Immiscible                          |
|                    |                                     |
|                    |                                     |
|                    | not determined                      |
|                    | not determined                      |
|                    | 1,18 - 1,25 g/cm³                   |
|                    | not determined                      |
|                    |                                     |
|                    | not applicable                      |
|                    | not applicable                      |
| azard classes      | not applicable<br>No data available |
| azard classes      |                                     |
| azard classes      |                                     |
| azard classes      |                                     |
| azard classes      | No data available<br>not determined |
| azard classes      | No data available                   |
| azard classes      | No data available<br>not determined |
|                    | Liquid<br>black                     |

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

No further relevant information available.

# DINOL GmbH

# **DINITROL 505 FC -HM Plus**

Revision date: 13.01.2025

Product code: 10714

Page 7 of 10

# 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No     | Chemical name  |               |          |         |        |        |
|------------|--|---------------|----------|---------|--------|--------|
|            | Exposure route   | Dose          |          | Species | Source | Method |
| 28182-81-2 | Hexamethylene diisocyar  | nate, oligom  | ers      |         |        |        |
|            | oral   | LD50<br>mg/kg | > 5000   | Rat     |        |        |
|            | inhalation (4 h) vapour  | LC50          | 11 mg/l  |         |        |        |
|            | inhalation dust/mist   | ATE           | 1,5 mg/l |         |        |        |
| 101-68-8   | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate |               |          |         |        |        |
|            | oral   | LD50<br>mg/kg | 9200     | Rat     | GESTIS |        |
|            | inhalation vapour  | ATE           | 11 mg/l  |         |        |        |
|            | inhalation dust/mist   | ATE           | 1,5 mg/l |         |        |        |

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

# Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate) Contains isocyanates. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

# Information on likely routes of exposure

#### No information available.

#### Specific effects in experiment on an animal

No information available.

# Additional information on tests

No information available.

# DINOL

# Safety Data Sheet

according to UK REACH Regulation

# **DINITROL 505 FC -HM Plus**

Revision date: 13.01.2025

Product code: 10714

Page 8 of 10

# Practical experience

# No information available.

# 11.2. Information on other hazards

# Endocrine disrupting properties

Endocrine disrupting potential No information available.

#### Further information

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

# **Further information**

There are no data available on the mixture itself.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation. Do not mix with other wastes.

#### Contaminated packaging

Dispose according to legislation.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation.



| DINITROL 505 FC -HM Plus   |  |              |  |  |
|--|--|--------------|--|--|
| Revision date: 13.01.2025  | Product code: 10714  | Page 9 of 10 |  |  |
| <u>14.2. UN proper shipping name:</u><br><u>14.3. Transport hazard class(es):</u><br><u>14.4. Packing group:</u><br>Marine pollutant:  | No dangerous good in sense of this transport regulation.<br>No dangerous good in sense of this transport regulation.<br>No dangerous good in sense of this transport regulation.<br>no   |              |  |  |
| Air transport (ICAO-TI/IATA-DGR)<br><u>14.1. UN number or ID number:</u><br><u>14.2. UN proper shipping name:</u><br><u>14.3. Transport hazard class(es):</u><br><u>14.4. Packing group:</u><br><u>14.5. Environmental hazards</u> | No dangerous good in sense of this transport regulation.<br>No dangerous good in sense of this transport regulation.<br>No dangerous good in sense of this transport regulation.<br>No dangerous good in sense of this transport regulation. |              |  |  |
| ENVIRONMENTALLY HAZARDOUS:   | No   |              |  |  |
| <u>14.6. Special precautions for user</u><br>not applicable<br><u>14.7. Maritime transport in bulk according to</u>  | MO instruments   |              |  |  |
| not applicable   |  |              |  |  |
| SECTION 15: Regulatory information   |  |              |  |  |
| 15.1. Safety, health and environmental regul   | ations/legislation specific for the substance or mixture   |              |  |  |
| EU regulatory information<br>Restrictions on use (REACH, annex XVII):<br>Entry 3, Entry 52, Entry 56<br>Directive 2004/42/EC on VOC in<br>paints and varnishes:  | 0,00 %<br>0,00 g/l   |              |  |  |
| Information according to Directive 2012/18/EU (SEVESO III):  | Not subject to 2012/18/EU (SEVESO III)   |              |  |  |
| Additional information   |  |              |  |  |
| Observe in addition any national regula<br>Directive 98/24/EC of 7 April 1998 on th<br>chemical agents at work   | tions!<br>ne protection of the health and safety of workers from the risks related to  |              |  |  |
| National regulatory information  |  |              |  |  |
| Employment restrictions:   | Observe restrictions to employment for juveniles according to the 'juver work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.       |              |  |  |
| Water hazard class (D):  | 1 - slightly hazardous to water  |              |  |  |
| Additional information<br>This mixture contains the following sub<br>Candidate List according to Article 59 c  | stances of very high concern (SVHC) which are included in the of REACH: none   |              |  |  |
| 15.2. Chemical safety assessment   |  |              |  |  |
| Chemical safety assessments for substances in this mixture were not carried out.   |  |              |  |  |

# **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 3,9,13,15,16.

DINOL GmbH



# Safety Data Sheet

according to UK REACH Regulation

# **DINITROL 505 FC -HM Plus**

Revision date: 13.01.2025

Product code: 10714

Page 10 of 10

# Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Irrit: Eye irritation Resp. Sens: Respiratory sensitisation Skin Sens: Skin sensitisation Carc: Carcinogenicity STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50%

## Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Resp. Sens. 1; H334 | Calculation method       |

## Relevant H and EUH statements (number and full text)

|        | · · · · · · · · · · · · · · · · · · ·                                      |
|--------|--|
| H315   | Causes skin irritation.  |
| H317   | May cause an allergic skin reaction.                                       |
| H319   | Causes serious eye irritation.   |
| H332   | Harmful if inhaled.  |
| H334   | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335   | May cause respiratory irritation.  |
| H351   | Suspected of causing cancer.   |
| H373   | May cause damage to organs through prolonged or repeated exposure.         |
| EUH204 | Contains isocyanates. May produce an allergic reaction.                    |
|        |  |

# **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)