# **DINITROL 512 B**

Revision date: 27.11.2024

Product code: 11512

Page 1 of 9

### 1. Identification

Product identifier

# Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Adhesives, sealants

**DINITROL 512 B** 

### Uses advised against

No further relevant information available.

### Details of the supplier of the safety data sheet

### Manufacturer

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
E-mail:	msds@dinol.com	
Contact person:	Labor	
Responsible Department:	msds@dinol.com	
Supplier		
Company name:	DINOL U.S. Inc.	
Street:	8500 Cotter Street, Lewis Center	
Place:	USA-43035 Ohio	
Telephone:	740-548-1656	Telefax: 740-548-1657
E-mail:	info@dinolus.com	
Internet:	www.dinol.com	
Emergency telephone number:	3E Company Emergency +1-866-404-4230	

### 2. Hazard identification

### **Classification of the substance or mixture**

### **WHMIS 2015**

Respiratory or skin sensitization: Skin Sens. 1 Carcinogenicity: Carc. 2 Reproductive toxicity: Repr. 1A Specific target organ toxicity - repeated exposure: STOT RE 2

### Label elements

### **WHMIS 2015**

Signal word:

**Pictograms:** 



### **Hazard statements**

Fatal if swallowed. Toxic in contact with skin. May cause an allergic skin reaction. Suspected of causing cancer. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.

# Safety Data Sheet



### according to WHMIS

# **DINITROL 512 B**

Revision date: 27.11.2024

Product code: 11512

Page 2 of 9

### **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Rinse mouth.

IF ON SKIN: Wash with plenty of water.

Call a POISON CENTER/doctor if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

### Other hazards

No information available.

### 3. Composition/information on ingredients

### **Mixtures**

### Hazardous components

CAS No	Chemical name	Quantity
67762-90-7	Siloxanes and Silicones, di-Me, reaction products with silica	1 - < 5% (*)
68479-98-1	diethylmethylbenzenediamine	2,5 - < 5 %
1333-86-4	Carbon Black	1 - < 5% (*)
2687-96-9	1-dodecyl-2-pyrrolidone	0,25 - < 1 %
1185-81-5	Dibutylbis(dodecylthio)-stannan	0,1 - < 0,25 %

(\*) The actual concentration is withheld as a trade secret.

### Further Information

Full text of H- and EUH-statements: see section 16.

### 4. First-aid measures

### **Description of first aid measures**

### General information

No special measures are necessary.

### After inhalation

Remove casualty to fresh air and keep warm and at rest.

### After contact with skin

Change contaminated clothing. After contact with skin, wash immediately with plenty of water and soap.

### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

### After ingestion

Do NOT induce vomiting. Call a physician immediately. Put victim at rest, cover with a blanket and keep warm.

### Most important symptoms and effects, whether acute or delayed

No further relevant information available.

### **DINITROL 512 B**

Revision date: 27.11.2024

Product code: 11512

Page 3 of 9

### Indication of immediate medical attention and special treatment needed

No further relevant information available.

### 5. Fire-fighting measures

### Extinguishing media

### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder. Water fog.

### Unsuitable extinguishing media

High power water jet.

### Specific hazards arising from the hazardous product

No further relevant information available.

### Special protective equipment and precautions for fire-fighters

No special measures are necessary.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

### General advice

Provide adequate ventilation. Wear personal protection equipment. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray.

### For emergency responders

For further specification, refer to section 8 of the SDS.

### **Environmental precautions**

Do not allow to enter into surface water or drains.

## Methods and material for containment and cleaning up

### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### For cleaning up

Provide adequate ventilation. Clear contaminated areas thoroughly. Do not rinse down with water.

### Other information

No information available.

# Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### 7. Handling and storage

### Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

# DINOL

# Safety Data Sheet

according to WHMIS

# **DINITROL 512 B**

Revision date: 27.11.2024

Product code: 11512

Page 4 of 9

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

### Advice on protection against fire and explosion

No special measures are necessary.

### Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

No special measures are necessary.

### Hints on joint storage

Not required.

### Further information on storage conditions

storage temperature: 0 - 35 °C maximum storage temperature < 35°C minimum storage temperature < 0 °C

### 8. Exposure controls/Personal protection

### **Control parameters**

### **Exposure limits (ACGIH)**

CAS No	Chemical name	ppm	mg/m³	F/ml	Category	Origin
1333-86-4	Carbon black (inhalable fraction)		3		TWA (8 h)	ACGIH-2024

### Additional advice on limit values

This mixture does not contain any substances presenting a health or environmental hazard within the meaning of the Dangerous Substances Directive 67/548/EEC or Regulation (EC) No 1272/2008, assigned a Community workplace exposure limit, classified as PBT/vPvB or included in the Candidate List.

### Exposure controls







### Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Eye glasses with side protection (DIN EN 166)

### Hand protection

Tested protective gloves must be worn (EN ISO 374): FKM (fluoro rubber) penetration time (maximum wearing period): 480 min. NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Protective gloves have to be replaced at the first sign of deterioration.

# Safety Data Sheet

according to WHMIS

# **DINITROL 512 B**

Revision date: 27.11.2024

DINOL

Product code: 11512

not determined 270 °C

not applicable not determined not determined

not determined not determined not applicable not determined Immiscible

not determined not determined 1,4 g/cm<sup>3</sup> not determined not applicable

not determined

not determined

240 °C

Page 5 of 9

Protect skin by using skin protective cream.

### Skin protection

Wear anti-static footwear and clothing

# **Respiratory protection**

Work in well-ventilated zones or use proper respiratory protection.

### 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state:	Paste
Colour:	black
Odour:	characteristic
Odour threshold:	not determined
Melting point/freezing point:	
Boiling point or initial boiling point and	
boiling range:	
Flammability:	
Lower explosive limits:	
Upper explosive limits:	
Flash point:	
Auto-ignition temperature:	
Decomposition temperature:	
pH-Value:	
Viscosity / kinematic:	
Water solubility:	
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	
Vapour pressure:	
Density (at 20 °C):	
Relative vapour density:	
Particle characteristics:	
Other information	

# O

### Information with regard to physical hazard classes Explosive properties

The product is: not explosive. Oxidizing properties not determined

# Other safety characteristics

Softening point: Viscosity / dynamic:

### **Further Information**

No further relevant information available.

### 10. Stability and reactivity

### **Reactivity**

No hazardous reaction when handled and stored according to provisions.

## **Chemical stability**

The product is stable under storage at normal ambient temperatures.

### Possibility of hazardous reactions

# DINITROL 512 B

Revision date: 27.11.2024

Product code: 11512

Page 6 of 9

No known hazardous reactions.

# Conditions to avoid

No further relevant information available.

# Incompatible materials

No further relevant information available.

### Hazardous decomposition products

No known hazardous decomposition products.

### 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Based on available data, the classification criteria are not met.

### ATEmix tested

	Dose	Species	Source
LD50, oral	17.163 mg/kg	Rat	
LD50, dermal	570.000 mg/kg		

### **ATEmix calculated**

ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Route of exposure	Dose		Species	Source	Method
67762-90-7	Siloxanes and Silicones, di-Me, reaction products with silica					
	oral	LD50 mg/kg	>5000	Rat		
68479-98-1	diethylmethylbenzenediamine					
	oral	ATE mg/kg	500			
	dermal	ATE mg/kg	1100			
1333-86-4	Carbon Black					
	oral	LD50 mg/kg	> 15400	Rat	GESTIS	
	dermal	LD50 mg/kg	> 3000	Rabbit	GESTIS	
1185-81-5	Dibutylbis(dodecylthio)-stannan					
	oral	LD50 mg/kg	2000	Rat		
	dermal	LD50 mg/kg	1000	Rabbit		

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitizing effects

May cause an allergic skin reaction. (1-dodecyl-2-pyrrolidone; Dibutylbis(dodecylthio)-stannan)

### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (Carbon Black)

May damage fertility or the unborn child. (Dibutylbis(dodecylthio)-stannan)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.



# Safety Data Sheet

according to WHMIS

# **DINITROL 512 B**

Revision date: 27.11.2024

Product code: 11512

Page 7 of 9

### STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (diethylmethylbenzenediamine)

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

No information available.

### Specific effects in experiment on an animal

No information available.

### Additional information on tests

No information available.

### Practical experience

No information available.

### Information on other hazards

### Endocrine disrupting properties

Endocrine disrupting potential No information available.

### Further information

There are no data available on the preparation/mixture itself.

### 12. Ecological information

### **Ecotoxicity**

CAS No	S No Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
67762-90-7	Siloxanes and Silicones, di-Me, reaction products with silica						
	Acute fish toxicity	LC50	>10 mg/l	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50	>10 mg/l	72 h	Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50	>1 mg/l		Daphnia magna (Big water flea)		
1333-86-4	4 Carbon Black						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Danio rerio (zebrafish)		
	Algae toxicity	NOEC mg/l	10000	3 d	Scenedesmus subspicatus		
1185-81-5	5 Dibutylbis(dodecylthio)-stannan						
	Acute crustacea toxicity	EC50 mg/l	0,11	48 h			

# Persistence and degradability

There are no data available on the mixture itself.

### **Bioaccumulative potential**

There are no data available on the mixture itself.

### Mobility in soil

There are no data available on the mixture itself.

### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### Other adverse effects

# **DINOL**

# Safety Data Sheet

according to WHMIS

# **DINITROL 512 B**

Revision date: 27.11.2024

Product code: 11512

Page 8 of 9

No information available.

### **Further information**

There are no data available on the mixture itself.

## 13. Disposal considerations

# Waste treatment methods

### **Disposal recommendations**

Dispose of waste according to applicable legislation. Do not mix with other wastes.

### Contaminated packaging

Dispose according to legislation.

### 14. Transport information

#### **Canadian TDG** UN number: UN 3077 Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. 9 Hazard classes: ||| Packing group: Hazard label: 9 5 kg Limited quantity: Marine transport (IMDG) UN number or ID number: UN 3077 United Nations proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. name: (diethylmethylbenzenediamine, 1-dodecycl-2pyrrolidone) Transport hazard class(es): 9 Ш Packing group: Hazard label: 9 Marine pollutant: ves **Special Provisions:** 274, 335, 966, 967, 969 Limited quantity: 5 kg Excepted quantity: E1 EmS: F-A, S-F Air transport (ICAO-TI/IATA-DGR) UN 3077 UN number or ID number: United Nations proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (diethylmethylbenzenediamine, 1-dodecycl-2name: pyrrolidone) 9 Transport hazard class(es): Packing group: 111 Hazard label: 9



	DINITROL 512 B		
Revision date: 27.11.2024	Product code: 11512		Page 9 of 9
Special Provisions:	A97 A158 A179 A197		
Limited quantity Passenger:	30 kg G		
Passenger LQ:	Y956		
Excepted quantity:	E1		
IATA-packing instructions - Passenger:	956		
IATA-max. quantity - Passenger:	400 kg		
IATA-packing instructions - Cargo:	956		
IATA-max. quantity - Cargo:	400 kg		
Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	Yes	¥2	
Danger releasing substance:	diethylmethylbenzenediamine, 1-dodecycl-2- pyrrolidone	~	
15. Regulatory information			
Canadian regulations			
DSL/NDSL inventory status			

Substance/product listed in the following inventories: DSL/NDSL

Directive 2004/42/EC on VOC in	0,00 %
paints and varnishes:	0,00 g/l

### Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

### 16. Other information

### Changes

This data sheet contains changes from the previous version in section(s): 2,11,16.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)