Print date: 21.02.2025



Safety Data Sheet

according to UK REACH Regulation

DINITROL 700 Grey

Revision date: 13.01.2025 Product code: 91216 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DINITROL 700 Grey

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: DINOL GmbH
Street: Pyrmonter Strasse 76
Place: D-32676 Luegde

Telephone: + 49 (0) 5281 982980 Telefax: + 49 (0) 5281 9829860

E-mail: msds@dinol.com

Contact person: Labor

Responsible Department: msds@dinol.com

Supplier

Company name:

Street:

Marston Business Park, Rudgate
Place:

GB Tockwith, York YO26 7QF

E-mail:

enquiries@leading-solvents.co.uk
Internet:

www.leading-solvents.co.uk

1.4. Emergency telephone Giftnotruf Berlin: +49 30 30686 700 (Beratung in Deutsch und Englisch)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane, Reaction mass of bis(1,2,2,6,6

-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate.

May produce an allergic reaction.

EUH210 Safety data sheet available on request.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Restricted to professional users.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of various substances



according to UK REACH Regulation

DINITROL 700 Grey

Revision date: 13.01.2025 Product code: 91216 Page 2 of 11

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)		•		
13463-67-7	titanium dioxide			1 - < 10 %	
	236-675-5	022-006-00-2	01-2119489379-17		
	Carc. 2; H351				
90622-57-4	Alkanes, C9-12-iso-		2,5 - < 10 %		
	292-459-0		01-2119472146-39		
	Flam. Liq. 3, Asp. Tox. 1, Aquatic C	Chronic 4; H226 H304 H413			
2768-02-7	trimethoxyvinylsilane; trimethoxy(vi		0,1 - < 1 %		
	220-449-8	014-049-00-0	01-2119513215-52		
	Flam. Liq. 3, Acute Tox. 4, Skin Se				
1065336-91-5	Reaction mass of bis(1,2,2,6,6-pen 1,2,2,6,6-pentamethyl-4-piperidyl se	d methyl	0,025 - < 0,1 %		
	915-687-0		01-2119491304-40		
	Repr. 2, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H361f H317 H400 H410				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. I	Limits, M-factors and ATE			
13463-67-7	236-675-5	titanium dioxide	1 - < 10 %		
	dermal: LD50 =	= > 10000 mg/kg; oral: LD50 = > 20000 mg/kg			
2768-02-7	220-449-8	trimethoxyvinylsilane; trimethoxy(vinyl)silane	0,1 - < 1 %		
	inhalation: LC50 = 16,79 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = >3460-4000 mg/kg; oral: LD50 = 7340-7460 mg/kg				
1065336-91-5	915-687-0	Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	0,025 - < 0,1 %		
	dermal: LD50 = 2000 - 5000 mg/kg; oral: LD50 = 3125 mg/kg Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1				

Further Information

The homogeneous mixing of this product is controlled by continuous physical tests. Formerly dusty raw materials are completely integrated into the liquid/pasty mass. Possible AGW-values for solid substances are therefore not given, as there is no longer any risk of inhalation of these substances (when handling this mixture).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water.

Print date: 21.02.2025



Safety Data Sheet

according to UK REACH Regulation

DINITROL 700 Grey

Revision date: 13.01.2025 Product code: 91216 Page 3 of 11

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do NOT induce vomiting.

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet

alcohol resistant foam

Extinguishing powder

Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Gases/vapours, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation.



according to UK REACH Regulation

DINITROL 700 Grey

Revision date: 13.01.2025 Product code: 91216 Page 4 of 11

Clear contaminated areas thoroughly.

Do not rinse down with water.

Other information

No information available.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Provide adequate ventilation as well as local exhaustion at critical locations.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Do not allow to enter into soil/subsoil.

Hints on joint storage

Store away from foodstuffs.

Further information on storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Keep container dry.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL



according to UK REACH Regulation

DINITROL 700 Grey

Revision date: 13.01.2025 Product code: 91216 Page 5 of 11

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane					
Consumer DI	NEL, long-term	dermal	systemic	0,3 mg/kg bw/day		
Consumer DNEL, acute		dermal	local	26,9 mg/person/day		
Consumer DNEL, long-term		oral	systemic	0,3 mg/kg bw/day		
Worker DNEL, long-term		inhalation	systemic	4,9 mg/m³		
Worker DNEL, long-term		dermal	systemic	0,69 mg/kg bw/day		
Consumer DNEL, long-term		inhalation	systemic	1,04 mg/m³		
Consumer DNEL, acute		inhalation	local	93,4 mg/m³		

PNEC values

CAS No	Substance			
Environmental compartment Value				
2768-02-7	2768-02-7 trimethoxyvinylsilane; trimethoxy(vinyl)silane			
Freshwater		0,34 mg/l		
Marine water 0,034				
Freshwater se	1,24 mg/kg			
Marine sedim	0,12 mg/kg			
Micro-organisms in sewage treatment plants (STP)		110 mg/l		
Soil		0,052 mg/kg		

8.2. Exposure controls







Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374):

FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.

NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing



according to UK REACH Regulation

DINITROL 700 Grey

Revision date: 13.01.2025 Product code: 91216 Page 6 of 11

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

short-term:

gas filtering equipment (EN 141)., Filter material/medium: A2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Paste
Colour: light grey
Odour: characteristic
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not applicable

boiling range:

Flammability: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Flash point: not applicable < 200 °C Auto-ignition temperature: Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not determined The study does not need to be conducted Water solubility: because the substance is known to be insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

1,48 g/cm³

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties not determined

Sustaining combustion: No data available

Oxidizing properties not determined

Other safety characteristics

Evaporation rate: not determined Solvent separation test: not determined Solvent content: 9,00 %

Further InformationNo information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.



according to UK REACH Regulation

DINITROL 700 Grey

Revision date: 13.01.2025 Product code: 91216 Page 7 of 11

10.3. Possibility of hazardous reactions

Reacts with:

Acid

Oxidising agent, strong

10.4. Conditions to avoid

Protect from moisture.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Sulphur oxides

After contact with water: Formation of: Methanol

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
13463-67-7	titanium dioxide					
	oral	LD50 mg/kg	> 20000	Rat		
	dermal	LD50 mg/kg	> 10000	Rabbit		
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane					
	oral	LD50 7460 mg/kg	7340-	Rat		
	dermal	LD50 4000 mg/kg	>3460-	Rabbit		OECD 406
	inhalation (4 h) vapour	LC50 mg/l	16,79	Rat		
	inhalation dust/mist	ATE	1,5 mg/l			
1065336-91- 5	Reaction mass of bis(1,2, sebacate	2,6,6-pentame	ethyl-4-pipe	eridyl) sebacate and methy	yl 1,2,2,6,6-pentamethyl-4-	-piperidyl
	oral	LD50 mg/kg	3125	Rat		
	dermal	LD50 5000 mg/kg	2000 -			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane, Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction.



according to UK REACH Regulation

DINITROL 700 Grey

Revision date: 13.01.2025 Product code: 91216 Page 8 of 11

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting potential No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2768-02-7	trimethoxyvinylsilane; trim	trimethoxyvinylsilane; trimethoxy(vinyl)silane					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 mg/l	>100		Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	>100		Daphnia magna (Big water flea)		

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane	1,1

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

There are no data available on the preparation/mixture itself.

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

Print date: 21.02.2025



Safety Data Sheet

according to UK REACH Regulation

DINITROL 700 Grey

Revision date: 13.01.2025 Product code: 91216 Page 9 of 11

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes. List of proposed waste codes/waste designations in accordance with EWC:

List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

List of Wastes Code - used product

080411 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

adhesive and sealant sludges containing organic solvents or other hazardous substances;

hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Remove according to the regulations.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine pollutant:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information



according to UK REACH Regulation

DINITROL 700 Grey

Revision date: 13.01.2025 Product code: 91216 Page 10 of 11

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

Directive 2004/42/EC on VOC in 8,99 % paints and varnishes: 133,1 g/l

Subcategory according to Directive

2004/42/EC:

Bodyfiller/stopper - All types, VOC limit value: 250 g/l $\,$

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

Observe in addition any national regulations!

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Flam. Liq: Flammable liquids
Acute Tox: Acute toxicity
Asp. Tox: Aspiration hazard
Skin Sens: Skin sensitisation
Carc: Carcinogenicity
Repr: Reproductive toxicity

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.



according to UK REACH Regulation

	DINITROL 700 Grey	
Revision date: 13.01.2025	Product code: 91216	Page 11 of 11

H351 Suspected of causing cancer. H361f Suspected of damaging fertility. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

EUH208 Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane, Reaction mass of bis(1,2,2,6,6

-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate.

May produce an allergic reaction.

EUH210 Safety data sheet available on request.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)