

## DINITROL 77 B Spray

Revision date: 18.03.2025

Product code: 21702

Page 1 of 9

### 1. Identification

#### Product identifier

DINITROL 77 B Spray

#### Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Anti-corrosive coating

#### Details of the supplier of the safety data sheet

##### Manufacturer

Company name: DINOL GmbH  
Street: Pyrmonter Strasse 76  
Place: D-32676 Luegde  
Telephone: + 49 (0) 5281 982980  
E-mail: msds@dinol.com  
Contact person: Labor  
Responsible Department: msds@dinol.com

Telefax: + 49 (0) 5281 9829860

##### Supplier

Company name: DINOL U.S. Inc.  
Street: 8500 Cotter Street, Lewis Center  
Place: USA-43035 Ohio  
Telephone: 740-548-1656  
E-mail: info@dinolus.com  
Internet: www.dinol.com

Telefax: 740-548-1657

**Emergency telephone number:** 3E Company Emergency +1-866-404-4230

### 2. Hazard identification

#### Classification of the substance or mixture

##### WHMIS 2015

Aerosols: Aerosol 1  
Gases under pressure: Compressed gas  
Skin corrosion/irritation: Skin Irrit. 2  
Serious eye damage/eye irritation: Eye Irrit. 2A  
Specific target organ toxicity - single exposure: STOT SE 3 (narcotic effects)

#### Label elements

##### WHMIS 2015

**Signal word:** Danger

**Pictograms:**



##### Hazard statements

Extremely flammable aerosol.  
Contains gas under pressure; may explode if heated.  
Causes skin irritation and serious eye irritation.  
May cause drowsiness or dizziness.

##### Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not spray on an open flame or other ignition source.

## DINITROL 77 B Spray

Revision date: 18.03.2025

Product code: 21702

Page 2 of 9

Avoid breathing dust/fume/gas/mist/vapours/spray.  
Wash water thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF ON SKIN: Wash with plenty of water.  
If skin irritation occurs: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
If eye irritation persists: Get medical advice/attention.  
Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### Special labelling of certain mixtures

Restricted to professional users.

### Additional advice on labelling

The classification of the aerosol was carried out according to EC 1272/2008, Annex 1, point 1.1.3.7.

### Other hazards

No information available.

## 3. Composition/information on ingredients

### Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	25 - < 50 %
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether	0.1 - < 1% (*)
25307-17-9	2,2'-(9-Octadecenylimino)bisethanol	< 1 %

(\*) The actual concentration is withheld as a trade secret.

### Further Information

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w)  
DMSO extract (IP 346)).

## 4. First-aid measures

### Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice.  
Never give anything by mouth to an unconscious person or a person with cramps.  
If unconscious but breathing normally, place in recovery position and seek medical advice.

#### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

## DINITROL 77 B Spray

Revision date: 18.03.2025

Product code: 21702

Page 3 of 9

### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

### Most important symptoms and effects, whether acute or delayed

No information available.

### Indication of immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>), alcohol resistant foam , Extinguishing powder  
In case of major fire and large quantities: Water spray jet, alcohol resistant foam

#### Unsuitable extinguishing media

High power water jet.

### Specific hazards arising from the hazardous product

No further relevant information available.

### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### General advice

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### For emergency responders

For further specification, refer to section 8 of the SDS.

### Environmental precautions

Do not allow to enter into surface water or drains.

### Methods and material for containment and cleaning up

#### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Provide adequate ventilation.  
Clear contaminated areas thoroughly.  
Do not rinse down with water.

#### Other information

No information available.

### Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## 7. Handling and storage

## DINITROL 77 B Spray

Revision date: 18.03.2025

Product code: 21702

Page 4 of 9

### Precautions for safe handling

#### Advice on safe handling

Do not pierce or burn, even after use. If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

No special measures are necessary.

## 8. Exposure controls/Personal protection

### Control parameters

#### Exposure limits (ACGIH)

CAS No	Chemical name	ppm	mg/m <sup>3</sup>	F/ml	Category	Origin
111-76-2	2-Butoxyethanol (EGBE)	20	97		TWA (8 h)	ACGIH-2024
75-28-5	Butane: isobutane	1000	2370		STEL (15 min)	ACGIH-2024
106-97-8	Butane: n-butane	1000	2370		STEL (15 min)	ACGIH-2024
74-98-6	Propane	-	-		Asphyxiant	ACGIH-2024

#### Biological limit values

CAS No	Chemical name	Parameter	Value	Test material	Sampling time
111-76-2	2-BUTOXYETHANOL (ACGIH 2024)	Butoxyacetic acid (BAA) (with hydrolysis, creatinine)	200 mg/g	urine	End of shift

### Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation.  
If handled uncovered, arrangements with local exhaust ventilation should be used if possible.  
If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Not required.  
Recommended eye protection articles: Eye glasses with side protection (EN 166)

## DINITROL 77 B Spray

Revision date: 18.03.2025

Product code: 21702

Page 5 of 9

### Hand protection

Not required.

Recommended glove articles

NBR (Nitrile rubber) - ( $\geq 0,12$  mm), Breakthrough time:: 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

### Skin protection

Wear anti-static footwear and clothing

### Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

gas filtering equipment (EN 141), Filter material/medium: AX

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state:	Aerosol
Colour:	brown
Odour:	characteristic
Odour threshold:	not determined

### Test method

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	-44 °C
Flammability:	not applicable
Lower explosive limits:	0,6 vol. %
Upper explosive limits:	10,9 vol. %
Flash point:	< -20 °C
Auto-ignition temperature:	> 200 °C
Decomposition temperature:	not determined
pH-Value:	The study does not need to be conducted because the substance is known to be insoluble in water.
Viscosity / kinematic:	not determined
Water solubility:	practically insoluble
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	8300 hPa
(at 20 °C)	
Vapour pressure:	17081 hPa
(at 50 °C)	
Density (at 20 °C):	0,736 g/cm <sup>3</sup> DIN 51757
Relative vapour density:	not determined

### Other information

#### Information with regard to physical hazard classes

Explosive properties

not determined

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

## DINITROL 77 B Spray

Revision date: 18.03.2025

Product code: 21702

Page 6 of 9

Oxidizing properties

Not oxidising.

### Other safety characteristics

Evaporation rate:

not determined

Solvent content:

49,90 %

Solid content:

35,90 %

Viscosity / dynamic:

not determined

### Further Information

No information available.

## 10. Stability and reactivity

### Reactivity

No hazardous reaction when handled and stored according to provisions.

### Chemical stability

The product is stable under storage at normal ambient temperatures.

### Possibility of hazardous reactions

No known hazardous reactions.

### Conditions to avoid

No further relevant information available.

### Incompatible materials

No information available.

### Hazardous decomposition products

Carbon monoxide

## 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) &gt; 5000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation gas) &gt; 50000 ppm

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 5000 mg/l	Rat		
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether				
	oral	ATE 1200 mg/kg			
	inhalation vapour	ATE 3 mg/l			
25307-17-9	2,2'-(9-Octadecenyldimino)bisethanol				
	oral	LD50 >300 - 2000 mg/kg	Rat		

### Irritation and corrosivity

## DINITROL 77 B Spray

Revision date: 18.03.2025

Product code: 21702

Page 7 of 9

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

### Sensitizing effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics)

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on other hazards

#### Endocrine disrupting properties

Endocrine disrupting potential No information available.

### Further information

There are no data available on the preparation/mixture itself.

## 12. Ecological information

### Persistence and degradability

There are no data available on the mixture itself.

### Bioaccumulative potential

There are no data available on the mixture itself.

### Mobility in soil

There are no data available on the mixture itself.

### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### Other adverse effects

No information available.

### Further information

There are no data available on the preparation/mixture itself.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 13. Disposal considerations

### Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes.

List of proposed waste codes/waste designations in accordance with EWC:

#### Contaminated packaging

Remove according to the regulations.

## 14. Transport information

### Canadian TDG

#### UN number:

UN 1950

#### Proper shipping name:

AEROSOLS

# Safety Data Sheet

according to WHMIS

## DINITROL 77 B Spray

Revision date: 18.03.2025

Product code: 21702

Page 8 of 9

**Hazard classes:** 2.1  
**Hazard label:** 2.1  
**Limited quantity:** 1 L



### Marine transport (IMDG)

**UN number or ID number:** UN 1950  
**United Nations proper shipping name:** AEROSOLS  
**Transport hazard class(es):** 2.1  
**Packing group:** -  
**Hazard label:** 2.1



**Marine pollutant:** no  
**Special Provisions:** 63, 190, 277, 327, 344, 381, 959  
**Limited quantity:** 1000 mL  
**Excepted quantity:** E0  
**EmS:** F-D, S-U

### Air transport (ICAO-TI/IATA-DGR)

**UN number or ID number:** UN 1950  
**United Nations proper shipping name:** AEROSOLS, FLAMMABLE  
**Transport hazard class(es):** 2.1  
**Packing group:** -  
**Hazard label:** 2.1



**Special Provisions:** A145 A167 A802  
**Limited quantity Passenger:** 30 kg G  
**Passenger LQ:** Y203  
**Excepted quantity:** E0  
**IATA-packing instructions - Passenger:** 203  
**IATA-max. quantity - Passenger:** 75 kg  
**IATA-packing instructions - Cargo:** 203  
**IATA-max. quantity - Cargo:** 150 kg

### Other applicable information (air transport)

E0  
 Passenger-LQ: Y203

### Environmental hazards

**ENVIRONMENTALLY HAZARDOUS:** No

### Other applicable information

**Stowage Code:**  
 SW1 Protected from sources of heat.  
 SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

**Segregation Code:**



## Safety Data Sheet

according to WHMIS

### DINITROL 77 B Spray

Revision date: 18.03.2025

Product code: 21702

Page 9 of 9

SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

## 15. Regulatory information

### Canadian regulations

#### DSL/NDSL inventory status

Substance/product listed in the following inventories: DSL/NDSL

Directive 2004/42/EC on VOC in paints and varnishes: 72,9 % (536,544 g/l)

#### Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

## 16. Other information

### Changes

This data sheet contains changes from the previous version in section(s): 2,11.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*