

according to UK REACH Regulation

DINITROL 965 HP

Revision date: 15.05.2025 Product code: 21683 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DINITROL 965 HP

UFI: 0K1X-Q1Y7-Y00W-VGUW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Anti-corrosive coating

Uses advised against

No further relevant information available.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: DINOL GmbH

Street: Pyrmonter Strasse 76
Place: D-32676 Luegde

Telephone: + 49 (0) 5281 982980 Telefax: + 49 (0) 5281 9829860

E-mail: msds@dinol.com

Contact person: Labor

Responsible Department: msds@dinol.com

Supplier

Company name:

Street:

Marston Business Park, Rudgate
Place:

GB Tockwith, York YO26 7QF

E-mail:

enquiries@leading-solvents.co.uk

www.leading-solvents.co.uk

1.4. Emergency telephone Giftnotruf Berlin: +49 30 30686 700 (Beratung in Deutsch und Englisch)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3: H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

Special labelling of certain mixtures

EUH208 Contains benzothiazole-2-thiol, 3-Aminopropyltriethoxysilan, 1,2-benzisothiazol-3(2H)-one,

1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml

Hazard statements

H412



according to UK REACH Regulation

DINITROL 965 HP

Revision date: 15.05.2025 Product code: 21683 Page 2 of 11

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regula	ation)	•		
6846-50-0	1-isopropyl-2,2-dimethyltrimeth	nylene diisobutyrate		1 - < 5 %	
	229-934-9		01-2119451093-47		
	Repr. 2, Aquatic Chronic 3; H3	61 H412	•		
61791-26-2	Amines, tallow alkyl, ethoxylate	ed		< 1 %	
	500-153-8				
	Acute Tox. 4, Skin Irrit. 2, Eye H400 H410	Dam. 1, Aquatic Acute 1, Aqu	natic Chronic 1; H302 H315 H318		
149-30-4	benzothiazole-2-thiol	< 1 %			
	205-736-8	613-108-00-3			
	Skin Sens. 1, Aquatic Acute 1,	00 H410			
7664-41-7	ammonia, anhydrous	< 1 %			
	231-635-3				
	Flam. Gas 2, Compressed gas H280 H331 H302 H314 H400				
919-30-2	3-Aminopropyltriethoxysilan	< 1 %			
	213-048-4		01-2119480479-24		
	Acute Tox. 4, Skin Corr. 1B, S				
2634-33-5	1,2-benzisothiazol-3(2H)-one,	< 0.05 %			
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
6846-50-0	229-934-9	1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	1 - < 5 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 20000 mg/kg	
61791-26-2	500-153-8	Amines, tallow alkyl, ethoxylated	< 1 %
	oral: ATE = 50	00 mg/kg	
7664-41-7	231-635-3	ammonia, anhydrous	< 1 %
	inhalation: LC 350 mg/kg	50 = 2000 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 =	
919-30-2	213-048-4	3-Aminopropyltriethoxysilan	< 1 %
	dermal: LD50	= 4080 mg/kg; oral: LD50 = 1500 mg/kg	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	< 0.05 %
	oral: ATE = 50	00 mg/kg Skin Sens. 1; H317: >= 0,05 - 100	

Further Information

Full text of H- and EUH-statements: see section 16.



Safety Data Sheet

according to UK REACH Regulation

DINITROL 965 HP

Revision date: 15.05.2025 Product code: 21683 Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do NOT induce vomiting.

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

No further relevant information available.

5.2. Special hazards arising from the substance or mixture

No further relevant information available.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Not required.

For emergency responders

For further specification, refer to section 8 of the SDS.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.



according to UK REACH Regulation

DINITROL 965 HP

Revision date: 15.05.2025 Product code: 21683 Page 4 of 11

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation.

Clear contaminated areas thoroughly.

Do not rinse down with water.

Other information

No information available.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Use only outdoors or in a well-ventilated area.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take

a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

Hints on joint storage

Not required.

Further information on storage conditions

none

7.3. Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL



according to UK REACH Regulation

DINITROL 965 HP

Revision date: 15.05.2025 Product code: 21683 Page 5 of 11

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
6846-50-0	1-isopropyl-2,2-dimethyltrimethylene diisobutyrate					
Worker DNEL,	Worker DNEL, long-term dermal systemic 5 mg/kg bw/da					
Consumer DNEL, long-term		inhalation	systemic	4,35 mg/m³		
Consumer DNEL, long-term		oral	systemic	5 mg/kg bw/day		
Consumer DNEL, long-term		dermal	systemic	5 mg/kg bw/day		

PNEC values

CAS No	Substance		
Environmental compartment Value			
6846-50-0	1-isopropyl-2,2-dimethyltrimethylene diisobutyrate		
Freshwater 0,014 mg/l			
Marine water 0,001 mg/l		0,001 mg/l	
Freshwater sediment 5,		5,29 mg/kg	
Marine sediment		0,529 mg/kg	
Soil		1,05 mg/kg	

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (DIN EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374):

FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.

NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.

Thickness of the glove material: > 0,12 mm

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection. gas filtering equipment (EN 141). Filter material/medium : A



according to UK REACH Regulation

DINITROL 965 HP

Revision date: 15.05.2025 Product code: 21683 Page 6 of 11

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: transparent
Odour: characteristic
Odour threshold: not determined

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined

Flash point: 100 °C DIN 53213

Auto-ignition temperature: 195 °C
Decomposition temperature: not applicable
pH-Value: not determined
Viscosity / kinematic: not determined
Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 23 hPa

(at 20 °C)

Vapour pressure: 123 hPa

(at 50 °C)

Density (at 20 °C): 1,04 g/cm³ DIN 51757

Relative vapour density: not determined Particle characteristics: not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties not determined

Sustained combustibility:

No data available

Oxidizing properties not determined

Other safety characteristics

Solvent content: 1,0 %
Solid content: 45,9 %
Softening point: not determined
Viscosity / dynamic: not determined

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.



Safety Data Sheet

according to UK REACH Regulation

DINITROL 965 HP

Revision date: 15.05.2025 Product code: 21683 Page 7 of 11

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
6846-50-0	1-isopropyl-2,2-dimethyl	rimethylene	diisobutyrate				
	oral	LD50 mg/kg	> 20000	Rat			
	dermal	LD50 mg/kg	> 2000	Rabbit			
61791-26-2	Amines, tallow alkyl, eth	oxylated					
	oral	ATE mg/kg	500				
7664-41-7	ammonia, anhydrous						
	oral	LD50 mg/kg	350	Rat			
	inhalation (4 h) vapour	LC50	2000 mg/l	Rat			
	inhalation dust/mist	ATE	0,5 mg/l				
919-30-2	3-Aminopropyltriethoxysilan						
	oral	LD50 mg/kg	1500	Rat			
	dermal	LD50 mg/kg	4080	Rabbit			
2634-33-5	1,2-benzisothiazol-3(2H)		enzisothiazolir	n-3-one			
	oral	ATE mg/kg	500				

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains benzothiazole-2-thiol, 3-Aminopropyltriethoxysilan, 1,2-benzisothiazol-3(2H)-one,

1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction



Safety Data Sheet

according to UK REACH Regulation

DINITROL 965 HP

Revision date: 15.05.2025 Product code: 21683 Page 8 of 11

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity Dose [h] [d] Species Source Method						
919-30-2	3-Aminopropyltriethoxysilan						
	Acute fish toxicity	LC50 > 950 mg/l	96 h				

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No further relevant information available.

Further information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations



Safety Data Sheet

according to UK REACH Regulation

DINITROL 965 HP

Revision date: 15.05.2025 Product code: 21683 Page 9 of 11

13.1. Waste treatment methods

Disposal recommendations

This material and its container must be disposed of as hazardous waste.

Contaminated packaging

Dispose according to legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation.

Other applicable information (land transport)

Protect against: Frost

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group:

Other applicable information (inland waterways transport)

Protect against: Frost

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine pollutant:

Other applicable information (marine transport)

Protect against: Frost

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group:

Other applicable information (air transport)

Protect against: Frost

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Nο

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75



according to UK REACH Regulation

DINITROL 965 HP

Revision date: 15.05.2025 Product code: 21683 Page 10 of 11

Directive 2004/42/EC on VOC in 1.02 % paints and varnishes: 10,6 g/l

Additional information

Observe in addition any national regulations!

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to

chemical agents at work

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

> work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the

Candidate List according to Article 59 of REACH: none

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,8,12,14,16.

Abbreviations and acronyms

Flam. Gas: Flammable gases

Compressed gas

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eve Dam: Eve damage Skin Sens: Skin sensitisation Repr: Reproductive toxicity

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H221	Flammable gas.
11000	Contains was under processors passes

Contains gas under pressure; may explode if heated. H280

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.



according to UK REACH Regulation

	DINITROL 965 HP	
Revision date: 15.05.2025	Product code: 21683	Page 11 of 11
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H331	Toxic if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH208	Contains benzothiazole-2-thiol, 3-Aminopropyltriethoxysilan, 1,2-benzisothiazol-3(2H)-or 1,2-benzisothiazolin-3-one. May produce an allergic reaction.	ne,

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)