

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL MS 40 Spray

Revision date: 11/22/2024

Product code: 30040

Page 1 of 10

## 1. Identification

### Product identifier

DINITROL MS 40 Spray

### Recommended use of the chemical and restrictions on use

#### Use of the substance/mixture

Schmiermittel und Schmiermittelzusatz  
Rostlöser

### Details of the supplier of the safety data sheet

#### Manufacturer

Company name: DINOL GmbH  
Street: Pyrmonter Strasse 76  
Place: D-32676 Luegde  
Telephone: + 49 (0) 5281 982980  
E-mail: msds@dinol.com  
Contact person: Labor  
Responsible Department: msds@dinol.com

Telefax: + 49 (0) 5281 9829860

#### Supplier

Company name: DINOL U.S. Inc.  
Street: 8500 Cotter Street, Lewis Center  
Place: USA-43035 Ohio  
Telephone: 740-548-1656  
E-mail: info@dinolus.com  
Internet: www.dinol.com

Telefax: 740-548-1657

**Emergency phone number:** 3E Company Emergency +1-866-404-4230

## 2. Hazard(s) identification

### Classification of the chemical

#### 29 CFR Part 1910.1200

Flammable aerosols: Flam. Aerosol 1  
Gases under pressure: Compressed gas  
Specific target organ toxicity single exposure: STOT SE 3 (narcotic effects)

### Label elements

#### 29 CFR Part 1910.1200

**Signal word:** Danger

**Pictograms:**



#### Hazard statements

Extremely flammable aerosol  
Contains gas under pressure; may explode if heated  
May cause drowsiness or dizziness

#### Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Do not spray on an open flame or other ignition source.  
Pressurized container: Do not pierce or burn, even after use.  
Avoid breathing dust/fume/gas/mist/vapors/spray.

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## DINITROL MS 40 Spray

Revision date: 11/22/2024

Product code: 30040

Page 2 of 10

Use only outdoors or in a well-ventilated area.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
Call a poison center/doctor if you feel unwell.  
Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### Hazards not otherwise classified

No information available.

## 3. Composition/information on ingredients

### Mixtures

#### Hazardous components

CAS No	Components	Quantity
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	74.9 %
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	19.9 %
	calcium bis (di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)	2.4 %

#### Further Information

Full text of H statements: see section 16.

## 4. First-aid measures

### Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice.  
Never give anything by mouth to an unconscious person or a person with cramps.  
If unconscious but breathing normally, place in recovery position and seek medical advice.

#### After inhalation

Provide fresh air. In case of troubles or persistent symptoms, consult an ophthalmologist.  
If unconscious but breathing normally, place in recovery position and seek medical advice.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.  
If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

### Most important symptoms and effects, both acute and delayed

No information available.

### Indication of any immediate medical attention and special treatment needed

No information available.

## 5. Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water fog.

#### Unsuitable extinguishing media

High power water jet.

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL MS 40 Spray

Revision date: 11/22/2024

Product code: 30040

Page 3 of 10

#### Specific hazards arising from the chemical

Flammable. Vapors may form explosive mixtures with air.

#### Special protective equipment and precautions for fire-fighters

Use water spray/stream to protect personnel and to cool endangered containers.

#### Additional information

Suppress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

##### **General advice**

Provide adequate ventilation.  
Wear personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Avoid breathing dust/fume/gas/mist/vapors/spray.

##### **For emergency responders**

For further specification, refer to section 8 of the SDS.

#### Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### Methods and material for containment and cleaning up

##### **For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.

##### **For cleaning up**

Provide adequate ventilation.  
Clear contaminated areas thoroughly.  
Do not rinse down with water.

##### **Other information**

No information available.

#### Reference to other sections

Safe handling: see section 7  
Personal protection equipment (PPE): see section 8  
Disposal: see section 13

## 7. Handling and storage

#### Precautions for safe handling

##### **Advice on safe handling**

Handle and open container with care.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.  
If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

##### **Advice on protection against fire and explosion**

Take precautionary measures against static discharges.  
Do not spray on naked flames or any incandescent material.  
Keep away from sources of ignition - No smoking.  
Heating causes rise in pressure with risk of bursting.

##### **Advice on general occupational hygiene**

Keep away from food, drink and animal feedingstuffs.

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL MS 40 Spray

Revision date: 11/22/2024

Product code: 30040

Page 4 of 10

When using do not eat or drink.  
Wash hands before breaks and after work.  
Avoid contact with skin and eyes.  
Remove contaminated, saturated clothing immediately.

#### Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.  
Do not keep the container sealed. Keep container dry.  
Keep away from heat. Protect from direct sunlight.

##### Hints on joint storage

No information available.

##### Further information on storage conditions

No information available.

## 8. Exposure controls/personal protection

#### Control parameters

##### Exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	f/cc	Category	Origin
124-38-9	Carbon dioxide	5000	9000		TWA (8 h)	PEL
		5000	9000		TWA (8 h)	REL
		30,000	54,000		STEL (15 min)	REL
124-38-9	Carbon dioxide	5000	9000		TWA (8 h)	ACGIH-2024
		30000	54000		STEL (15 min)	ACGIH-2024

#### Exposure controls



##### Appropriate engineering controls

Provide adequate ventilation.  
If handled uncovered, arrangements with local exhaust ventilation should be used if possible.  
If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Eye glasses with side protection (DIN EN 166)

##### Hand protection

Tested protective gloves must be worn (EN ISO 374):  
FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.  
NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.  
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.  
Protective gloves have to be replaced at the first sign of deterioration.  
Protect skin by using skin protective cream.

##### Skin protection

Wear anti-static footwear and clothing

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## DINITROL MS 40 Spray

Revision date: 11/22/2024

Product code: 30040

Page 5 of 10

### Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.  
gas filtering equipment (EN 141). Filter material/medium : A2/P3

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state:	Aerosol	
Color:	light brown	
Odor:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability		
Solid/liquid:		not applicable
Lower explosion limits:		0,6 vol. %
Upper explosion limits:		7,0 vol. %
Flash point:		not applicable
Auto-ignition temperature:		240 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapor pressure:		5500 hPa
(at 20 °C)		
Density (at 20 °C):		0,8 g/cm³
Relative vapour density:		not determined
Particle characteristics:		not applicable

### Other information

#### Information with regard to physical hazard classes

Explosive properties	
not determined	
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Oxidizing properties	
Not oxidising.	

#### Other safety characteristics

Evaporation rate:	not determined
Solvent content:	73,0 %
Solid content:	6,0 %
Softening point:	not determined
Viscosity / dynamic:	not determined

#### Further Information

No information available.

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## DINITROL MS 40 Spray

Revision date: 11/22/2024

Product code: 30040

Page 6 of 10

## 10. Stability and reactivity

### Reactivity

No hazardous reaction when handled and stored according to provisions.

### Chemical stability

Stability: Stable

The product is stable under storage at normal ambient temperatures.

### Possibility of hazardous reactions

Hazardous reactions: Will not occur

No known hazardous reactions.

### Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapors may form explosive mixtures with air.

### Incompatible materials

No information available.

### Hazardous decomposition products

No known hazardous decomposition products.

## 11. Toxicological information

### Route(s) of Entry

No information available.

### Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation gas) > 20000 ppm

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >3000 mg/kg	Rat		
	inhalation (4 h) vapour	LC50 5000 mg/l	Rat		
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >3000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 5,53 mg/l	Rat		
	calcium bis (di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 > 20000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 > 18 mg/l	Rat		

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL MS 40 Spray**

Revision date: 11/22/2024

Product code: 30040

Page 7 of 10

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitizing effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - single exposure**

May cause drowsiness or dizziness (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics)

**Specific target organ toxicity (STOT) - repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No information available.

**Additional information on tests**

No information available.

**Practical experience**

No information available.

**Information on other hazards****Endocrine disrupting properties**

Endocrine disrupting potential No information available.

**Further information**

There are no data available on the preparation/mixture itself.

**12. Ecological information****Persistence and degradability**

There are no data available on the mixture itself.

**Bioaccumulative potential**

There are no data available on the mixture itself.

**Mobility in soil**

There are no data available on the mixture itself.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other adverse effects**

No information available.

**Further information**

Avoid release to the environment.

**13. Disposal considerations****Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. Do not mix with other wastes.

List of proposed waste codes/waste designations in accordance with EWC:

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL MS 40 Spray

Revision date: 11/22/2024

Product code: 30040

Page 8 of 10

#### Contaminated packaging

Remove according to the regulations.

### 14. Transport information

#### U.S. DOT 49 CFR 172.101

UN number or ID number:

UN 1950

Proper shipping name:

AEROSOLS

Transport hazard class(es):

2.1

Hazard label:

2.1



#### Marine transport (IMDG)

UN number or ID number:

UN 1950

UN proper shipping name:

AEROSOLS

Transport hazard class(es):

2.1

Packing group:

-

Hazard label:

2.1



Marine pollutant:

no

Special Provisions:

63, 190, 277, 327, 344, 959

Limited quantity:

1000 mL

Excepted quantity:

E0

EmS:

F-D, S-U

#### Air transport (ICAO-TI/IATA-DGR)

UN number or ID number:

UN 1950

UN proper shipping name:

AEROSOLS

Transport hazard class(es):

2.1

Packing group:

-

Hazard label:

2.1



Special Provisions:

A145 A167 A802

Limited quantity Passenger:

30 kg G

Passenger LQ:

Y203

Excepted quantity:

E0

IATA-packing instructions - Passenger:

203

IATA-max. quantity - Passenger:

75 kg

IATA-packing instructions - Cargo:

203

IATA-max. quantity - Cargo:

150 kg

#### Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

No

#### Special precautions for user

No information available.

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL MS 40 Spray

Revision date: 11/22/2024

Product code: 30040

Page 9 of 10

#### Other applicable information

Stowage Code:

SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

Segregation Code:

SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

## 15. Regulatory information

### U.S. Regulations

#### National Inventory TSCA

Substance/product listed in the following inventories: TSCA

#### National regulatory information

SARA Section 311/312 Hazards:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (-): Fire hazard, Immediate (acute) health hazard

Carbon dioxide (124-38-9): Sudden release of pressure  
calcium bis (di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate) (-): Immediate (acute) health hazard

### State Regulations

#### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

## 16. Other information

### Changes

Revision date: 11/22/2024

Revision No: 1,6

This data sheet contains changes from the previous version in section(s): 2,7,9,11,12,16.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL MS 40 Spray**

Revision date: 11/22/2024

Product code: 30040

Page 10 of 10

processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*