

according to UK REACH Regulation

#### **DINITROL Pasta**

Revision date: 30.04.2025 Product code: 21651 Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**DINITROL** Pasta

UFI: FUXW-H1VJ-6002-QK6U

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Corrosion inhibitor

#### Uses advised against

No further relevant information available.

### 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: DINOL GmbH

Street: Pyrmonter Strasse 76
Place: D-32676 Luegde

Telephone: + 49 (0) 5281 982980 Telefax: + 49 (0) 5281 9829860

E-mail: msds@dinol.com

Contact person: Labor

Responsible Department: msds@dinol.com

**Supplier** 

Company name:

Street:

Marston Business Park, Rudgate
Place:

GB Tockwith, York YO26 7QF

E-mail:

enquiries@leading-solvents.co.uk

www.leading-solvents.co.uk

1.4. Emergency telephone Giftnotruf Berlin: +49 30 30686 700 (Beratung in Deutsch und Englisch)

number:

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Flam. Lig. 3: H226

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

# **GB CLP Regulation**

Signal word: Warning

Pictograms:



### **Hazard statements**

H226 Flammable liquid and vapour.

# **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P243 Take action to prevent static discharges.
P280 Wear eye protection/face protection.



according to UK REACH Regulation

**DINITROL Pasta** 

Revision date: 30.04.2025 Product code: 21651 Page 2 of 11

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water.

P403+P235 Store in a well-ventilated place. Keep cool.

Special labelling of certain mixtures

Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



### 2.3. Other hazards

Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated: This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP. ( < 0,1% Benzene)

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Relevant ingredients

| CAS No      | Chemical name   |  |                  |  |  |
|-------------|---|--|------------------|--|--|
|             | EC No   | Index No   | REACH No         |  |  |
|             | Classification (GB CLP Regulation)                          |  | •                |  |  |
| 101316-72-7 | Lubricating oils (petroleum), C24-5                         | Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated |                  |  |  |
|             | 309-877-7   |  |                  |  |  |
|             | Asp. Tox. 1; H304   | •  |                  |  |  |
|             | Hydrocarbons, C9-C11, n-alkanes,                            |  | 15 - < 20 %      |  |  |
|             | 919-857-5   |  | 01-2119463258-33 |  |  |
|             | Flam. Liq. 3, STOT SE 3, Asp. Tox. 1; H226 H336 H304 EUH066 |  |                  |  |  |
| 68608-26-4  | Sulfonic acids, petroleum, sodium s                         | 1 - < 5 %  |                  |  |  |
|             | 271-781-5   |  | 01-2119527859-22 |  |  |
|             | Eye Irrit. 2; H319  | •  |                  |  |  |
| 111-92-2    | Di-n-butylamine   |  | < 1 %            |  |  |
|             | 203-921-8   |  |                  |  |  |
|             | Flam. Liq. 3, Acute Tox. 3, Acute T<br>H314                 |  |                  |  |  |

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No                    | Chemical name  | Quantity    |
|------------|--------------------------|--|-------------|
|            | Specific Conc.           | Limits, M-factors and ATE  |             |
|            | 919-857-5                | Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics  | 15 - < 20 % |
|            | inhalation: LC5<br>mg/kg | 0 = > 5000 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000                                  |             |
| 68608-26-4 | 271-781-5                | Sulfonic acids, petroleum, sodium salts  | 1 - < 5 %   |
|            | dermal: LD50 =           | = > 5000 mg/kg   |             |
| 111-92-2   | 203-921-8                | Di-n-butylamine  | < 1 %       |
|            |                          | 0 = 1,15 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal:<br>/kg; oral: LD50 = 550 mg/kg |             |

#### **Further Information**

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w)



according to UK REACH Regulation

#### **DINITROL Pasta**

Revision date: 30.04.2025 Product code: 21651 Page 3 of 11

DMSO extract (IP 346)).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest.

#### After contact with skin

Change contaminated clothing.

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do NOT induce vomiting.

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

# Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder. Water fog.

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

No further relevant information available.

# 5.3. Advice for firefighters

No further relevant information available.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapours/spray.



### **Safety Data Sheet**

according to UK REACH Regulation

#### **DINITROL Pasta**

Revision date: 30.04.2025 Product code: 21651 Page 4 of 11

#### For emergency responders

For further specification, refer to section 8 of the SDS.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

### For cleaning up

Provide adequate ventilation.

Clear contaminated areas thoroughly.

Do not rinse down with water.

#### Other information

No information available.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

### Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs, Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

No special measures are necessary.

#### Hints on joint storage

Not required.

### Further information on storage conditions

Keep container tightly closed.

#### 7.3. Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to UK REACH Regulation

#### **DINITROL Pasta**

Revision date: 30.04.2025 Product code: 21651 Page 5 of 11

#### **DNEL/DMEL values**

| CAS No                   | Substance   |                |          |                  |
|--------------------------|---|----------------|----------|------------------|
| DNEL type                |   | Exposure route | Effect   | Value            |
|                          | Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% | aromatics      |          |                  |
| Consumer DNI             | EL, long-term   | oral           | systemic | 125 mg/kg bw/day |
| Worker DNEL, long-term   |   | dermal         | systemic | 208 mg/kg bw/day |
| Consumer DNEL, long-term |   | dermal         | systemic | 125 mg/kg bw/day |
| Worker DNEL, long-term   |   | inhalation     | systemic | 871 mg/m³        |
| Consumer DNEL, long-term |   | inhalation     | systemic | 185 mg/m³        |

#### 8.2. Exposure controls





### Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Individual protection measures, such as personal protective equipment

### Eye/face protection

Eye glasses with side protection (DIN EN 166)

### Hand protection

Recommended glove articles:

FKM (fluoro rubber), Breakthrough time:: 480 min. NBR (Nitrile rubber), Breakthrough time:: 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

### Skin protection

Wear anti-static footwear and clothing

#### Respiratory protection

Work in well-ventilated zones or use proper respiratory protection. gas filtering equipment (EN 141). Filter material/medium : A

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: red

Odour: characteristic
Odour threshold: not determined

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

154-193 °C

boiling range:

Flammability: Flammable liquid and vapour.

Lower explosion limits: 0,6 vol. % VDI 2263



### **Safety Data Sheet**

according to UK REACH Regulation

#### **DINITROL Pasta**

Revision date: 30.04.2025 Product code: 21651 Page 6 of 11

Upper explosion limits: 7,0 vol. % VDI 2263
Flash point: 41 °C DIN 53213

Auto-ignition temperature: > 200 °C

Decomposition temperature: not determined

pH-Value (at 20 °C): 7,1 - 8,5

Viscosity / kinematic: > 20,5 mm²/s

(at 40 °C)

Water solubility: not applicable

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 3 hPa

(at 20 °C)

Vapour pressure: 13 hPa

(at 50 °C)

Density (at 20 °C): 0,83 - 0,87 g/cm<sup>3</sup> DIN 51757

Relative vapour density: not determined Particle characteristics: not applicable

#### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

not determined

Sustained combustibility:

No data available

Oxidizing properties not determined

### Other safety characteristics

Solvent content: 11,6 %
Solid content: 86,6 %
Softening point: not determined
Viscosity / dynamic: 50000 mPa·s

(at 20 °C)

### **Further Information**

No information available.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

No further relevant information available.

#### 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

Carbon monoxide

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation



### **Safety Data Sheet**

according to UK REACH Regulation

#### **DINITROL Pasta**

Revision date: 30.04.2025 Product code: 21651 Page 7 of 11

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** tested

Dose Species Source

LD50, dermal 182857 mg/kg Rabbit LC50, inhalation (vapour) (4 h) 274 mg/l Rat

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (inhalation dust/mist) > 5 mg/l

| CAS No     | Chemical name   | ical name     |           |         |        |        |  |
|------------|---|---------------|-----------|---------|--------|--------|--|
|            | Exposure route  | Dose          |           | Species | Source | Method |  |
|            | Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics |               |           |         |        |        |  |
|            | oral  | LD50<br>mg/kg | > 5000    | Rat     |        |        |  |
|            | dermal  | LD50<br>mg/kg | > 5000    | Rabbit  |        |        |  |
|            | inhalation (4 h) vapour   | LC50<br>mg/l  | > 5000    | Rat     |        |        |  |
| 68608-26-4 | Sulfonic acids, petroleum, sodium salts                             |               |           |         |        |        |  |
|            | dermal  | LD50<br>mg/kg | > 5000    | Rabbit  |        |        |  |
| 111-92-2   | Di-n-butylamine   |               |           |         |        |        |  |
|            | oral  | LD50<br>mg/kg | 550       | Rat     |        |        |  |
|            | dermal  | LD50<br>mg/kg | 768       | Rabbit  |        |        |  |
|            | inhalation (4 h) vapour   | LC50          | 1,15 mg/l | Rat     |        |        |  |
|            | inhalation dust/mist  | ATE           | 1,5 mg/l  |         |        |        |  |

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

No information available.

### Specific effects in experiment on an animal

No information available.

### Additional information on tests

No information available.



## **Safety Data Sheet**

according to UK REACH Regulation

#### **DINITROL Pasta**

Revision date: 30.04.2025 Product code: 21651 Page 8 of 11

#### **Practical experience**

No information available.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

Endocrine disrupting potential No information available.

#### **Further information**

There are no data available on the preparation/mixture itself.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

| CAS No | Chemical name  |        |   |        |
|--------|--|--------|---|--------|
|        | Method   | Value  | d | Source |
|        | Evaluation   |        |   |        |
|        | Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aror | natics |   |        |
|        |  | 80%    |   |        |
|        | Readily biodegradable (according to OECD criteria).            | _      |   |        |

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

### **Further information**

There are no data available on the mixture itself.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

# Disposal recommendations

Dispose of waste according to applicable legislation.

Do not mix with other wastes.

### List of Wastes Code - residues/unused products

080111 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish

containing organic solvents or other hazardous substances; hazardous waste

#### Contaminated packaging

Dispose according to legislation.

#### **SECTION 14: Transport information**



according to UK REACH Regulation

### **DINITROL Pasta**

Revision date: 30.04.2025 Product code: 21651 Page 9 of 11

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1139

14.2. UN proper shipping name: COATING SOLUTION

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number:UN 113914.2. UN proper shipping name:Coating solution

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1139

14.2. UN proper shipping name: COATING SOLUTION

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Marine pollutant: no
Special Provisions: 955
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1139

14.2. UN proper shipping name: COATING SOLUTION

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



А3

Special Provisions:



according to UK REACH Regulation

**DINITROL Pasta** 

Revision date: 30.04.2025 Product code: 21651 Page 10 of 11

Limited quantity Passenger: 10 L
Passenger LQ: Y344
Excepted quantity: E1

IATA-packing instructions - Passenger:355IATA-max. quantity - Passenger:60 LIATA-packing instructions - Cargo:366IATA-max. quantity - Cargo:220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Flammable liquids

14.7. Maritime transport in bulk according to IMO instruments

not applicable

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 28, Entry 40, Entry 75

Directive 2004/42/EC on VOC in 11,56 % paints and varnishes: 99,4 g/l

Information according to Directive

2012/18/EU (SEVESO III):

P5c FLAMMABLE LIQUIDS

#### **Additional information**

Observe in addition any national regulations!

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

**Additional information** 

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 16.



according to UK REACH Regulation

#### **DINITROL Pasta**

Product code: 21651 Revision date: 30.04.2025 Page 11 of 11

#### Abbreviations and acronyms

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification     | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 3; H226 | On basis of test data    |

#### Relevant H and EUH statements (number and full text)

| *::   | Constitution processing |  |  |
|---|-------------------------|--|--|
| Flam. Liq. 3; H226  | On basis of test data   |  |  |
| Polyment II and FIIII at the month of course or and fall to all |                         |  |  |

| H226 | Flammable liquid and vapour. |
|------|------------------------------|
| H302 | Harmful if swallowed.        |

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

Causes serious eve irritation. H319

Harmful if inhaled. H332

H336 May cause drowsiness or dizziness.

**EUH066** Repeated exposure may cause skin dryness or cracking.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)