

Safety Data Sheet

according to 29 CFR 1910.1200(g)

D-9000

Revision date: 11/12/2025

Product code: 10702

Page 1 of 9

1. Identification
Product identifier

D-9000

Recommended use of the chemical and restrictions on use
Use of the substance/mixture

Adhesives, sealants

Uses advised against

No further relevant information available.

Details of the supplier of the safety data sheet
Manufacturer

| | | |
|-------------------------|----------------------|--------------------------------|
| Company name: | DINOL GmbH | |
| Street: | Pyrmonter Strasse 76 | |
| Place: | D-32676 Luegde | |
| Telephone: | + 49 (0) 5281 982980 | Telefax: + 49 (0) 5281 9829860 |
| E-mail: | msds@dinol.com | |
| Contact person: | Labor | |
| Internet: | www.dinol.com | |
| Responsible Department: | msds@dinol.com | |

Supplier

| | | |
|---------------|----------------------------------|-----------------------|
| Company name: | DINOL U.S. Inc. | |
| Street: | 8500 Cotter Street, Lewis Center | |
| Place: | USA-43035 Ohio | |
| Telephone: | 740-548-1656 | Telefax: 740-548-1657 |
| E-mail: | info@dinolus.com | |
| Internet: | www.dinol.com | |

Emergency phone number: 3E Company Emergency +1-866-404-4230

2. Hazard(s) identification
Classification of the chemical
29 CFR Part 1910.1200

Carcinogenicity: Carc. 2
 Reproductive toxicity: Repr. 1B
 Respiratory or skin sensitization: Resp. Sens. 1
 Respiratory or skin sensitization: Skin Sens. 1

Label elements
29 CFR Part 1910.1200
Signal word: Danger

Pictograms:

Hazard statements

May cause an allergic skin reaction
 May cause allergy or asthma symptoms or breathing difficulties if inhaled
 Suspected of causing cancer
 May damage fertility or the unborn child

Safety Data Sheet

according to 29 CFR 1910.1200(g)

D-9000

Revision date: 11/12/2025

Product code: 10702

Page 2 of 9

Precautionary statements

Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Avoid breathing dust/fume/gas/mist/vapors/spray.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Wear respiratory protection.
 If on skin: Wash with plenty of water.
 Wash contaminated clothing before reuse.
 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
 If experiencing respiratory symptoms: Call a poison center/doctor.
 If exposed or concerned: Get medical advice/attention.
 Store locked up.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

Mixtures

Relevant ingredients

| CAS No | Components | Quantity |
|-----------|--|----------|
| 1333-86-4 | Carbon Black | 49.9 % |
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate | 0.9 % |
| 107-66-4 | Dibutyl hydrogen phosphate | 0.1 % |
| 77-58-7 | dibutyltin dilaurate; dibutyl[bis(dodecanoyloxy)]stannane | 0.1 % |

Further Information

Full text of H statements: see section 16.

4. First-aid measures

Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.
 Never give anything by mouth to an unconscious person or a person with cramps.
 If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.
 After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).
 Do NOT induce vomiting.
 Call a physician immediately.
 Put victim at rest, cover with a blanket and keep warm.

Most important symptoms and effects, both acute and delayed

No information available.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

D-9000

Revision date: 11/12/2025

Product code: 10702

Page 3 of 9

Indication of any immediate medical attention and special treatment needed

No information available.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**alcohol resistant foam, Carbon dioxide (CO₂), Extinguishing powder. Water fog.**Unsuitable extinguishing media**

High power water jet.

Specific hazards arising from the chemical

No further relevant information available.

Special protective equipment and precautions for fire-fighters

No further relevant information available.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Suppress gases/vapors/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapors/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up**For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation.

Clear contaminated areas thoroughly.

Do not rinse down with water.

Other information

No information available.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage**Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

D-9000

Revision date: 11/12/2025

Product code: 10702

Page 4 of 9

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

No further relevant information available.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.
 Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
 Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

No further relevant information available.

Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

No further relevant information available.

Hints on joint storage

Not required.

Further information on storage conditions

maximum storage temperature : < 35°C

minimum storage temperature : > 0°C

storage temperature: : 0 - 35°C

8. Exposure controls/personal protection
Control parameters
Exposure limits

| CAS No | Substance | ppm | mg/m ³ | Category | Origin |
|-----------|---|--------|-------------------|---------------|------------|
| 1333-86-4 | Carbon black (in presence of polycyclic aromatic hydrocarbons (PAHs)) (as PAHs) | - | 0.1 | TWA (8 h) | REL |
| 1333-86-4 | Carbon black (inhalable fraction) | - | 3 | TWA (8 h) | ACGIH-2024 |
| 1333-86-4 | Carbon black | - | 3.5 | TWA (8 h) | REL |
| 107-66-4 | Dibutyl phosphate (inhalable fraction and vapor) | 0.6 | 5 | TWA (8 h) | ACGIH-2024 |
| 107-66-4 | Dibutyl phosphate | 1 | 5 | TWA (8 h) | REL |
| | | 1 | 5 | TWA (8 h) | REL |
| | | 2 | 10 | STEL (15 min) | REL |
| 101-68-8 | Methylene bisphenyl isocyanate (MDI) | C 0.02 | C 0.2 | Ceiling | REL |
| 101-68-8 | Methylene bisphenyl isocyanate | 0.005 | 0.05 | TWA (8 h) | REL |
| | | C 0.02 | C 0.2 | 10 min | REL |
| 101-68-8 | Methylene bisphenyl isocyanate | 0.005 | 0.051 | TWA (8 h) | ACGIH-2024 |

Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

D-9000

Revision date: 11/12/2025

Product code: 10702

Page 5 of 9

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (DIN EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374):

FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.

NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.

Thickness of the glove material : > 0,12 mm

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

In case of inadequate ventilation wear respiratory protection. gas filtering equipment (EN 141),. Filter material/medium: A/P2

9. Physical and chemical properties

Information on basic physical and chemical properties

| | |
|------------------|----------------|
| Physical state: | Paste |
| Color: | black |
| Odor: | characteristic |
| Odour threshold: | not determined |

| | Test method |
|---|-------------------------------|
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | 270 °C |
| Flammability: | not applicable |
| Lower explosion limits: | not determined DIN 51649 |
| Upper explosion limits: | not determined DIN 51649 |
| Flash point: | 164 °C |
| Auto-ignition temperature: | 300 °C |
| Decomposition temperature: | not determined |
| pH-Value: | not determined |
| Viscosity / kinematic: | not determined |
| Water solubility: | Immiscible |
| Solubility in other solvents | |
| not determined | |
| Partition coefficient n-octanol/water: | not determined |
| Vapor pressure: | not determined |
| Density (at 20 °C): | 1,13 - 1,18 g/cm ³ |
| Relative vapour density: | not determined |
| Particle characteristics: | not applicable |

Other information

Information with regard to physical hazard classes

Explosive properties
not determined

Safety Data Sheet

according to 29 CFR 1910.1200(g)

D-9000

Revision date: 11/12/2025

Product code: 10702

Page 6 of 9

Sustained combustibility: No data available

 Oxidizing properties
not determined

Other safety characteristics

Softening point: not determined

Viscosity / dynamic: not determined

Further Information

No information available.

10. Stability and reactivity
Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stability: Stable

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Hazardous reactions: Will not occur

No known hazardous reactions.

Conditions to avoid

No further relevant information available.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information
Route(s) of Entry

No information available.

Information on toxicological effects
Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Components | | | | |
|-----------|--|--------------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 1333-86-4 | Carbon Black | | | | |
| | oral | LD50 > 15400 mg/kg | Rat | GESTIS | |
| | dermal | LD50 > 3000 mg/kg | Rabbit | GESTIS | |
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate | | | | |
| | oral | LD50 9200 mg/kg | Rat | GESTIS | |
| | inhalation vapour | ATE 11 mg/l | | | |
| | inhalation dust/mist | ATE 1,5 mg/l | | | |

Safety Data Sheet

according to 29 CFR 1910.1200(g)

D-9000

Revision date: 11/12/2025

Product code: 10702

Page 7 of 9

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled (4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate)

May cause an allergic skin reaction (4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer (Carbon Black; 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate; Dibutyl hydrogen phosphate)

May damage fertility or the unborn child (dibutyltin dilaurate; dibutyl[bis(dodecanoyloxy)]stannane)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (IARC): Carbon black (CAS 1333-86-4) is listed in group 2B. 4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8) is listed in group 3.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

Information on other hazards**Endocrine disrupting properties**

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

12. Ecological information**Persistence and degradability**

There are no data available on the mixture itself.

Bioaccumulative potential

There are no data available on the mixture itself.

Mobility in soil

There are no data available on the mixture itself.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

There are no data available on the mixture itself.

13. Disposal considerations**Waste treatment methods**

Safety Data Sheet

according to 29 CFR 1910.1200(g)

D-9000

Revision date: 11/12/2025

Product code: 10702

Page 8 of 9

Disposal recommendations

Dispose of waste according to applicable legislation.
Do not mix with other wastes.

RCRA Hazardous wastes (Resource Conservation and Recovery Act)

None

Contaminated packaging

Dispose according to legislation.

14. Transport information
U.S. DOT 49 CFR 172.101

Proper shipping name: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

UN number or ID number: No dangerous good in sense of this transport regulation.

UN proper shipping name: No dangerous good in sense of this transport regulation.

Transport hazard class(es): No dangerous good in sense of this transport regulation.

Packing group: No dangerous good in sense of this transport regulation.

Marine pollutant: no

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: No dangerous good in sense of this transport regulation.

UN proper shipping name: No dangerous good in sense of this transport regulation.

Transport hazard class(es): No dangerous good in sense of this transport regulation.

Packing group: No dangerous good in sense of this transport regulation.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information
U.S. Regulations
National Inventory TSCA

Substance/product listed in the following inventories: TSCA

National regulatory information

SARA Section 304 CERCLA:

Methylenebis(phenylisocyanate)(MDI) (101-68-8): Reportable quantity = 5,000 (2270) lbs. (kg)

SARA Section 311/312 Hazards:

Carbon Black (1333-86-4): Delayed (chronic) health hazard

Methylenebis(phenylisocyanate)(MDI) (101-68-8): Delayed (chronic) health hazard, Immediate (acute) health hazard

Dibutyl hydrogen phosphate (107-66-4): Delayed (chronic) health hazard, Immediate (acute) health hazard

dibutyltin dilaurate; dibutyl[bis(dodecanoyloxy)]stannane (77-58-7): Delayed (chronic) health hazard

SARA Section 313 Toxic release inventory:

Methylenebis(phenylisocyanate)(MDI) (101-68-8): De minimis limit = 1.0 %, Reportable threshold = Standard

Clean Air Act Section 112(b):

Methylenebis(phenylisocyanate)(MDI) (101-68-8)

State Regulations

Safety Data Sheet

according to 29 CFR 1910.1200(g)

D-9000

Revision date: 11/12/2025

Product code: 10702

Page 9 of 9

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

WARNING: This product can expose you to chemicals including Carbon black (airborne, unbound particles of respirable size) (cancer), which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

: 602330

16. Other information

Hazardous Materials Identification System (HMIS)

| | |
|------------------|---|
| Health: | 0 |
| Flammability: | 1 |
| Physical Hazard: | 0 |

NFPA Hazard Ratings

| | |
|----------------|------|
| Health: | 0 |
| Flammability: | 1 |
| Reactivity: | 0 |
| Unique Hazard: | none |



Changes

Revision date: 11/12/2025

Revision No: 1,5

This data sheet contains changes from the previous version in section(s): 2,8,9,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet contains only safety-related information and does not replace product information or product specifications.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)