

DINITROL 512 A

Revision date: 13.11.2025

Product code: 10512

Page 1 of 10

1. Identification
Product identifier

DINITROL 512 A

Relevant identified uses of the substance or mixture and uses advised against
Use of the substance/mixture

Adhesives, sealants

Uses advised against

No further relevant information available.

Details of the supplier of the safety data sheet
Manufacturer

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
E-mail:	msds@dinol.com	
Contact person:	Labor	
Internet:	www.dinol.com	
Responsible Department:	msds@dinol.com	

Supplier


Company name:	DINOL U.S. Inc.	
Street:	8500 Cotter Street, Lewis Center	
Place:	USA-43035 Ohio	
Telephone:	740-548-1656	Telefax: 740-548-1657
E-mail:	info@dinolus.com	
Internet:	www.dinol.com	

Emergency telephone number: 3E Company Emergency +1-866-404-4230

2. Hazard identification
Classification of the substance or mixture
WHMIS 2015

Carcinogenicity: Carc. 2
 Serious eye damage/eye irritation: Eye Irrit. 2
 Respiratory or skin sensitization: Skin Sens. 1

Label elements
WHMIS 2015
Signal word: Warning

Pictograms:

Hazard statements

May cause an allergic skin reaction.
 Causes serious eye irritation.
 Suspected of causing cancer.

Precautionary statements

Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.

DINITROL 512 A

Revision date: 13.11.2025

Product code: 10512

Page 2 of 10

Avoid breathing dust/fume/gas/mist/vapours/spray.
 Wash hands thoroughly after handling.
 Contaminated work clothing should not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 IF ON SKIN: Wash with plenty of water.
 Take off contaminated clothing and wash it before reuse.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 If eye irritation persists: Get medical advice/attention.
 IF exposed or concerned: Get medical advice/attention.
 Store locked up.

Other hazards

No information available.

3. Composition/information on ingredients
Mixtures
Relevant ingredients

CAS No	Chemical name	Quantity
127821-00-5	Aromatic polyisocyanate prepolymer	45 - < 70 % (*)
53317-61-6	aromatic poly-isocyanate	10 - < 30 % (*)
1333-86-4	Carbon Black	10 - < 30 % (*)
141-78-6	ethyl acetate	1 - < 5 % (*)
28182-81-2	Hexamethylene diisocyanate, oligomers	1 - < 5 % (*)

(*) The actual concentration is withheld as a trade secret.

Further Information

Full text of H- and EUH-statements: see section 16.

4. First-aid measures
Description of first aid measures
General information

In all cases of doubt, or when symptoms persist, seek medical advice.
 Never give anything by mouth to an unconscious person or a person with cramps.
 If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.
 After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).
 Do NOT induce vomiting.
 Call a physician immediately.
 Put victim at rest, cover with a blanket and keep warm.

Most important symptoms and effects, whether acute or delayed

No further relevant information available.

DINITROL 512 A

Revision date: 13.11.2025

Product code: 10512

Page 3 of 10

Indication of immediate medical attention and special treatment needed

No further relevant information available.

5. Fire-fighting measures
Extinguishing media
Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO₂), Extinguishing powder. Water fog.
Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

High power water jet.

Specific hazards arising from the hazardous product

No further relevant information available.

Special protective equipment and precautions for fire-fighters

No special measures are necessary.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures
Personal precautions, protective equipment and emergency procedures
General advice

Provide adequate ventilation.
Wear personal protection equipment.
Avoid contact with skin, eyes and clothes.
Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Methods and material for containment and cleaning up
For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation.
Clear contaminated areas thoroughly.
Do not rinse down with water.

Other information

No information available.

Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

7. Handling and storage
Precautions for safe handling

DINITROL 512 A

Revision date: 13.11.2025

Product code: 10512

Page 4 of 10

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.
If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

No special measures are necessary.

Hints on joint storage

Not required.

Further information on storage conditions

storage temperature: 0 - 35 °C
maximum storage temperature < 35°C
minimum storage temperature < 0 °C

8. Exposure controls/Personal protection
Control parameters
Exposure limits (ACGIH)

CAS No	Chemical name	ppm	mg/m ³	Category	Origin
1333-86-4	Carbon black (inhalable fraction)		3	TWA (8 h)	ACGIH-2024
141-78-6	Ethyl acetate	400	1440	TWA (8 h)	ACGIH-2024

Exposure controls

Appropriate engineering controls

Provide adequate ventilation.
If handled uncovered, arrangements with local exhaust ventilation should be used if possible.
If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment
Eye/face protection

Eye glasses with side protection (DIN EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374):
FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.
NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.
Thickness of the glove material : > 0,12 mm
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
Protective gloves have to be replaced at the first sign of deterioration.

DINITROL 512 A

Revision date: 13.11.2025

Product code: 10512

Page 5 of 10

Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

9. Physical and chemical properties
Information on basic physical and chemical properties

Physical state:	Paste	
Colour:	black	
Odour:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		248 °C
Flammability:		not applicable
Lower explosive limits:		not determined
Upper explosive limits:		not determined
Flash point:		200 °C
Auto-ignition temperature:		> 300 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		Immiscible
Solubility in other solvents		not determined
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density (at 20 °C):		1,12 g/cm ³
Relative vapour density:		not determined
Particle characteristics:		not applicable

Other information
Information with regard to physical hazard classes

Explosive properties

The product is: not explosive.

Sustained combustibility:

No data available

Oxidizing properties

not determined

Other safety characteristics

Solvent content:

4,0 %

Softening point:

not determined

Viscosity / dynamic:

not determined

Further Information

No further relevant information available.

10. Stability and reactivity
Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

The product is stable under storage at normal ambient temperatures.

DINITROL 512 A

Revision date: 13.11.2025

Product code: 10512

Page 6 of 10

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

No further relevant information available.

Incompatible materials

No further relevant information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information
Information on toxicological effects
Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix tested

	Dose	Species	Source
LC50, inhalation (vapour) (4 h)	367 mg/l		

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation dust/mist) > 12,5 mg/l

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
53317-61-6	aromatic poly-isocyanate				
	oral	LD50 >5000 mg/kg	Rat		
1333-86-4	Carbon Black				
	oral	LD50 > 15400 mg/kg	Rat	GESTIS	
	dermal	LD50 > 3000 mg/kg	Rabbit	GESTIS	
141-78-6	ethyl acetate				
	oral	LD50 5620 mg/kg	Rat		
	dermal	LD50 >20000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 50 mg/l	Rat		
28182-81-2	Hexamethylene diisocyanate, oligomers				
	oral	LD50 > 5000 mg/kg	Rat		
	inhalation (4 h) vapour	LC50 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction. (Aromatic polyisocyanate prepolymer; aromatic poly-isocyanate;

Hexamethylene diisocyanate, oligomers)

Carcinogenic/mutagenic/toxic effects for reproduction

DINITROL 512 A

Revision date: 13.11.2025

Product code: 10512

Page 7 of 10

Suspected of causing cancer. (Carbon Black)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

Information on other hazards
Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

12. Ecological information
Ecotoxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
53317-61-6	aromatic poly-isocyanate					
	Acute bacteria toxicity	EC50 >10000 mg/l ()		Activated sludge		
1333-86-4	Carbon Black					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Danio rerio (zebrafish)		
	Algae toxicity	NOEC 10000 mg/l	3 d	Scenedesmus subspicatus		
141-78-6	ethyl acetate					
	Acute fish toxicity	LC50 230 mg/l	96 h	Pimephales promelas (fathead minnow)		
	Acute algae toxicity	ErC50 3300 mg/l		Desmodesmus subspicatus	48 h	
	Acute crustacea toxicity	EC50 717 mg/l	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	EC50 2900 mg/l ()		Pseudomonas putida	16 h	

Persistence and degradability

There are no data available on the mixture itself.

Bioaccumulative potential

There are no data available on the mixture itself.

DINITROL 512 A

Revision date: 13.11.2025

Product code: 10512

Page 8 of 10

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
141-78-6	ethyl acetate	0,73

Mobility in soil

There are no data available on the mixture itself.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

There are no data available on the mixture itself.

13. Disposal considerations
Waste treatment methods
Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes. Do not allow to enter into surface water or drains.

Contaminated packaging

Dispose according to legislation.

14. Transport information
Canadian TDG
UN number:

UN 3077

Proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Hazard classes:

9

Packing group:

III

Hazard label:

9



Limited quantity:

5 kg

Marine transport (IMDG)
UN number or ID number:

UN 3077

United Nations proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ALKYLSULFONIC ACID ESTER OF PHENOL)

Transport hazard class(es):


9

Packing group:

III

Hazard label:

9



Marine pollutant:

yes

Special Provisions:

274, 335, 966, 967, 969

Limited quantity:

5 kg

Excepted quantity:

E1

EmS:

F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

Safety Data Sheet

according to WHMIS

DINITROL 512 A

Revision date: 13.11.2025

Product code: 10512

Page 9 of 10

UN number or ID number:	UN 3077
United Nations proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ALKYLSULFONIC ACID ESTER OF PHENOL)
Transport hazard class(es):	9
Packing group:	III
Hazard label:	9



Special Provisions:	A97 A158 A179 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y956
Excepted quantity:	E1
IATA-packing instructions - Passenger:	956
IATA-max. quantity - Passenger:	400 kg
IATA-packing instructions - Cargo:	956
IATA-max. quantity - Cargo:	400 kg

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ALKYLSULFONIC ACID ESTER OF PHENOL)
-----------------------------	---

15. Regulatory information
Canadian regulations
DSL/NDSL inventory status

Substance/product listed in the following inventories: DSL/NDSL

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

16. Other information
Changes

This data sheet contains changes from the previous version in section(s): 2,6,8,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be

Safety Data Sheet

according to WHMIS

DINITROL 512 A

Revision date: 13.11.2025

Product code: 10512

Page 10 of 10

transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet contains only safety-related information and does not replace product information or product specifications.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

DINITROL 512 B

Revision date: 13.11.2025

Product code: 11512

Page 1 of 10

1. Identification
Product identifier

DINITROL 512 B

Relevant identified uses of the substance or mixture and uses advised against
Use of the substance/mixture

Adhesives, sealants

Uses advised against

No further relevant information available.

Details of the supplier of the safety data sheet
Manufacturer

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
E-mail:	msds@dinol.com	
Contact person:	Labor	
Internet:	www.dinol.com	
Responsible Department:	msds@dinol.com	

Supplier


Company name:	DINOL U.S. Inc.	
Street:	8500 Cotter Street, Lewis Center	
Place:	USA-43035 Ohio	
Telephone:	740-548-1656	Telefax: 740-548-1657
E-mail:	info@dinolus.com	
Internet:	www.dinol.com	

Emergency telephone number: 3E Company Emergency +1-866-404-4230

2. Hazard identification
Classification of the substance or mixture
WHMIS 2015

Carcinogenicity: Carc. 2
 Reproductive toxicity: Repr. 1A
 Respiratory or skin sensitization: Skin Sens. 1
 Specific target organ toxicity - repeated exposure: STOT RE 2

Label elements
WHMIS 2015
Signal word: Danger

Pictograms:

Hazard statements

Fatal if swallowed.
 Toxic in contact with skin.
 May cause an allergic skin reaction.
 Suspected of causing cancer.
 May damage fertility or the unborn child.

DINITROL 512 B

Revision date: 13.11.2025

Product code: 11512

Page 2 of 10

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Do not breathe dust/fume/gas/mist/vapours/spray.
 Do not eat, drink or smoke when using this product.
 Contaminated work clothing should not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
 Rinse mouth.
 IF ON SKIN: Wash with plenty of water.
 Call a POISON CENTER/doctor if you feel unwell.
 Take off immediately all contaminated clothing and wash it before reuse.
 IF exposed or concerned: Get medical advice/attention.
 Store locked up.

Other hazards

No information available.

3. Composition/information on ingredients
Mixtures
Relevant ingredients

CAS No	Chemical name	Quantity
67762-90-7	Siloxanes and Silicones, di-Me, reaction products with silica	1 - < 5 % (*)
68479-98-1	diethylmethylbenzenediamine	2,5 - < 5 %
1333-86-4	Carbon Black	1 - < 5 % (*)
2687-96-9	1-dodecyl-2-pyrrolidone	0,25 - < 1 %
1185-81-5	Dibutylbis(dodecylthio)-stannan	0,1 - < 0,25 %

(*) The actual concentration is withheld as a trade secret.

Further Information

Full text of H- and EUH-statements: see section 16.

4. First-aid measures
Description of first aid measures
General information

No special measures are necessary.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.
 After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing. Seek medical advice immediately.

After ingestion

Do NOT induce vomiting.
 Call a physician immediately.
 Put victim at rest, cover with a blanket and keep warm.

DINITROL 512 B

Revision date: 13.11.2025

Product code: 11512

Page 3 of 10

Most important symptoms and effects, whether acute or delayed

No further relevant information available.

Indication of immediate medical attention and special treatment needed

No further relevant information available.

5. Fire-fighting measures
Extinguishing media
Suitable extinguishing media

 alcohol resistant foam, Carbon dioxide (CO₂), Extinguishing powder. Water fog.

Unsuitable extinguishing media

High power water jet.

Specific hazards arising from the hazardous product

No further relevant information available.

Special protective equipment and precautions for fire-fighters

No special measures are necessary.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures
Personal precautions, protective equipment and emergency procedures
General advice

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up
For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation.

Clear contaminated areas thoroughly.

Do not rinse down with water.

Other information

No information available.

Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

7. Handling and storage
Precautions for safe handling

Safety Data Sheet

according to WHMIS

DINITROL 512 B

Revision date: 13.11.2025

Product code: 11512

Page 4 of 10

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.
If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

No special measures are necessary.

Hints on joint storage

Not required.

Further information on storage conditions

storage temperature: 0 - 35 °C
maximum storage temperature < 35°C
minimum storage temperature < 0 °C

8. Exposure controls/Personal protection
Control parameters
Exposure limits (ACGIH)

CAS No	Chemical name	ppm	mg/m ³	Category	Origin
1333-86-4	Carbon black (inhalable fraction)		3	TWA (8 h)	ACGIH-2024

Additional advice on limit values

This mixture does not contain any substances presenting a health or environmental hazard within the meaning of the Dangerous Substances Directive 67/548/EEC or Regulation (EC) No 1272/2008, assigned a Community workplace exposure limit, classified as PBT/vPvB or included in the Candidate List.

Exposure controls

Appropriate engineering controls

Provide adequate ventilation.
If handled uncovered, arrangements with local exhaust ventilation should be used if possible.
If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment
Eye/face protection

Eye glasses with side protection (DIN EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374):
FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.
NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.
Thickness of the glove material : > 0,12 mm

DINITROL 512 B

Revision date: 13.11.2025

Product code: 11512

Page 5 of 10

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

9. Physical and chemical properties
Information on basic physical and chemical properties

Physical state:	Paste	
Colour:	black	
Odour:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		270 °C
Flammability:		not applicable
Lower explosive limits:		not determined
Upper explosive limits:		not determined
Flash point:		240 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not applicable
Viscosity / kinematic:		not determined
Water solubility:		immiscible
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density (at 20 °C):		1,4 g/cm ³
Relative vapour density:		not determined
Particle characteristics:		not applicable

Other information
Information with regard to physical hazard classes

Explosive properties

The product is: not explosive.

Oxidizing properties

not determined

Other safety characteristics

Softening point:

not determined

Viscosity / dynamic:

not determined

Further Information

No further relevant information available.

10. Stability and reactivity
Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

DINITROL 512 B

Revision date: 13.11.2025

Product code: 11512

Page 6 of 10

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

No further relevant information available.

Incompatible materials

No further relevant information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information
Information on toxicological effects
Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix tested

	Dose	Species	Source
LD50, oral	17163 mg/kg	Rat	
LD50, dermal	570000 mg/kg		

ATEmix calculated

ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
67762-90-7	Siloxanes and Silicones, di-Me, reaction products with silica				
	oral	LD50 >5000 mg/kg	Rat		
68479-98-1	diethylmethylbenzenediamine				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
1333-86-4	Carbon Black				
	oral	LD50 > 15400 mg/kg	Rat	GESTIS	
	dermal	LD50 > 3000 mg/kg	Rabbit	GESTIS	
1185-81-5	Dibutylbis(dodecylthio)-stannan				
	oral	LD50 2000 mg/kg	Rat		
	dermal	LD50 1000 mg/kg	Rabbit		

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction. (1-dodecyl-2-pyrrolidone; Dibutylbis(dodecylthio)-stannan)

Carcinogenic/mutagenic/toxic effects for reproduction

DINITROL 512 B

Revision date: 13.11.2025

Product code: 11512

Page 7 of 10

Suspected of causing cancer. (Carbon Black)
 May damage fertility or the unborn child. (Dibutylbis(dodecylthio)-stannan)
 Germ cell mutagenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (diethylmethylbenzenediamine)

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

Information on other hazards
Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

12. Ecological information
Ecotoxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
67762-90-7	Siloxanes and Silicones, di-Me, reaction products with silica					
	Acute fish toxicity	LC50 >10 mg/l	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 >10 mg/l	72 h	Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50 >1 mg/l	48 h	Daphnia magna (Big water flea)		
1333-86-4	Carbon Black					
	Acute fish toxicity	LC50 mg/l > 1000	96 h	Danio rerio (zebrafish)		
	Algae toxicity	NOEC mg/l 10000	3 d	Scenedesmus subspicatus		
1185-81-5	Dibutylbis(dodecylthio)-stannan					
	Acute crustacea toxicity	EC50 mg/l 0,11	48 h			

Persistence and degradability

There are no data available on the mixture itself.

Bioaccumulative potential

There are no data available on the mixture itself.

Mobility in soil

There are no data available on the mixture itself.

DINITROL 512 B

Revision date: 13.11.2025

Product code: 11512

Page 8 of 10

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

There are no data available on the mixture itself.

13. Disposal considerations
Waste treatment methods
Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes.

Contaminated packaging

Dispose according to legislation.

14. Transport information
Canadian TDG
UN number:

UN 3077

Proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Hazard classes:

9

Packing group:

III

Hazard label:

9



Limited quantity:

5 kg

Marine transport (IMDG)
UN number or ID number:

UN 3077

United Nations proper shipping name:

 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(diethylmethylbenzenediamine, 1-dodecycl-2-pyrrolidone)

Transport hazard class(es):

9

Packing group:

III

Hazard label:

9



Marine pollutant:

yes

Special Provisions:

274, 335, 966, 967, 969

Limited quantity:

5 kg

Excepted quantity:

E1

EmS:

F-A, S-F

Air transport (ICAO-TI/IATA-DGR)
UN number or ID number:

UN 3077

United Nations proper shipping name:

 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(diethylmethylbenzenediamine, 1-dodecycl-2-pyrrolidone)

Transport hazard class(es):

9

Packing group:

III

Safety Data Sheet

according to WHMIS

DINITROL 512 B

Revision date: 13.11.2025

Product code: 11512

Page 9 of 10

Hazard label:

9



Special Provisions:

A97 A158 A179 A197

Limited quantity Passenger:

30 kg G

Passenger LQ:

Y956

Excepted quantity:

E1

IATA-packing instructions - Passenger:

956

IATA-max. quantity - Passenger:

400 kg

IATA-packing instructions - Cargo:

956

IATA-max. quantity - Cargo:

400 kg

Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

Yes



Danger releasing substance:

diethylmethylbenzenediamine, 1-dodecyl-2-pyrrolidone

15. Regulatory information
Canadian regulations
DSL/NDSL inventory status

Substance/product listed in the following inventories: DSL/NDSL

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

16. Other information
Changes

This data sheet contains changes from the previous version in section(s): 2,8,11,16.

Abbreviations and acronyms

 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet contains only safety-related information and does not replace product information or product specifications.

Safety Data Sheet

according to WHMIS

DINITROL 512 B

Product code: 11512

Revision date: 13.11.2025

Page 10 of 10

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)