

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DINITROL 7250 Spray

UFI: WFH9-TVDC-X00A-NRW4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

detergent

1.3. Details of the supplier of the safety data sheet

Manufacturer

| | | |
|-------------------------|----------------------|--------------------------------|
| Company name: | DINOL GmbH | |
| Street: | Pyrmonter Strasse 76 | |
| Place: | D-32676 Luegde | |
| Telephone: | + 49 (0) 5281 982980 | Telefax: + 49 (0) 5281 9829860 |
| E-mail: | msds@dinol.com | |
| Contact person: | Labor | |
| Internet: | www.dinol.com | |
| Responsible Department: | msds@dinol.com | |

Supplier

| | |
|---------------|----------------------------------|
| Company name: | Leading Solvent Supplies Limited |
| Street: | Marston Business Park, Rudgate |
| Place: | GB Tockwith, York YO26 7QF |
| E-mail: | enquiries@leading-solvents.co.uk |
| Internet: | www.leading-solvents.co.uk |

Giftnotruf Berlin: +49 30 30686 700 (Beratung in Deutsch und Englisch)

1.4. Emergency telephone number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosol 1; H222-H229
Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

| | |
|------|---|
| H222 | Extremely flammable aerosol. |
| H229 | Pressurised container: May burst if heated. |
| H319 | Causes serious eye irritation. |

Precautionary statements

| | |
|------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
|------|--|

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 2 of 13

| | |
|-----------|--|
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P260 | Do not breathe mist/vapours/spray. |
| P280 | Wear protective gloves and eye protection/face protection. |
| P410+P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. |

Special labelling

Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml
Signal word: Danger

Pictograms:

Hazard statements

H222-H229

Precautionary statements

P210-P211-P251-P410+P412

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|-----------|--|--------------|------------------|---------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 67-63-0 | isopropanol (isopropyl alcohol) | | | 12,5 - < 20 % |
| | 200-661-7 | 603-117-00-0 | 01-2119457558-25 | |
| | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 | | | |
| 74-98-6 | propane | | | 2,5 - < 5 % |
| | 200-827-9 | 601-003-00-5 | 01-2119486944-21 | |
| | Flam. Gas 1, Press. Gas (Liq.); H220 H280 | | | |
| 106-97-8 | butane | | | 2,5 - < 5 % |
| | 203-448-7 | 601-004-00-0 | 01-2119474691-32 | |
| | Flam. Gas 1, Press. Gas (Liq.); H220 H280 | | | |
| 75-28-5 | isobutane | | | 2,5 - < 5 % |
| | 200-857-2 | 601-004-00-0 | 01-2119485395-27 | |
| | Flam. Gas 1, Press. Gas (Liq.); H220 H280 | | | |
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | | | < 2,5 % |
| | 203-539-1 | 603-064-00-3 | 01-2119457435-35 | |
| | Flam. Liq. 3, STOT SE 3; H226 H336 | | | |
| 1336-21-6 | Ammonia | | | < 0,5 % |
| | 215-647-6 | 007-001-01-2 | 01-2119982985-14 | |
| | Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1; H314 H318 H400 | | | |

Full text of H and EUH statements: see section 16.

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 3 of 13

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|-----------|--|---------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 67-63-0 | 200-661-7 | isopropanol (isopropyl alcohol) | 12,5 - < 20 % |
| | | inhalation: LC50 = 72,6 mg/l (vapours); dermal: LD50 = 12800 mg/kg; oral: LD50 = 4700 - 5500 mg/kg | |
| 106-97-8 | 203-448-7 | butane | 2,5 - < 5 % |
| | | inhalation: LC50 = 273000 ppm (gases) | |
| 107-98-2 | 203-539-1 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | < 2,5 % |
| | | dermal: LD50 = >2000 mg/kg; oral: LD50 = > 5000 mg/kg | |
| 1336-21-6 | 215-647-6 | Ammonia | < 0,5 % |
| | | STOT SE 3; H335: >= 5 - 100 | |

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % aliphatic hydrocarbons.

Further Information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.
Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.
After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).
Do NOT induce vomiting.
Call a physician immediately.
Put victim at rest, cover with a blanket and keep warm.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water fog.
Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

No information available.

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 4 of 13

5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

- Provide adequate ventilation.
- Wear personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

6.2. Environmental precautions

- Do not allow to enter into surface water or drains.
- In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
- Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

- Provide adequate ventilation.
- Clear contaminated areas thoroughly.
- Do not rinse down with water.

Other information

No information available.

6.4. Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

- If handled uncovered, arrangements with local exhaust ventilation have to be used.
- If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

- Take precautionary measures against static discharges.
- Do not spray on naked flames or any incandescent material.
- Keep away from sources of ignition - No smoking.
- Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

- Keep away from food, drink and animal feedingstuffs.
- When using do not eat or drink.
- Wash hands before breaks and after work.

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 5 of 13

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.
Do not keep the container sealed. Keep container dry.
Keep away from heat. Protect from direct sunlight.

Hints on joint storage

Not required.

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|-----------|----------------------|-----|-------------------|-----------|---------------|--------|
| 107-98-2 | 1-Methoxypropan-2-ol | 100 | 375 | | TWA (8 h) | WEL |
| | | 150 | 560 | | STEL (15 min) | WEL |
| 7664-41-7 | Ammonia, anhydrous | 25 | 18 | | TWA (8 h) | WEL |
| | | 35 | 25 | | STEL (15 min) | WEL |
| 106-97-8 | Butane | 600 | 1450 | | TWA (8 h) | WEL |
| | | 750 | 1810 | | STEL (15 min) | WEL |
| 67-63-0 | Propan-2-ol | 400 | 999 | | TWA (8 h) | WEL |
| | | 500 | 1250 | | STEL (15 min) | WEL |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|---------------------------------|----------------|----------|-----------------------|
| 67-63-0 | isopropanol (isopropyl alcohol) | | | |
| Consumer DNEL, long-term | | inhalation | systemic | 89 mg/m ³ |
| Consumer DNEL, long-term | | dermal | systemic | 319 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 26 mg/kg bw/day |
| Worker DNEL, long-term | | dermal | systemic | 888 mg/kg bw/day |
| Worker DNEL, long-term | | inhalation | systemic | 500 mg/m ³ |

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 6 of 13

PNEC values

| CAS No | Substance | |
|--|---------------------------------|------------|
| Environmental compartment | | Value |
| 67-63-0 | isopropanol (isopropyl alcohol) | |
| Freshwater | | 140,9 mg/l |
| Marine water | | 140,9 mg/l |
| Freshwater sediment | | 552 mg/kg |
| Marine sediment | | 552 mg/kg |
| Secondary poisoning | | 160 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 2251 mg/l |
| Soil | | 28 mg/kg |

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.
 If handled uncovered, arrangements with local exhaust ventilation should be used if possible.
 If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374):
 FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.
 NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.
 Thickness of the glove material : > 0,12 mm
 For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
 Protective gloves have to be replaced at the first sign of deterioration.
 Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.
 gas filtering equipment (EN 141),. Filter material/medium: A2/P3

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|----------------|----------------|
| Physical state: | Aerosol | |
| Colour: | colourless | |
| Odour: | characteristic | |
| Odour threshold: | not determined | |
| Melting point/freezing point: | | not determined |
| Boiling point or initial boiling point and boiling range: | | not applicable |

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 7 of 13

| | |
|--|---------------------|
| Flammability: | not applicable |
| Lower explosion limits: | 2,0 vol. % |
| Upper explosion limits: | 12,0 vol. % |
| Flash point: | not applicable |
| Auto-ignition temperature: | 425 °C |
| Decomposition temperature: | not determined |
| pH-Value: | not determined |
| Viscosity / kinematic: | not determined |
| Water solubility: | completely miscible |
| Solubility in other solvents | not determined |
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: (at 20 °C) | 3500 hPa |
| Density (at 20 °C): | 0,9 g/cm³ |
| Relative vapour density: | not determined |
| Particle characteristics: | not applicable |

9.2. Other information

Information with regard to physical hazard classes

| | |
|---------------------------|----------------|
| Explosive properties | not determined |
| Self-ignition temperature | |
| Solid: | not applicable |
| Gas: | not applicable |
| Oxidizing properties | |
| not determined | |

Other safety characteristics

| | |
|----------------------|-----------------------|
| Evaporation rate: | not determined |
| Solvent content: | 25,0 %, water: 74,5 % |
| Solid content: | 0,1% |
| Softening point: | not determined |
| Viscosity / dynamic: | not determined |

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 8 of 13

SECTION 11: Toxicological information

11.1. Information on hazard classes

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation gas) > 20000 ppm

| CAS No | Chemical name | | | | |
|----------|---|------------------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 67-63-0 | isopropanol (isopropyl alcohol) | | | | |
| | oral | LD50 4700 - 5500 mg/kg | Rat | | |
| | dermal | LD50 12800 mg/kg | Rabbit | | |
| | inhalation (4 h) vapour | LC50 72,6 mg/l | Rat | | |
| 106-97-8 | butane | | | | |
| | inhalation (4 h) gas | LC50 273000 ppm | Rat | GESTIS | |
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | IUCLID | |
| | dermal | LD50 >2000 mg/kg | Rabbit | | |

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

11.2. Information on other hazards

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 9 of 13

Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|----------|---|------------------------|-----------|---------------------------|--------|--------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | | | | | |
| | Acute fish toxicity | LC50 4600 - 10000 mg/l | 96 h | Leuciscus idus | IUCLID | |
| | Acute algae toxicity | ErC50 > 1000 mg/l | 72 h | Selenastrum capricornutum | | |
| | Acute crustacea toxicity | EC50 > 500 mg/l | 48 h | Daphnia magna | IUCLID | |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|---|---------|
| 67-63-0 | isopropanol (isopropyl alcohol) | 0,05 |
| 106-97-8 | butane | 2,89 |
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | -0,437 |
| 1336-21-6 | Ammonia | -1,38 |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes.

List of proposed waste codes/waste designations in accordance with EWC:

List of Wastes Code - residues/unused products

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 10 of 13

200113 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); Solvents; hazardous waste

List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

Contaminated packaging

Remove according to the regulations.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
 Hazard label: 2.1



Classification code: 5F
 Special Provisions: 190 327 344 625
 Limited quantity: 1 L
 Excepted quantity: E0
 Transport category: 2
 Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
 Hazard label: 2.1



Classification code: 5F
 Special Provisions: 190 327 344 625
 Limited quantity: 1 L
 Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2.1
14.4. Packing group: -
 Hazard label: 2.1



Special Provisions: 63, 190, 277, 327, 344, 381, 959
 Limited quantity: 1000 mL

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 11 of 13

Excepted quantity: E0
 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS, FLAMMABLE
14.3. Transport hazard class(es): 2.1
14.4. Packing group: -
 Hazard label: 2.1



Special Provisions: A145 A167 A802
 Limited quantity Passenger: 30 kg G
 Passenger LQ: Y203
 Excepted quantity: E0
 IATA-packing instructions - Passenger: 203
 IATA-max. quantity - Passenger: 75 kg
 IATA-packing instructions - Cargo: 203
 IATA-max. quantity - Cargo: 150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Gases under pressure

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

Stowage Code:
 SW1 Protected from sources of heat.
 SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

Segregation Code:
 SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 40, Entry 75

Directive 2004/42/EC on VOC in paints and varnishes: 25 % (229 g/l)

Information according to Directive 2012/18/EU (SEVESO III): P3a FLAMMABLE AEROSOLS

Additional information

Observe in addition any national regulations!

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 12 of 13

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information
Changes

This data sheet contains changes from the previous version in section(s): 9,12,16.

Abbreviations and acronyms

Flam. Gas 1: Flammable gases, hazard category 1
 Aerosol 1: Aerosols, hazard category 1
 Press. Gas (Liq.): Gases under pressure: Liquefied gas
 Flam. Liq. 2: Flammable liquids, hazard category 2
 Flam. Liq. 3: Flammable liquids, hazard category 3
 Skin Corr. 1B: Skin corrosion, sub-category 1B
 Eye Dam. 1: Serious eye damage, hazard category 1
 Eye Irrit. 2: Eye irritation, hazard category 2
 STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3
 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method

| Classification | Classification procedure |
|----------------------|-------------------------------|
| Aerosol 1; H222-H229 | On basis of test data |
| Eye Irrit. 2; H319 | Bridging principle "Aerosols" |

Relevant H and EUH statements (number and full text)

H220 Extremely flammable gas.
 H222 Extremely flammable aerosol.
 H225 Highly flammable liquid and vapour.
 H226 Flammable liquid and vapour.
 H229 Pressurised container: May burst if heated.
 H280 Contains gas under pressure; may explode if heated.
 H314 Causes severe skin burns and eye damage.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.
 H400 Very toxic to aquatic life.

DINITROL 7250 Spray

Revision: 19.01.2026

Product code: 30566

Page 13 of 13

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet contains only safety-related information and does not replace product information or product specifications.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)