

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL ML Spray**

Revision date: 02/26/2026

Product code: 21708

Page 1 of 10

**1. Identification**
**Product identifier**

DINITROL ML Spray

**Recommended use of the chemical and restrictions on use**
**Use of the substance/mixture**

Anti-corrosive coating

**Uses advised against**

No further relevant information available.

**Details of the supplier of the safety data sheet**
**Manufacturer**

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
E-mail:	msds@dinol.com	
Contact person:	Labor	
Internet:	www.dinol.com	
Responsible Department:	msds@dinol.com	

**Supplier**

Company name:	DINOL U.S. Inc.	
Street:	8500 Cotter Street, Lewis Center	
Place:	USA-43035 Ohio	
Telephone:	740-548-1656	Telefax: 740-548-1657
E-mail:	info@dinolus.com	
Internet:	www.dinol.com	

**Emergency phone number:** 3E Company Emergency +1-866-404-4230

**2. Hazard(s) identification**
**Classification of the chemical**
**29 CFR Part 1910.1200**

Flammable aerosols: Category 1  
 Gases under pressure: Compressed gas  
 Respiratory or skin sensitization: Skin sensitization, category 1  
 Specific target organ toxicity single exposure: Category 3 (narcotic effects)  
 Aspiration hazard: Category 1

**Label elements**
**29 CFR Part 1910.1200**
**Signal word:** Danger

**Pictograms:**

**Hazard statements**

Extremely flammable aerosol  
 Contains gas under pressure; may explode if heated  
 May be fatal if swallowed and enters airways  
 May cause an allergic skin reaction

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL ML Spray

Revision date: 02/26/2026

Product code: 21708

Page 2 of 10

May cause drowsiness or dizziness

#### Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 Do not spray on an open flame or other ignition source.  
 Pressurized container: Do not pierce or burn, even after use.  
 Avoid breathing dust/fume/gas/mist/vapors/spray.  
 Use only outdoors or in a well-ventilated area.  
 Contaminated work clothing must not be allowed out of the workplace.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 If swallowed: Immediately call a poison center/doctor.  
 Do NOT induce vomiting.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 Wash contaminated clothing before reuse.  
 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
 Call a poison center/doctor if you feel unwell.  
 Store in a well-ventilated place. Keep container tightly closed.  
 Store locked up.  
 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Hazards not otherwise classified

No information available.

### 3. Composition/information on ingredients

#### Mixtures

##### Relevant ingredients

CAS No	Components	Quantity
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	49 %
61789-86-4	calcium sulfonate	2.4 %

#### Further Information

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

According to the current Annex II of the REACH Regulation, the concentration of the substances contained in the mixture is indicated. When classifying aerosols, the values used for calculation may differ.

### 4. First-aid measures

#### Description of first aid measures

##### General information

Remove contaminated, saturated clothing immediately.

##### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. If unconscious but breathing normally, place in recovery position and seek medical advice.

##### After contact with skin

Wash with plenty of water/Soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

##### After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

##### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Call a physician immediately. Do NOT induce vomiting.

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL ML Spray

Revision date: 02/26/2026

Product code: 21708

Page 3 of 10

#### Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5. Fire-fighting measures

### Extinguishing media

#### **Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

#### **Unsuitable extinguishing media**

High power water jet.

### Specific hazards arising from the chemical

No further relevant information available.

### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

### **Additional information**

Use water spray/stream to protect personnel and to cool endangered containers. Suppress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### **General advice**

Remove all sources of ignition. Do not breathe gas/fume/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### **For emergency responders**

For further specification, refer to section 8 of the SDS.

### Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Do not allow to enter into surface water or drains.

### Methods and material for containment and cleaning up

#### **For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.

#### **For cleaning up**

Provide adequate ventilation.  
Clear contaminated areas thoroughly.  
Do not rinse down with water.

#### **Other information**

No information available.

### Reference to other sections

Safe handling: see section 7  
Personal protection equipment (PPE): see section 8  
Disposal: see section 13

## 7. Handling and storage

### Precautions for safe handling

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL ML Spray**

Revision date: 02/26/2026

Product code: 21708

Page 4 of 10

**Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapors may form explosive mixtures with air.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Conditions for safe storage, including any incompatibilities**
**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Hints on joint storage**

Not required.

**Further information on storage conditions**

Keep container tightly closed.

**8. Exposure controls/personal protection**
**Control parameters**
**Exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	Category	Origin
75-28-5	Butane: isobutane	1000	2370	STEL (15 min)	ACGIH-2025
106-97-8	Butane: n-butane	1000	2370	STEL (15 min)	ACGIH-2025
75-28-5	Isobutane	800	1900	TWA (8 h)	REL
106-97-8	n-Butane	800	1900	TWA (8 h)	REL
74-98-6	Propane	1000	1800	TWA (8 h)	REL
		1000	1800	TWA (8 h)	REL
		-	-	Asphyxiant	ACGIH-2025

**Exposure controls**

**Appropriate engineering controls**

Provide adequate ventilation.  
If handled uncovered, arrangements with local exhaust ventilation should be used if possible.  
If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

**Individual protection measures, such as personal protective equipment**
**Eye/face protection**

Eye glasses with side protection (EN 166)

**Hand protection**

Recommended glove articles

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL ML Spray

Revision date: 02/26/2026

Product code: 21708

Page 5 of 10

NBR (Nitrile rubber) - (> = 0,12 mm), Breakthrough time:: 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

#### Skin protection

Wear anti-static footwear and clothing

#### Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

gas filtering equipment (EN 141), Filter material/medium: AX

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state:	Aerosol
Color:	brown
Odor:	characteristic
Odour threshold:	not determined

#### Test method

Melting point/freezing point:	not determined	
Boiling point or initial boiling point and boiling range:	Not applicable, as it is an aerosol.	
Flammability:	not applicable	
Lower explosion limits:	0,6 vol. %	
Upper explosion limits:	7,0 vol. %	
Flash point:	Not applicable, as it is an aerosol.	
Auto-ignition temperature:	240 °C	
Decomposition temperature:	not determined	
pH-Value:	not determined	
Viscosity / kinematic:	not determined	DIN EN ISO 3219
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents	not determined	
Partition coefficient n-octanol/water:	not determined	
Vapor pressure:	3500 hPa	
(at 20 °C)		
Density (at 20 °C):	0,8 g/cm <sup>3</sup>	DIN 51757
Relative vapour density:	not determined	
Particle characteristics:	not applicable	

### Other information

#### Information with regard to physical hazard classes

Explosive properties	not determined
Sustained combustibility:	No data available
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Oxidizing properties	
Not oxidising.	

#### Other safety characteristics

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL ML Spray**

Revision date: 02/26/2026

Product code: 21708

Page 6 of 10

Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	65,4 %
Solid content:	36,6 %
Softening point:	not determined
Viscosity / dynamic:	not determined

**Further Information**

No information available.

**10. Stability and reactivity**
**Reactivity**

No further relevant information available.

**Chemical stability**

Stability: Stable

The product is stable under storage at normal ambient temperatures.

**Possibility of hazardous reactions**

Hazardous reactions: Will not occur

No known hazardous reactions.

**Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapors may form explosive mixtures with air.

**Incompatible materials**

No information available.

**Hazardous decomposition products**

Carbon monoxide

**11. Toxicological information**
**Route(s) of Entry**

No information available.

**Information on toxicological effects**
**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation gas) &gt; 20000 ppm

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL ML Spray**

Revision date: 02/26/2026

Product code: 21708

Page 7 of 10

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 > 5000 mg/l	Rat		
61789-86-4	calcium sulfonate				
	oral	LD50 16000 mg/kg	Rat		
	dermal	LD50 4000 - 5000 mg/kg	Rabbit		

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitizing effects**

May cause an allergic skin reaction (calcium sulfonate)

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - single exposure**

May cause drowsiness or dizziness (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics)

**Specific target organ toxicity (STOT) - repeated exposure**

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

**Aspiration hazard**

May be fatal if swallowed and enters airways

**Specific effects in experiment on an animal**

No information available.

**Additional information on tests**

No information available.

**Practical experience**

No information available.

**Information on other hazards**
**Endocrine disrupting properties**

Endocrine disrupting potential No information available.

**Further information**

There are no data available on the preparation/mixture itself.

**12. Ecological information**
**Persistence and degradability**

No further relevant information available.

**Bioaccumulative potential**

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**DINITROL ML Spray**

Revision date: 02/26/2026

Product code: 21708

Page 8 of 10

No further relevant information available.

**Mobility in soil**

No further relevant information available.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other adverse effects**

No further relevant information available.

**Further information**

No further relevant information available.

**13. Disposal considerations**
**Waste treatment methods**
**Disposal recommendations**

Dispose of waste according to applicable legislation. Do not mix with other wastes.

List of proposed waste codes/waste designations in accordance with EWC:

**Contaminated packaging**

Remove according to the regulations.

**14. Transport information**
**U.S. DOT 49 CFR 172.101**

<b><u>UN number or ID number:</u></b>	UN 1139
<b><u>Proper shipping name:</u></b>	Coating solution
<b><u>Transport hazard class(es):</u></b>	3
<b><u>Packing group:</u></b>	III
Hazard label:	3


**Marine transport (IMDG)**

<b><u>UN number or ID number:</u></b>	UN 1950
<b><u>UN proper shipping name:</u></b>	AEROSOLS
<b><u>Transport hazard class(es):</u></b>	2.1
<b><u>Packing group:</u></b>	-
Hazard label:	2.1



Marine pollutant:	no
Limited quantity:	1000 mL
Excepted quantity:	E0
EmS:	F-D, S-U

**Air transport (ICAO-TI/IATA-DGR)**

<b><u>UN number or ID number:</u></b>	UN 1950
<b><u>UN proper shipping name:</u></b>	AEROSOLS, FLAMMABLE
<b><u>Transport hazard class(es):</u></b>	2.1
<b><u>Packing group:</u></b>	-
Hazard label:	2.1

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL ML Spray

Revision date: 02/26/2026

Product code: 21708

Page 9 of 10



Limited quantity Passenger:	1 L	
Passenger LQ:	Y203	
Excepted quantity:	E0	
IATA-packing instructions - Passenger:		203
IATA-max. quantity - Passenger:		75 kg
IATA-packing instructions - Cargo:		203
IATA-max. quantity - Cargo:		150 kg

#### Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### Special precautions for user

Warning : gas

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

#### Other applicable information

SW1 Protected from sources of heat.  
 SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: SG69 For AEROSOLS with a maximum capacity of 1 litre:  
 Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.  
 For AEROSOLS with a capacity above 1 litre:  
 Segregation as for the appropriate subdivision of class 2.  
 For WASTE AEROSOLS:  
 Segregation as for the appropriate subdivision of class 2.  
 Category C, Clear of living quarters.

## 15. Regulatory information

### U.S. Regulations

#### **National Inventory TSCA**

All components of the product are publicly listed or excluded.

#### **National regulatory information**

SARA Section 311/312 Hazards:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics (-): Fire hazard, Immediate (acute) health hazard

Propane (74-98-6): Fire hazard, Sudden release of pressure

Butane (106-97-8): Fire hazard, Sudden release of pressure

Isobutane (75-28-5): Fire hazard, Sudden release of pressure

calcium sulfonate (61789-86-4): Immediate (acute) health hazard

Clean Air Act Section 112(r):

Propane (74-98-6): Threshold quantities = 10,000 lbs.

Butane (106-97-8): Threshold quantities = 10,000 lbs.

Isobutane (75-28-5): Threshold quantities = 10,000 lbs.

### State Regulations

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### DINITROL ML Spray

Revision date: 02/26/2026

Product code: 21708

Page 10 of 10

#### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Directive 2004/42/EC on VOC in paints and varnishes: 65,42 %  
481,4 g/l

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

55230

## 16. Other information

#### Hazardous Materials Identification System (HMIS)

Health: 0  
Flammability: 4  
Physical Hazard: 3

#### NFPA Hazard Ratings

Health: 0  
Flammability: 4  
Reactivity: 3  
Unique Hazard: none



#### Changes

Revision date: 02/26/2026  
Revision No: 1,5

This data sheet contains changes from the previous version in section(s): 2,3,9,11.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

#### Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*