

**DINITROL MS 40 Spray**

Date (latest revision): 19.01.2026

Product code: 30040

Page 1 of 9

**1. Identification**
**Product identifier**

DINITROL MS 40 Spray

**Relevant identified uses of the substance or mixture and uses advised against**
**Use of the substance/mixture**

 Schmiermittel und Schmiermittelzusatz  
 Rostlöser

**Details of the supplier of the safety data sheet**
**Manufacturer**

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
E-mail:	msds@dinol.com	
Contact person:	Labor	
Internet:	www.dinol.com	
Responsible Department:	msds@dinol.com	

**Supplier**

Company name:	DINOL U.S. Inc.	
Street:	8500 Cotter Street, Lewis Center	
Place:	USA-43035 Ohio	
Telephone:	740-548-1656	Telefax: 740-548-1657
E-mail:	info@dinolus.com	
Internet:	www.dinol.com	

**Emergency telephone number:** 3E Company Emergency +1-866-404-4230

**2. Hazard identification**
**Classification of the substance or mixture**
**WHMIS 2015**

 Gases under pressure: Compressed gas  
 Specific target organ toxicity - single exposure: STOT SE 3 (narcotic effects)

**Label elements**
**WHMIS 2015**
**Signal word:** Danger

**Pictograms:**

**Hazard statements**

 Extremely flammable aerosol.  
 Contains gas under pressure; may explode if heated.  
 May cause drowsiness or dizziness.

**Precautionary statements**

 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 Use only outdoors or in a well-ventilated area.  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 Do not spray on an open flame or other ignition source.

## Safety Data Sheet

according to WHMIS

### DINITROL MS 40 Spray

Date (latest revision): 19.01.2026

Product code: 30040

Page 2 of 9

Do not pierce or burn, even after use.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 Call a POISON CENTER/doctor if you feel unwell.  
 Store in a well-ventilated place. Keep container tightly closed.  
 Store locked up.  
 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Other hazards

No information available.

### 3. Composition/information on ingredients

#### Mixtures

##### Relevant ingredients

CAS No	Chemical name	Quantity
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	60 - < 80 % (*)
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	10 - < 30 % (*)
	calcium bis (di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)	1 - < 5 % (*)

(\*) The actual concentration is withheld as a trade secret.

#### Further Information

Full text of H- and EUH-statements: see section 16.

### 4. First-aid measures

#### Description of first aid measures

##### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice.  
 Never give anything by mouth to an unconscious person or a person with cramps.  
 If unconscious but breathing normally, place in recovery position and seek medical advice.

##### **After inhalation**

Provide fresh air. In case of troubles or persistent symptoms, consult an ophthalmologist.  
 If unconscious but breathing normally, place in recovery position and seek medical advice.

##### **After contact with skin**

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.  
 If skin irritation occurs: Get medical advice/attention.

##### **After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

##### **After ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### Most important symptoms and effects, whether acute or delayed

No information available.

#### Indication of immediate medical attention and special treatment needed

No information available.

### 5. Fire-fighting measures

#### Extinguishing media

##### **Suitable extinguishing media**

alcohol resistant foam, Carbon dioxide (CO<sub>2</sub>), Extinguishing powder, Water fog.

**DINITROL MS 40 Spray**

Date (latest revision): 19.01.2026

Product code: 30040

Page 3 of 9

**Unsuitable extinguishing media**

High power water jet.

**Specific hazards arising from the hazardous product**

Flammable. Vapours can form explosive mixtures with air.

**Special protective equipment and precautions for fire-fighters**

Use water spray jet to protect personnel and to cool endangered containers.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

**For emergency responders**

For further specification, refer to section 8 of the SDS.

**Environmental precautions**

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**Methods and material for containment and cleaning up****For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

**For cleaning up**

Provide adequate ventilation.

Clear contaminated areas thoroughly.

Do not rinse down with water.

**Other information**

No information available.

**Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**7. Handling and storage****Precautions for safe handling****Advice on safe handling**

Handle and open container with care.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

**Advice on protection against fire and explosion**

Take precautionary measures against static discharges.

Do not spray on naked flames or any incandescent material.

Keep away from sources of ignition - No smoking.

Heating causes rise in pressure with risk of bursting.

**DINITROL MS 40 Spray**

Date (latest revision): 19.01.2026

Product code: 30040

Page 4 of 9

**Advice on general occupational hygiene**

- Keep away from food, drink and animal feedingstuffs.
- When using do not eat or drink.
- Wash hands before breaks and after work.
- Avoid contact with skin and eyes.
- Remove contaminated, saturated clothing immediately.

**Conditions for safe storage, including any incompatibilities**
**Requirements for storage rooms and vessels**

- Keep container tightly closed in a cool, well-ventilated place.
- Do not keep the container sealed. Keep container dry.
- Keep away from heat. Protect from direct sunlight.

**Hints on joint storage**

- No information available.

**Further information on storage conditions**

- No information available.

**8. Exposure controls/Personal protection**
**Control parameters**
**Exposure limits (ACGIH)**

CAS No	Chemical name	ppm	mg/m <sup>3</sup>	Category	Origin
124-38-9	Carbon dioxide	5000	9000	TWA (8 h)	ACGIH-2025
		30000	54000	STEL (15 min)	ACGIH-2025

**Exposure controls**

**Appropriate engineering controls**

- Provide adequate ventilation.
- If handled uncovered, arrangements with local exhaust ventilation should be used if possible.
- If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

**Individual protection measures, such as personal protective equipment**
**Eye/face protection**

- Eye glasses with side protection (DIN EN 166)

**Hand protection**

- Tested protective gloves must be worn (EN ISO 374):
- FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.
- NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.
- Thickness of the glove material : > 0,12 mm
- For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
- Protective gloves have to be replaced at the first sign of deterioration.
- Protect skin by using skin protective cream.

**Skin protection**

- Wear anti-static footwear and clothing

**Respiratory protection**

- Work in well-ventilated zones or use proper respiratory protection.

**DINITROL MS 40 Spray**

Date (latest revision): 19.01.2026

Product code: 30040

Page 5 of 9

gas filtering equipment (EN 141). Filter material/medium : A2/P3

**9. Physical and chemical properties**
**Information on basic physical and chemical properties**

Physical state:	Aerosol	
Colour:	light brown	
Odour:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		not applicable
Lower explosive limits:		0,6 vol. %
Upper explosive limits:		7,0 vol. %
Flash point:		not applicable
Auto-ignition temperature:		240 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents	not determined	
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		5500 hPa
(at 20 °C)		
Density (at 20 °C):		0,8 g/cm <sup>3</sup>
Relative vapour density:		not determined
Particle characteristics:		not applicable

**Other information**
**Information with regard to physical hazard classes**

Explosive properties	not determined	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties	Not oxidising.	

**Other safety characteristics**

Evaporation rate:	not determined	
Solvent content:	73,0 %	
Solid content:	6,0 %	
Softening point:	not determined	
Viscosity / dynamic:	not determined	

**Further Information**

No information available.

**10. Stability and reactivity**
**Reactivity**

No hazardous reaction when handled and stored according to provisions.

**DINITROL MS 40 Spray**

Date (latest revision): 19.01.2026

Product code: 30040

Page 6 of 9

**Chemical stability**

The product is stable under storage at normal ambient temperatures.

**Possibility of hazardous reactions**

No known hazardous reactions.

**Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

**Incompatible materials**

No information available.

**Hazardous decomposition products**

No known hazardous decomposition products.

**11. Toxicological information**
**Information on toxicological effects**
**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation gas) &gt; 20000 ppm

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 > 5000 mg/l	Rat		
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >3000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 5,53 mg/l	Rat		
	calcium bis (di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 > 20000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 > 18 mg/l	Rat		

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitizing effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**DINITROL MS 40 Spray**

Date (latest revision): 19.01.2026

Product code: 30040

Page 7 of 9

**STOT-single exposure**

May cause drowsiness or dizziness. (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

No information available.

**Specific effects in experiment on an animal**

No information available.

**Additional information on tests**

No information available.

**Practical experience**

No information available.

**Information on other hazards**

**Endocrine disrupting properties**

Endocrine disrupting potential No information available.

**Further information**

There are no data available on the preparation/mixture itself.

**12. Ecological information**

**Persistence and degradability**

There are no data available on the mixture itself.

**Bioaccumulative potential**

There are no data available on the mixture itself.

**Mobility in soil**

There are no data available on the mixture itself.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other adverse effects**

No information available.

**Further information**

Avoid release to the environment.

**13. Disposal considerations**

**Waste treatment methods**

**Disposal recommendations**

Dispose of waste according to applicable legislation. Do not mix with other wastes.

List of proposed waste codes/waste designations in accordance with EWC:

**Contaminated packaging**

Remove according to the regulations.

**14. Transport information**

**Canadian TDG**

**UN number:**

UN 1950

**Proper shipping name:**

Aerosol

**Safety Data Sheet**

according to WHMIS

**DINITROL MS 40 Spray**

Date (latest revision): 19.01.2026

Product code: 30040

Page 8 of 9

**Hazard classes:** 2.1

Hazard label: 2.1



Limited quantity: 1

**Marine transport (IMDG)**
**UN number or ID number:** UN 1950

**United Nations proper shipping name:** AEROSOLS

**Transport hazard class(es):** 2.1

**Packing group:** -

Hazard label: 2.1



Marine pollutant: no

Special Provisions: 63, 190, 277, 327, 344, 959

Limited quantity: 1000 mL

Excepted quantity: E0

EmS: F-D, S-U

**Air transport (ICAO-TI/IATA-DGR)**
**UN number or ID number:** UN 1950

**United Nations proper shipping name:** AEROSOLS

**Transport hazard class(es):** 2.1

**Packing group:** -

Hazard label: 2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G

Passenger LQ: Y203

Excepted quantity: E0

IATA-packing instructions - Passenger: 203

IATA-max. quantity - Passenger: 75 kg

IATA-packing instructions - Cargo: 203

IATA-max. quantity - Cargo: 150 kg

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**Other applicable information**

Stowage Code:

SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

Segregation Code:

SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate

**Safety Data Sheet**

according to WHMIS

**DINITROL MS 40 Spray**

Date (latest revision): 19.01.2026

Product code: 30040

Page 9 of 9

subdivision of class 2.

**15. Regulatory information****Canadian regulations****DSL/NDSL inventory status**

Substance/product listed in the following inventories: DSL/NDSL

**Additional information**

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

**16. Other information****Changes**

This data sheet contains changes from the previous version in section(s): 2,8,16.

**Abbreviations and acronyms**ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

This safety data sheet contains only safety-related information and does not replace product information or product specifications.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*